

2024



SAFE &
SECURE



HOW SAFE ARE YOUR BUSINESS RECORDS?

If fire devastated your building tomorrow, would your company's essential media survive? Without them you could find it difficult to continue running your business. What's more, could you prove the extent of your losses for a full and speedy insurance settlement?

Some statistics show that on average the Fire Brigade is called out to a fire every 80 seconds. Commercial Fires cost industry millions per year, but if the hidden costs, including lost production, lost orders and business interruptions are added, the total figure is much more. It's a fact that many companies cease trading after a fire not because of damage to factories or stock, but due to the essential trading documents being lost.

It's not just fire you need to be wary of. A whole range of disasters including flood, burglary, electrical failure, vandalism and bomb damage puts thousands of companies out of business every year.

It is therefore vital to ensure that core information is safeguarded so that if disaster strikes your company you can be up and running again with a minimum of delay. What information is essential to your business?

It may be impractical to safeguard every document, but it is essential that the key documents such as balance sheets, sales ledgers, share certificates, customer records and insurance details are protected.

With this in mind, a complete range of safes has been developed to suit every need. The level of protection required from a fire safe is dependant on the media you will be storing. For example paper chars at 177°C, so lower protection is required than if you are storing Computer Discs, which melt at 75°C. So before ordering a safe think about the media you need to store. By simply storing your system back up discs and other data media in a safe, you will provide a high level of protection and security for a vast amount of information.

VITAL DOCUMENT CHECKLIST

- INSURANCE DOCUMENTS
- ACCOUNT BOOKS & SALES LEDGERS
- CONTRACTS & LEGAL DOCUMENTS
- CUSTOMER RECORDS
- PERSONNEL RECORDS
- SHARE CERTIFICATES
- COMPUTER BACK-UP DISCS
- ACCOUNT BOOKS & SALES LEDGERS
- EXAMINATION PAPERS

THE RIGHT DEGREE OF PROTECTION

Different Media require different levels of protection

- \ Freezing Point - 9°C
- \ Room Temperature - 20°C
- \ Body Temperature - 37°C
- \ Computer Media - 75°C
- \ Microfilm - 83°C
- \ Boiling Water - 100°C
- \ Paper Chars - 177°C

****ALL SAFES REQUIRE PROFESSIONAL TRANSPORT & INSTALLATION – NOT INCLUDED IN PRICES SHOWN.
ASK FOR A QUOTATION INCLUDING DELIVERY APPLICABLE TO YOUR SPECIFIC SITUATION.**



AIR 15

IS30A-15E

- \ Compact safe for the home or office
- \ Chubb safes own programmable electronic lock
- \ Steel door and body with dual plated steel moving bolt work
- \ Thickness of wall 4mm and door 2mm
- \ Removable shelf
- \ Key override
- \ 2 User codes
- \ Motorised bolt work
- \ \$5,000 cash rating
- \ Internal Dimensions: 240mmH x 340mmW x 200mmD
- \ 11kg: 250mmH x 350mmW x 250mmD



ROOM SAFE

IS30A-HOTEL

- \ Suitable for storage of valuables such as jewellery and cameras
- \ Chubb safes own programmable electronic lock
- \ Steel door and body with dual, plated steel moving bolt work
- \ Key override
- \ 2 user codes
- \ Cash rating - \$5,000
- \ CEU unit and software available at an additional cost
- \ Internal dimensions: 190H x 420W x 300D mm
- \ 13kg: 200mmH x 430mmW x 350mmD



HEAVY DUTY SECURE CUBE

ISSL01430

- \ 12mm Solid steel door and body construction
- \ Includes fixed shelf
- \ 4 Base fixing holes (Bolts not included)
- \ Cash rating - \$10,000
- \ Internal Dimension - 330H x 330W x 290D mm
- \ 75kg: 355mmH x 355mmW x 355mmD



SECURE COUNTER UNIT

ISSL01200

- \ Fast under counter storage of cash
- \ Key lock release from fixing bracket
- \ Key lock opening of cash container
- \ 2.4kg: 235mmH x 105mmW x 190mmD



FIRE FILE 31"



FIRE FILE 25"

Certified for one hour's fire protection of documents according to UL Standard 72, Class 350 Endurance.

- \ Easy operable day catch to secure the drawers when closed. Units do not have to be locked to provide fire protection but just to be pushed closed.
- \ High quality steel sliders to ensure comfortable operation and full drawer access
- \ Interlocking system that prevents more than one drawer being open at once and eliminates risk of tipping.
- \ All models fitted with high-security locks as standard. They can be equipped with a central key lock for single locking or together with a mechanical combination lock for dual central locking.
- \ Light Grey powder-coated finish and modern design which blends nicely into any office environment.
- \ Chubb safes Fire File 25" is manufactured in accordance with ISO 9001 for quality management systems and ISO 14001 for environmental management systems.

IS6325-230 – 2 Drawer 164kg: 784mmH x 551mmW x 635mmD

IS6325-430 – 4 Drawer 291kg: 1510mmH x 551mmW x 635mmD

Internal Dimension of Drawers – 290mmH x 387mmW x 460mmD



FIRE FILE 31"

- \ Certified according to UL Standard 72, Class 350 Endurance in 2 hour durations.
- \ Each drawer on the two-hour model is protected from fire. If one of the drawers is accidentally left open, the other closed drawers are still protected by the built in fire resistance partitions.
- \ Easy operable day catch to secure the drawers when closed. High quality steel sliders to ensure comfortable operation and full drawer access.
- \ Interlocking system that prevents more than one drawer being open at once and eliminates risk of tipping.
- \ All models fitted with high-security locks as standard. They can be equipped with a central key lock for single locking or together with a mechanical combination lock for dual central locking.
- \ Light Grey powder-coated finish and modern design which blends nicely into any office environment.
- \ Chubb safes Fire File 25" is manufactured in accordance with ISO 9001 for quality management systems and ISO 14001 for environmental management systems.

IS6431-230 – 2 Drawer 197kg: 784mmH x 551mmW x 779mmD

IS6431-430 – 4 Drawer 328kg: 1510mmH x 551mmW x 779mmD

Internal Dimension of Drawers – 290mmH x 387mmW x 604mmD



DUOGUARD GI – PULSE LOCK

- \ Burglary protection in accordance with EN 1143-1, as certified by ECB.S for Grades 0 and 1
- \ Approved by ECB.S in accordance with EN 1047-1 in class A 60 P for one hour's fire protection of paper documents
- \ Torch-resistant barrier material – Dualite – ensures burglary and fire protection whilst also reducing its total weight and minimising transportation and installation costs
- \ Ergonomic soft-touch handle and a range of internal fittings to maximise storage capacity
- \ The three-way bolt work is made from solid steel bolts
- \ A Class A mechanical key lock or a Class B high-security electronic lock, approved in accordance with EN 1300, are both available as primary lock options
- \ Fitted with an active re-locker and anti-drilling plates incorporated into the bolt work to withstand burglary attempts
- \ Other sizes and accessories available

IS45060-114R2 – 1 Shelf 123kg: 530mmH x 500mmW x 521mmD

Internal Dimensions: 430mmH x 400mmW x 360mmD

IS45110-114R2 – 2 Shelves 175kg: 690mmH x 600mmW x 561mmD

Internal Dimensions: 590mmH x 500mmW x 386mmD

IS45200-114R2 – 2 Shelves 264kg: 1150mmH x 600mmW x 561mmD

Internal Dimensions: 1050mmH x 500mmW x 386mmD

IS45350-114R2 – 3 Shelves 374kg: 1600mmH x 675mmW x 585mmD

Internal Dimensions: 1500mmH x 575mmW x 410mmD



DPC CABINET



30 MINS

ARCHIVE CABINET

- \ \$5,000 Cash Rating
- \ Cabinet has a steel, double-wall construction insulated with special fire-resistant barrier material
- \ Class A (EN 1300) key lock fitted as standard
- \ Secured by 3-way boltwork, locking at top, bottom and side of door
- \ Supplied with shelves

Single Door:

ISSL00301 – 120kg: 1950mmH x 700mmW x 550mmD
Internal Dimension: 1780 x 594 x 430

Double Door:

ISSL00303 – 200kg: 1950mmH x 1260mmW x 550mmD
Internal Dimension: 1780 x 1154 x 430



2 HOURS

DPC CABINET

- \ Fire-Protection Document Protection Cabinets
- \ Document Protection Cabinets from Chubb safes is a range of certified cabinets providing UL 72 Class 350 for up to 2 hours fire protection for your office.
- \ Ideal for Banks, Financial Institutes, Insurance and Legal Organisations, Government Departments, Research & Development and Human Resources Offices - Anyone looking to protect a large volume of high-risk documents
- \ You can rely on the durability of Document Protection Cabinets over the long term thanks to an automatic mechanism, which ensures bolts are in place and able to resist fire whenever the door is closed. The models designed with double doors also include a door interlocking system that prevents the right-hand door from being closed if the left-hand door is not already secured. For an added lay of reassurance, you can choose to anchor the cabinets to the floor using a standard DuoGuard or ProGuard anchor bolt.
- \ A range of customisable fittings for ultimate flexibility includes standard shelves, pull-out filing frames, pull-out trays, lockable drawers & lockable cupboards.
- \ Choice of single or dual lock, with a wide range of key, electronic and combination locks available.

IS621022DL – 382kg: 1209mmH x 759mmW x 605mmD
Internal Dimensions: 1050mmH x 600mmW x 382mmD

IS621024DL – 500kg: 1209mmH x 1160mmW x 605mmD
Internal Dimensions: 1050mmH x 1000mmW x 382mmD

IS621023DL – 395kg: 1559mmH x 759mmW x 605mmD
Internal Dimensions: 1400mmH x 600mmW x 382mmD

IS621026DL – 650kg: 1909mmH x 1160mmW x 605mmD
Internal Dimensions: 1750mmH x 1000mmW x 382mmD



1 HOUR

EUROPA GII BURGLARY-RESISTANT PROTECTION

- \ \$60,000 Cash Rating
- \ Burglary protection for high level business and financial institutions
- \ Certified by ECBS according to EN 1143-1
- \ Certified NT FIRE 017 – 60 Paper for one-hour protection of paper from fire
- \ Key lock and Combination locking as standard
- \ Optional internal fittings: deposits, shelves and lockable drawer deposits
- \ Other sizes available

IS3292-101 – 1 Shelf, 2 Drawers 381kg: 628mmH x 528mmW x 603mmD
Internal Dimensions: 460mmH x 360mmW x 360mmD

IS3292-102 – 2 Shelves, 2 Drawers 536kg: 718mmH x 668mmW x 663mmD
Internal Dimensions: 550mmH x 500mmW x 420mmD

IS3292-104 – 2 Shelves, 2 Drawers 880kg: 1208mmH x 668mmW x 773mmD
Internal Dimensions: 1040mmH x 500mmW x 530mmD



2 HOURS

DATAPLUS CABINET

- \ Due to the fact that data is destroyed at lower temperature than paper, standard fire resistant cabinets will not protect your data.
- \ Fitted with a quality Mauer Key Lock
- \ Optional shelves and storage options available
- \ 2 hour fire rating

IS64-Y23 – 390kg: 1191mmH x 746mmW x 780mmD
Internal Dimension: 845 x 490 x 400

IS64-Y25 – 640kg: 1941mmH x 746mmW x 780mmD
Internal Dimension: 1595 x 490 x 400

IS64-Y35 – 860kg: 1941mmH x 1036mmW x 780mmD
Internal Dimension: 1570 x 780 x 450



2 HOURS

DATAGUARD NT CABINET

- \ Single-door data media safe with maximised internal capacity and two hour certified fire protection.
- \ User-friendly, slam action door
- \ When shut, provides full fire protection without needing to be locked
- \ Adjustable shelving and drawer units supplied as standard

IS6434-40 – 190kg: 700mmH x 546mmW x 566mmD
Internal Dimension: 450 x 346 x 306

IS6434-80 – 263kg: 1025mmH x 546mmW x 590mmD
Internal Dimension: 775 x 346 x 330



KEY SAFES

- \ Cabinets available to store 10 keys up to 400 keys.
- \ Hooks, Key Tags and Numbers included in all Key Cabinets.

48 Key Safe

ISKB48 – 300mmH x 240mmW x 80mmD

100 Key Safe

ISKB100 – 550mmH x 380mmW x 80mmD

200 Key Safe

ISKB200 – 550mmH x 380mmW x 140mmD

400 Key Safe

ISKB400 – 550mmH x 730W x 140mmD



CHUBB SECURE DRUG CABINET

- \ A heavy duty cabinet specifically designed for the secure storage of prescription drugs and meets the regulatory requirements of most states and territories in Australia.
- \ Door is fitted with Australian made 600 Key Lock
- \ Constructed from 10mm solid plate steel
- \ Provided with fixing holes, 2 x in base and 4 x in the rear
- \ Shelving included

ISSL01410 - 27kg: 350mmH x 240mmW x 150mmD
Internal Dimension: 330 x 220 x 130

ISSL01411 - 66kg: 600mmH x 450mmW x 150mmD
Internal Dimension: 580 x 430 x 130

ISSL01412 - 160kg: 900mmH x 600mmW x 300mmD
Internal Dimension: 880 x 580 x 260



DRUG SAFES

The Guardall range of Drug Safes complies with all current Australian Health Department rules, making Guardall Drug Safes suitable for use in all States and Territories. All Guardall Drug Safes are fitted with a German made six lever pick resistant lock to ensure compliance to the strict rules for storing drugs. The safes can also be ordered with an electronic digital lock for ease of use and audit trail of whom and when the safe was accessed. Guardall Drug Safes come with pre-drilled anchor holes in the rear and base, adjustable shelves and high quality durable paint for years of hard wear and tear. With 8 different sizes to choose from there is one for every business.

ISDSK1: 45kg, 3 Removable shelves - 475H x 305W x 180D mm

ISDSK2: 73kg, 4 Removable shelves - 610H x 475W x 180D mm

ISDSK3: 325kg, 5 Removable shelves - 1220H x 762W x 400D mm

ISDSK4: 392kg, 5 Removable shelves - 1525H x 762W x 400D mm



CMI DRUG SAFES

The CMI range of Drug Safes complies to Australian Poisons and Therapeutic Goods Regulations Act - 2008. All 10mm steel construction, with retractable locking bolt work, secured by a ROSS-700 9 lever key lock. All models have 4 only 12mm bolt holes in base and 4 only 12mm bolt holes in back. All models have fully adjustable shelves. They can be fitted with combination, digital or card swipe access with locking status switches and emergency key over-ride at an additional cost. All finished in silver grey.

ISCMDS1: 53kg - 457mmH x 305mmW x 230mmD

ISCMDS2: 89 kg - 610mmH x 457mmW x 230mmD


ISCMDS3: 328kg - 1220mmH x 762mmW x 400mmD

ISCMDS4: 392kg - 1525mmH x 762mmW x 400mmD

SWIPE CARD ACCESS / COMBINATION AND DIGITAL LOCKS AVAILABLE



YELLOW, WHITE & BLUE
DANGEROUS GOODS CABINETS



CLASS 3 FLAMMABLE LIQUID STORAGE CABINETS - YELLOW

- \ Stainless Steel pin continuous hinging for strength and reliability
- \ Strong fully adjustable shelving perforated for free air movement
- \ High capacity liquid tight sump to contain spills
- \ State of the art powder coat finish for performance
- \ Flash arrestors & vent opening for mechanical ventilation systems
- \ Manufactured in Australia

IMSC030 – 30lt, 33kg, 800mmH x 500mmW x 450mmD
Internal – 553mmH x 418mmW x 370mmD, 2x shelves

IMSC060 – 60lt, 41kg, 1065mmH x 500mmW x 450mmD
Internal – 818mmH x 418mmW x 370mmD, 2x shelves

IMSC100 – 100lt, 65kg, 800mmH x 920mmW x 615mmD
Internal – 553mmH x 838mmW x 535mmD, 2x shelves

IMSC160 – 160lt, 78kg, 1220mmH x 1100mmW x 450mmD
Internal – 973mmH x 1018mmW x 370mmD, 2x shelves

IMSC250 – 250lt, 123kg, 1750mmH x 1100mmW x 500mmD
Internal – 1503mmH x 1018mmW x 420mmD, 3x shelves



TOXIC SUBSTANCE STORAGE CABINETS - WHITE

- \ Stainless Steel pin continuous hinging for strength and reliability
- \ Strong fully adjustable shelving perforated for free air movement
- \ High capacity liquid tight sump to contain spills
- \ State of the art powder coat finish for performance
- \ Flash arrestors & vent opening for mechanical ventilation systems
- \ Manufactured in Australia

IMSC0306 – 30lt, 33kg, 800mmH x 500mmW x 450mmD
Internal – 553mmH x 418mmW x 370mmD, 2x shelves

IMSC0606 – 60lt, 41kg, 1065mmH x 500mmW x 450mmD
Internal – 818mmH x 418mmW x 370mmD, 2x shelves

IMSC1006 – 100lt, 65kg, 800mmH x 920mmW x 615mmD
Internal – 553mmH x 838mmW x 535mmD, 2x shelves

IMSC1606 – 160lt, 78kg, 1220mmH x 1100mmW x 450mmD
Internal – 973mmH x 1018mmW x 370mmD, 2x shelves

IMSC2506 – 250lt, 123kg, 1750mmH x 1100mmW x 500mmD
Internal – 1503mmH x 1018mmW x 420mmD, 3x shelves



CORROSIVE SUBSTANCE STORAGE CABINETS - BLUE

- \ Stainless Steel pin continuous hinging for strength and reliability
- \ Strong fully adjustable shelving perforated for free air movement
- \ High capacity liquid tight sump to contain spills
- \ State of the art powder coat finish for performance
- \ Flash arrestors and vent opening for mechanical ventilation systems
- \ Manufactured in Australia

IMSC0308 – 30lt, 33kg, 800mmH x 500mmW x 450mmD
Internal – 553mmH x 418mmW x 370mmD, 2x shelves

IMSC0608 – 60lt, 41kg, 1065mmH x 500mmW x 450mmD
Internal – 818mmH x 418mmW x 370mmD, 2x shelves

IMSC1008 – 100lt, 65kg, 800mmH x 920mmW x 615mmD
Internal – 553mmH x 838mmW x 535mmD, 2x shelves

IMSC1608 – 160lt, 78kg, 1220mmH x 1100mmW x 450mmD
Internal – 973mmH x 1018mmW x 370mmD, 2x shelves

IMSC2508 – 250lt, 123kg, 1750mmH x 1100mmW x 500mmD
Internal – 1503mmH x 1018mmW x 420mmD, 3x shelves

FREECALL 1800 800 573



 intraspace.com.au

 linkedin.com/company/intraspace-pty-ltd

 facebook.com/intraspaceaustralia

 IntraMed®

 IntraFurn®

 FILE STOR SYSTEMS®



Disclaimer: IntraSpace does not accept liability for incorrect spelling, printing errors, incorrect manufacturer's specifications or changes, or grammatical inaccuracies on any product included in this catalogue. © All material, artwork and copy in this catalogue is produced under copyright laws. No part of the catalogue may be duplicated or reproduced in any form whatsoever without the prior written permission of IntraSpace. ®The logos IntraSpace, IntraMed, Tidy Files, Tidy Files and Cabinets and FileStor are registered trademarks wholly owned by IntraSpace.

We reserve the right to change pricing and/or product specifications without notice.