

Disposal of Waste after using the Peel Away Paint Removal System

- 1. After using Peel Away ensure that site is left clean. All surrounding areas and gardens, if applicable must be cleaned.
- 2. Do not pour Lead contaminated water down the drains or onto the garden.
- 3. Contact your Council or state Environmental Authority before work begins and request local rules on how you should dispose of your *Lead* contaminated waste.
- 4. Paint waste must be disposed of in accordance with State, Territory or Local Government requirements. *Lead* waste can be classified as hazardous waste, which means that it must be disposed of correctly.
- 5. Victoria, Queensland, Western Australia, Tasmania, and the Northern Territory allow disposal of small (household) quantities of waste containing lead with normal household garbage. The waste should be sealed in heavy duty plastic bags which are deflated so they do not burst. This mostly relates to householders. Be very careful as contractors and always be aware of the rules.
- 6. The EPA will not accept "Not Aware of the Rules" as an excuse.
- 7. In NSW, all lead contaminated wastes from residential, educational or childcare institutions may be disposed of with at solid waste landfills after being registered with the local EPA.
- 8. For waste containing lead from other types of Commercial buildings or Structures, contact, Waste Services in order to apply for a waste permit. For other states contact local authorities.
- **9.** For commercial waste disposal, disposal must be in accordance with the hazardous waste regulations in each state and territory. Strict rules apply.
- 10. Do not burn timber coated with paint containing lead or other wastes containing lead. Be vigilant when using a heat gun to burn acrylic and water based paint, beware of excessive fumes and use Australian Standards approved ventilated masks.
- 11. If *lead*-contaminated water has been generated, pour it into a strong securely sealed container and dispose of it as advised by your local council or use registered Liquid Waste Service company

Lead paint information is available from your Local Council, EPA, Community Lead Information Centres, Australian Standards and Federal Department of Environment and Heritage – Environment Australia

REFERENCES SHOULD BE MADE TO THE FOLLOWING

	n Standards 4361.2 Guide to Lead Management Commercia	-
	nent Australia Community Information Unit	Ph 1800 803 772
Masters Painters Association Australian Paint Manufactures Federation		Ph 1800 355 001 Ph 1800 807 568
	e & National Standard for Lead Control.	
NOHSC	: 1012 1994 & NOHSC: 2015 1195	
CONTA	ACT CENTRES DETAILS	
ACT:	Environment ACT EPA	Ph 02 6207 2151
	Lead information & Services	Ph 1800 355 001
NSW:	Sydney Metro, Illawarra, Blue Mountains	
	For Sydney Water and Waste Chemical Collection	Ph 1800 814 719
	Service	
NSW:	EPA & Pollution Control NSW	Ph 131 555
	Lead Waste for Commercial & Structures	Ph 02 9934 7000
	Lead Testing : Environmental Services	Ph 02 9646 1344
NT:	Dept of Lands, Planning & Environment	
	Northern Regions:	Ph: 08 8924 4140
	Southern Regions:	Ph: 08 8951 8362
	Southern Regions.	1 11. 00 0751 0502
QLD:	EPA Waste Section QLD	Ph 1800 501 087
	Environmental Health QLD	Ph 07 3234 0938
	Lead Testing: QLD Health Scientific Services	Ph 07 3274 9105
SA:	Operations Branch EPA:	Ph 08 8204 2004
	Dept of Human Services:	Ph 08 8204 2004
	Dept of Human Services.	111 00 0204 2004
TAS:	Public & Environmental Health Services	Ph 1800 671 738
	Dept of Primary Industries, Water and Environment	Ph 03 6233 6518
VIC:	EPA	Ph 03 9628 5888
	Environmental Health Unit – Dept. of Human Services	Ph 03 9616 7777
	Za nomini i cuita cuita Depu di Humun Services	
WA:	Waste Management & Dept of Environmental Protection	Ph 08 9222 7000
	Lead & Health Services Information	Ph 08 9272 5244

This information is meant to be of a guide and assistance for the safe removal of old Lead paint

PEEL AWAY Australia-Asia Pacific Pty Ltd ACN: 146 029 469 P.O.Box 24 North Strathfield NSW 2137 Ph 02 9746 6733 www.peelaway.com.au