



Meranti


...the right choice




STANDARD ARCH & SKIRT PROFILE



42x12 Bullnose



68x12 Bullnose




68x19 Bullnose



42x12 Meranti Colonial



68x12 Meranti Colonial




68x19 Meranti Colonial



93x12 Meranti Colonial



93x19 Meranti Colonial



140x19 Meranti Colonial




42 x 12 Splay/Bevel




68 x 12 Splay/Bevel

TRIM PROFILE



42x16 Cornice



68x16 Cornice




19x9 D-Mould




31x9 D-Mould




12x12 Quad




19x19 Quad




31x31 Quad



31x31 External Angle



19x19 Scotia




31x31 Scotia


DAR RANGE




12x12 DAR S4S




19x12 DAR S4S



31x12 DAR S4S




42x12 DAR S4S




68x12 DAR S4S




93x12 DAR S4S



116x12 DAR S4S



140x12 DAR S4S



19x19 DAR S4S



31x19 DAR S4S



42x19 DAR S4S



68x19 DAR S4S




93x19 DAR S4S




95x19 DAR S4S




98x19 DAR S4S



116x19 DAR S4S



140x19 DAR S4S




163x19 DAR S4S




187x19 DAR S4S



240x19 DAR S4S



290x19 DAR S4S



31x31 DAR S4S




42x31 DAR S4S



68x31 DAR S4S




93x31 DAR S4S



140x31 DAR S4S



163x31 DAR S4S




42x42 DAR S4S



68x42 DAR S4S



93x42 DAR S4S



140x42 DAR S4S

STORAGE & HANDLING

Timber is a natural product and it will react to changes in the environment during the life of the product. Every effort is made during manufacturing to minimise the effect that these changes may have on the final appearance of the product, however swelling, staining and resin/tannin bleed are natural characteristics and may occur as a result of changes to climatic conditions. To minimise the opportunity for these changes to impact on the finished product we recommend the following steps be undertaken when storing, handling and installing these products.


- Timber should be kept dry - stored at least 150mm off the ground and evenly supported in a well ventilated undercover area. Protect the product from all sources of moisture, (including ground moisture), humidity and weather until installed.
- Once installed ensure that the timber is coated with a quality oil based finish, being sure to follow the manufacturer's instructions.
- Ensure that you keep to a regular maintenance program to care for your timber.

SIMMONDS SELECT MERANTI

Meranti comprises of a large number of timber species sourced from Malaysia, Indonesia, Thailand and the Philippines. Simmonds Select Meranti is 100% sourced from Malaysia. We take great care in sourcing our timber from responsible sustainable suppliers, each with accreditation under the MTCC, which carries with it PEFC endorsement. All our Meranti comes into Australia fully immunised to treatment level H1 to ensure protection from the Lyctid Borer.

Convenience of supply is the hallmark of our Meranti offer to the market, allowing the timber merchant to purchase the product as full packs (random lengths), job lots (random lengths), or in set length pieces (subject to availability at the time of order). Simmonds Select Meranti - for a natural timber finish.

**Simmonds Select
Meranti
Distributed by:**



Sydney
1 Durham Street
Rosehill NSW 2142
Ph + 61 2 9638 7333
Fax + 61 2 9684 6466

Brisbane
146-164 Buchanan Road
Banyo QLD 4014
Ph + 61 7 3267 0244
Fax + 61 7 3621 7755

Melbourne
22-32 Nathan Road
Dandenong VIC 3175
Ph + 61 3 9791 2241
Fax + 61 3 9791 2243

New Zealand
15B Gabador Place
Wellington
Auckland NZ 1060
Ph + 64 9 573 0280
Fax + 64 9 573 0282

www.simmondslumber.com.au