



DETAIL A



DETAIL B



DETAIL C

MAXIMUM SIZE

"X" = 7 METRES

"Y" = 5 METRES

MINIMUM SIZE

"X" = 1 METRES

"Y" = 1 METRES

NOTE - SIZES OUTSIDE THESE STANDARDS - PLEASE CONTACT COOPERS FIRE LTD



Edward House, Penner Road,
Havant, Hampshire, PO9 1QZ, UK


Tel: +44 (0) 23 9245 4405
Fax: +44 (0) 23 9249 2732

Email: info@coopersfire.com
Web: www.coopersfire.com





DRAWN:	TITLE: FIREMASTER® SIMPLEX™ HORIZONTAL FIRE CURTAIN TYPICAL ARRANGEMENT		
ML			
CHECKED:			
JR	© 1997 A COOPER GROUP LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSION IN MILLIMETERS UNLESS OTHERWISE STATED	
APPROVED:	DRG. No.	ISSUE:	F
JR	HRZ/STD/01	DATE:	24.02.2014

NOTE
THIS DRAWING SHOULD BE CONSIDERED AS
A GUIDE ONLY, AS SOME DETAILS HAVE BEEN
OMMITTED FOR CLARITY.




SEE DRAWING HRZ/STD/02
FOR INSTALLATION CRITERIA



ROLLER CURTAIN HEADBOX





SIDE GUIDE HEADBOX




ENSURE THE CORRECT TYPE OF MOUNTING BOLTS ARE USED TO SUIT THE TYPE OF BLOCKWORK OR FRAMEWORK


DRAWN:	TITLE: FIREMASTER® SIMPLEX™ HORIZONTAL FIRE CURTAIN INSTALLATION GUIDE	
ML		
CHECKED:		
JR	© 1997 A COOPER GROUP LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSION IN MILLIMETERS UNLESS OTHERWISE STATED
APPROVED:	DRG. No.	ISSUE: H
JR	HRZ/STD/33	DATE: 24.02.2014



DETAIL A



DETAIL B



DETAIL C

NOTE - SIZES OUTSIDE THESE STANDARDS - PLEASE CONTACT COOPERS FIRE LTD



Edward House, Penner Road,
Havant, Hampshire, PO9 1QZ, UK

Tel: +44 (0) 23 9245 4405
Fax: +44 (0) 23 9249 2732


Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN:	ML	TITLE:	FIREMASTER® DUPLEX™ HORIZONTAL FIRE CURTAIN TYPICAL ARRANGEMENT
CHECKED:	JR	© 1997 A COOPER GROUP LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSION IN MILLIMETERS UNLESS OTHERWISE STATED
APPROVED:	JR	DRG. No.	DHRZ/STD/01
		ISSUE:	F
		DATE:	24.02.2014





NOTE
THIS DRAWING SHOULD BE CONSIDERED AS
A GUIDE ONLY, AS SOME DETAILS HAVE BEEN
OMMITTED FOR CLARITY.

SEE DRAWING DHRZ/STD/02
FOR INSTALLATION CRITERIA




MAXIMUM SIZE
"X" = 14 METRES
"Y" = 5 METRES
MINIMUM SIZE
"X" = 7 METRES
"Y" = 1 METRES



ROLLER CURTAIN HEADBOX



SIDE GUIDE HEADBOX



**ENSURE THE CORRECT TYPE OF MOUNTING BOLTS ARE
USED TO SUIT THE TYPE OF BLOCKWORK OR FRAMEWORK**