



FIREMASTER® EVACU8® D200E/180 CURTAIN STANDARD HEADBOXING SECTIONS

D200E/180 WSR 25/30





DROP	WIDTH
< 4M	< 5M




DROP	WIDTH
< 4M	> 5M <18M

FIREMASTER® EVACU8® D200E/180 CURTAIN STANDARD HEADBOXING SECTIONS


D200E/180 WSR 30/34




FIREMASTER® EVACU8® D200E/180 SERIES ROLLER UNIT




A	B	C	D	E	F	X	Y
< 3.5M	Min. 300	Max. 1067	< 4M	Max. 2438	90~100	250	300
< 5.0M	Min. 650	Min. 812	< 6M			300	340




A	B	C	D	E	F	X	Y
> 5.0M	Min. 870	Max. 1067	< 4M	Max. 2438	90~100	250	300
< 18M		Min. 812	< 6M			300	340



SIDE MOUNTED
SIDE GUIDE DETAILS



REVERSE MOUNTED
SIDE GUIDE DETAILS (OPTION 1)





REVERSE MOUNTED
SIDE GUIDE DETAILS (OPTION 2)

DRAWN:	ML	TITLE:	FIREMASTER® EVACU8® D200E/180 SIDE GUIDE WITH SMOKE SEAL
CHECKED:	JR	© 1997 A COOPER GROUP LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSION IN MILLIMETERS UNLESS OTHERWISE STATED
APPROVED:	CJL	DRG. No.	606/143/MK
		ISSUE:	C
		DATE:	18.07.2014


FIXING ANGLE DIMENSION			
HEADBOX	'A'	'B'	'C'
WSR25/30	83MM	86MM	55MM
WSR30/34	95MM	98MM	65MM

FIREMASTER® EVACU8® D200E/180 FIRE & SMOKE RATED CURTAIN HEADBOXING SECTIONS




DRAWN:	TITLE: FIREMASTER® EVACU8® D200E/180 HEADBOX CONFIGURATION	
ML		
CHECKED:	© 1997 A COOPER GROUP LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSION IN MILLIMETERS UNLESS OTHERWISE STATED
JR		
APPROVED:	DRG. No.	ISSUE: B
CJL	602/144/MK	DATE: 25.02.2014


FIREMASTER® EVACU8® D200E/180 SERIES ROLLER UNIT



A	B	C	D	E	F	G	X	Y
< 3.5M	Min. 630	Max. 1067 Min. 812	< 4M	Max. 2438	90~100	Min.780	250	300
< 5.0M			< 6M				300	340



A	B	C	D	E	F	X	Y
> 5.0M < 18M	Min. 750	Max. 1067 Min. 812	< 4M	Max. 2438	90~100	250	300
			< 6M				340



Edward House, Penner Road,
Havant, Hampshire, PO9 1QZ, UK
Tel: +44 (0) 23 9245 4405
Fax: +44 (0) 23 9249 2732
Email: info@coopersfire.com
Web: www.coopersfire.com

DRAWN: ML	TITLE: FIREMASTER® EVACU8® D200E/180 SERIES MATRIX OF SIZES (DOUBLE DOORS)	
CHECKED: JR	© 1997 A COOPER GROUP LIMITED ALL RIGHTS RESERVED. THIS DESIGN MAY NOT BE REPRODUCED IN ANY MATERIAL FORM, INCLUDING ELECTRONICALLY WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT NAMES	ALL DIMENSION IN MILLIMETERS UNLESS OTHERWISE STATED
APPROVED: CJL	DRG. No. 602/145/MK	ISSUE: B DATE: 25.02.2014

NOTE: - SIZES OUTSIDE THESE STANDARDS - PLEASE CONTACT COOPERS