

HORIZON

WIDELINE RESIDENTIAL RANGE

TAKE A CLOSER LOOK





CONTENTS

Take a closer look	4
Designed with vision	6
Planning makes the perfect picture	8
Double hung windows	10
Awning windows	11
Sliding windows	12
Custom windows	13
Sliding doors	14
Stacking doors	16
Entry doors and frames	18
Bi-fold doors	20
Accessories and options	22



TAKE A CLOSER LOOK

USING ADVANCED MANUFACTURING TECHNOLOGY
AND DESIGN INNOVATIONS, WIDELINE CONTINUES
TO LEAD THE WAY IN RESIDENTIAL AND
ARCHITECTURAL DOORS AND WINDOWS.





Wideline's commitment to research and development has resulted in an outstanding range of versatile, durable and energy efficient products.

Our aluminium frames are finished to the highest standard using world leading chrome-free powder coat technology.

We offer exceptional design versatility and a range of quality accessories to give you the ultimate flexibility in creating the look you want for your home.

Tested for safety, energy efficiency and quality, Wideline products are backed by a written 7 Year Guarantee.



DESIGNED WITH VISION

YOUR VIEW OF THE WORLD IS FRAMED BY OUR
WINDOWS AND DOORS. OUR VISION IS TO ENSURE
YOURS IS FILLED WITH LIGHT AND BEAUTY.





The Horizon range is distinctive, versatile and built to last. Combine styles, accessories and glass options to achieve the perfect look for your home.

- Unique extrusion profiles have a torsion box to prevent bowed jambs.
- Mix styles and maintain a uniform sight line.
- Improved aluminium reduces heat transfer.
- Versatile glazing options for energy efficiency.
- Tested and certified products available for bushfire zones.
- A range of screen options are available to help keep your family safe including; SecureLine™ security screens, SafeLine™ fall prevention screens and BarrierLine™ diamond grilles.



PLANNING MAKES THE PERFECT PICTURE

SELECTING THE RIGHT WINDOWS AND DOORS CAN HAVE A PROFOUND EFFECT ON YOUR HOME, THAT'S WHY THERE'S A WIDELINE SHOWROOM WITH WINDOW AND DOOR SPECIALISTS CLOSE AT HAND.





With 50 years' experience, Wideline makes selecting the correct windows and doors easy. We will guide you step by step through the process of selecting the best product for your home.

Design, form and function combine to create the perfect windows and doors for your home.

Windows frame the outside world and allow air and light to flow into a space.

The right door openings also provide new opportunities to create 'rooms' by opening up or screening a space.

- Should you choose aluminium or timber?
- What type of window or door do you need – double hung, sliding, awning, hinged or bi-fold?
- What type of glass is best suited for your needs?
- Have you considered the benefits of energy efficiency or sound insulation?
- Have you considered options such as locks, screens and decorative bars?
- Are you building in a light weight cladding? Talk to us about Halo Aquashield™ integrated window flashing.



DOUBLE HUNG WINDOWS

STYLISH AND CONTEMPORARY IN CHARACTER HORIZON DOUBLE HUNG WINDOWS INCORPORATE A UNIQUE BALANCE MECHANISM THAT MAKES OPENING AND CLOSING THE WINDOW A DREAM.

Double hung windows are a versatile performer with both top and bottom opening, allowing hot air to escape from the top and cool air to flow in from below.

- Windows are whisper quiet with all guides lined with a deep weather pile that also protects the mechanism from the elements.
- Decorative options include federation, tudor and colonial bar patterns.
- Windows can be fitted with traditional cam locks or modern key locks.





AWNING WINDOWS

AWNING WINDOWS OFFER FRESH AIR AND VENTILATION EVEN IN POOR WEATHER CONDITIONS.

Architectural in appearance, strong and robust in design, the perfect all rounder.

- Top hinged with strong external frames.
- Full perimeter sash seals provide excellent weather protection.
- Key locking systems and insect screens available.
- Glazing options to improve energy efficiency or reduce noise.



SLIDING WINDOWS

OUR SLIDING WINDOWS ARE DESIGNED TO PROVIDE EXCELLENT ACCESS TO SCREENS AND IMPORTANTLY TO THE SILL SECTIONS FOR CLEANING.

There's even a choice of sill capacities. For areas with more extreme weather conditions, such as coastal areas, we recommend the self draining sill which has a higher water carrying capacity.

- Smooth, quiet sliding action.
- Choice of height adjustable security key locks.
- Interlocking mullions for added strength.
- Deep weatherproof seals.





CUSTOM WINDOWS

WIDELINE'S LOW-MAINTENANCE CUSTOM WINDOWS ARE STRONG, DURABLE AND AVAILABLE IN A RANGE OF DECOR COLOURS.

Custom window options include circles, semi-circles, triangles, diamonds and raked windows. Leadlight, colonial bars or other decorative styles can also be added for that perfect finishing touch.

We also provide acrylic or glass blocks as a fabulous alternative window treatment. A neat solution for homes with privacy issues. Available in a range of patterns and colours, acrylic or glass blocks open up a myriad of design possibilities!



SLIDING DOORS

EASY TO MAINTAIN AND QUIET TO OPERATE, OUR SLIDING DOOR DESIGN AND SOLID SECURITY FEATURES OFFER BOTH COMFORT AND SAFETY FOR EXTERIOR DOORS.





The sliding door provides a greater use of floor space. A wide door opening that can be left open in strong breezes without the fear of slamming.

Horizon aluminium sliding doors have a slimline frame with door designs that open up new options for your entertaining and living areas.

Features include:

- Quiet operation.
- Unobtrusive sliding panels maximise floor space.
- Internal sliding panels for enhanced security.
- Self draining sills and seals.
- Designs can be screened.



STACKING DOORS

THE HORIZON STACKING DOOR'S SLIMLINE FRAME
ALLOWS LIGHT, VIEWS AND THE GENTLE BREEZE
TO CASCADE IN, TO AN EXPANSE OF GLASS UP TO
SIX METRES.





Entertaining is a dream with our multi-stacker doors sliding away neatly to create open, free flowing spaces.

Available in three and six panel configurations and a variety of panel widths, stackable sliding doors are a great option to make a small room bigger, or a big one smaller.

Stackable sliding doors suit almost any room size and can also be screened.

Features include:

- Available in three and six panel configurations.
- 90° corner opening options.
- Glazing options up to 20mm.
- Decorative options include federation, tudor and colonial bar patterns.
- Insect and security screens available.



ENTRY DOORS AND FRAMES

MAKE THAT ALL IMPORTANT FIRST IMPRESSION WITH A STYLISH ENTRY FRAME AND DOOR.





Versatility makes a grand entrance. Our extensive range of entry doors help you create a welcoming, secure and practical entrance to your home.

Horizon entry door frames incorporate a recess designed to ensure security screen doors fit neatly into place. Full perimeter seals offer improved weather protection and sturdy frames provide enhanced security.

Renovation options include creating a complete new entrance for your home, reframing a favourite door, or adding a new door to an existing frame.

Features include:

- Single or double opening doors.
- Overhead panels, sidelights, glazed panels.
- Clear, coloured, textured or custom glass.
- Brass plated, chrome and powder coated lock sets.



BI-FOLD DOORS

HORIZON BI-FOLD DOORS OPEN UP YOUR HOME INTO A BEAUTIFUL SPACE. PERSONALITY AND PRACTICALITY FOLDED INTO ONE.





A strong overhead track and carriage system gives you the option of panel heights to 2400mm and to a width of 900mm. Robust design, full perimeter seals and a strong head and sill make our bi-folds exceptionally durable. Stainless steel components are available for installations in coastal areas.

Bi-fold doors come in an open-out configuration. Hardware finishing options include polished or satin chrome, natural polished brass, and powder coating.

Bi-fold doors can be an elegant and practical choice if you want to:

- Let more light into an indoor living space.
- Create space options for entertaining.
- Divide large areas for multi-purpose use.



ACCESSORIES AND OPTIONS

WE OFFER A RANGE OF ADDITIONAL AESTHETIC FEATURES, AS WELL AS OPTIONAL EXTRAS AND A VARIETY OF SAFETY AND PROTECTION BENEFITS TO ENSURE YOUR PEACE OF MIND.

- Hardware finish options range from powder coated to satin chrome.
- We custom design and manufacture sturdy insect screens to match our windows.
- Customisation options include colonial, heritage or federation bar layouts.
- Glass options from tinted and laminated glass to double glazing allow you to make choices that suit your climate, location, security and energy efficiency needs.
- Choose screens and lock options to suit your requirements.
- Increased sill capacities are available to reduce the risk of water penetration in extreme weather locations.
- Our colour range offers 12 standard colours and 12 secondary colours in gloss, matt, satin and Textura® finishes.
- Semi-commercial aluminium entry frame material is available with all our Horizon doors and windows to increase structural integrity.
- Plastic wrap is available to protect the glass, paintwork and hardware of your doors and windows while your home is under construction.
- Integrated window flashing is available on Horizon windows and sliding doors for light weight construction. Pre-fitted to the frame at the factory and delivered to site ready for installing, it has totally transformed the way windows are installed. Ask us about Halo Aquashield™.

TO VIEW THE RANGE OF HARDWARE AND SCREEN OPTIONS, VISIT YOUR LOCAL WIDELINE SHOWROOM




COLOUR SELECTION CHART AVAILABLE

Can't find the colour you're looking for?

Don't worry. We can colour match your dream colour and bring it to life.

Simple speak to one of our sales professionals.



7 YEAR GUARANTEE

CONDITIONS

YOUR WIDELINE PRODUCTS ARE GUARANTEED AGAINST DEFECTS ARISING FROM FAULTY WORKMANSHIP OR MATERIALS FOR A PERIOD OF SEVEN (7) YEARS FROM THE DATE OF DELIVERY BY WIDELINE, SUBJECT TO THE FOLLOWING CONDITIONS:

- a. The product has been installed in accordance with the relevant Australian Standards and recognised building practice.
- b. The product has been maintained in accordance with industry recommendations.
- c. The product has not been subject to misuse, physical abuse or neglect.
- d. Manufacturing standards and tolerances are not deemed defects, nor are industry variations in the colour of aluminium and timber componentry.
- e. Wideline accepts no responsibility for glass breakage (except for faulty workmanship or materials). Wire reinforced glass, toughened glass, float glass, laminated glass and mirror glass is guaranteed against defects and degradation for a period of three (3) years.
- f. Moving parts which wear out as a part of normal use are guaranteed for two (2) years.
- g. This guarantee is limited to the repair or replacement of the faulty product at the company's discretion but does not extend to the installation or refinishing of a replacement product.
- h. Finish failures or corrosion of aluminium or other components due to environmental conditions such as air pollutants, acid rain or other corrosive substances are defects which have arose due to the conditions and are therefore not the responsibility of Wideline.
- i. Corrosion, wear, or failure of standard components in seacoast applications (within 5 kilometres of coastal waters) is not covered under this warranty as deterioration is possible under climate conditions.
- j. Normal wear or discolouration of finishes including the tarnishing of brass is a result of conditions or applications and are therefore not the responsibility of Wideline.
- k. Only repairs carried out by Wideline personnel or authorised Wideline agents are covered by this guarantee.
- l. Claims under this guarantee should be made within one month of the defect arising in the product. Copies of documentation showing the purchase date of the product should be included with your written claim and forwarded to the Wideline office.

This guarantee is in addition to all other rights and remedies in respect of this product to which you are entitled under the Trade Practices Act and similar State and Territory laws. For the benefit of the consumer. Effective 1 August 2013.

INSTALLATION AND MAINTENANCE

WIDELINE PRODUCTS ARE MANUFACTURED FROM THE MOST SUITABLE MATERIALS AND FINISHES AVAILABLE AND WHEN PROPERLY MAINTAINED, WILL GIVE MANY YEARS OF QUALITY SERVICE.

Builders/Home Owners Please Note

When you are installing windows and doors there are some precautions you should take to ensure that the products will retain their ex-factory condition until installation is complete and the job handed over.

Wideline products usually arrive on the site in a fully finished condition. However, they can be damaged through careless handling, and are particularly vulnerable when being installed in brick or concrete block construction.

Remember:

- Keep wet cement, mortar and brick-cleaning acid from contact with timber or aluminium (particularly if the finish is anodised), before, during and after installation.
- If accidentally splashed, wash off immediately with clean water otherwise permanent staining or damage may occur.
- Do not use acid to remove mortar stains on window frames.
- Hose down brickwork to remove residual cleaning acid that may leach out and cause damage to the finish later.
- Do not place windows directly onto green concrete slabs.
- Keep the tracks of sliding windows and doors clear of sand and cement droppings.
- Do not use window or door frames to support planks or temporary scaffolding.
- Clean up when the job is complete with mild detergent and rinse with clean water.

Aluminium products

A good general rule is that aluminium should be washed to remove dirt deposits as often as it is necessary to wash windows.

Aluminium requires only minimum maintenance but, like your motor car, the finish may deteriorate if dirt, which collects on the surface, is allowed

to remain unwashed over a period of time. This is because dirt absorbs moisture present in the atmosphere. Moisture can contain salt near the ocean or other impurities in industrial areas, and it is the combination of dirt and contaminated moisture that can cause deterioration of almost any surface finish.

In rural areas where normally there is very little contaminated moisture, you may not need to clean your aluminium fittings more than every six months. In industrial and coastal areas, washing at intervals of one to three months may be required – or even more frequently in locations close to the ocean or in heavily polluted industrial areas, especially where the windows or other product is sheltered from the washing effects of the rain. In severe coastal areas, washing at intervals of one to two weeks may be required.

To clean aluminium, use the mildest treatment you can which produces satisfactory results. Start with warm water, with soap or detergent. On anodised material try solvent cleaners (eg: kerosene, turpentine, white spirit), or non-etching chemical cleaners, or a wax-based polish cleaner. Never use harsh liquid chemicals, abrasive cleaners or steel wool.

Timber Products

Wideline timber products are delivered ready for surface treatment. Raw (untreated) timber should be protected from water (including high humidity) prior to surface finishing to prevent staining, warping, swelling, etc and a high quality surface finish should be applied as soon as possible, following the manufacturers directions. Primer alone will not provide adequate protection to the timber. This surface finish coating should then be maintained in good condition on both internal and external faces. This can be achieved by regular cleaning with non-abrasive cleaners and refinishing when breakdown of the coating occurs. Applied coatings and refinishing must include all edges of doors including top and bottom. Steel wool or other metallic abrasives must not be used

to sand cedar and other fine grain timbers. Use fine grit sandpaper or sanding blocks.

To avoid water staining, keep tracks and sash openings clean and free of leaves and other debris that may retain water. Ensure that the weep slots in windows and doors are kept clear to allow maximum drainage.

We do not recommend the use of ordinary steel fasteners as these may corrode which will result in unremovable stains.

Windows and doors facing direct sunlight should be painted in light reflective colours. Windows and doors painted or stained dark colours or different colours on each face may warp which would void the Manufacturers Warranty. All edges should be sealed including top and bottom edges.

Please consult a professional painter for advice on under-coating and painting standards. Some timber products require a further drying period before being painted and your painter can assist you with this.

Screens & SecureLine™ Products

To clean flyscreens they can be removed and rinsed gently with a garden hose. Be careful not to use too much pressure, as that can stretch the fly screen or pull the edges out of their housing. Scrub the screens with a soft bristled brush and warm soapy water. Wash both sides of the screen.

SecureLine™ powdercoated mesh screens will need to be washed with a sponge and a bucket, instead of a hose. Before starting to clean fixed screens, lay towels on the floor or window sill so that you can carefully wipe the inside of the screen as well as the outside of the screen.

If you live within 5km of coastal waters washing at intervals of one to two weeks may be required. If not properly maintained the effects of the salt air will build up and in time cause the mesh to corrode. Corrosion, wear, or failure of standard components in seacoast applications is not covered under this warranty.



Wideline is proud to announce that it is a founding member of the Australian Window Association (AWA).

This association has been established to ensure that manufacturers produce windows and doors that meet – if not exceed – stringent safety and structural standards. From material selection and workmanship quality to weather sealing and applied finishes, all aspects of production are scrutinised to ensure that they meet the relevant Australian standards.



Every Wideline product has been thoroughly tested, certified and guaranteed by independent inspectors accredited by the National Association of Testing Authorities.

All products shown in this catalogue are representative of what can be achieved and are subject to individual finishes and installation techniques. Wideline Pty Ltd reserves the right to modify sizes and details without notice. Wideline Pty Ltd does not accept liability for the appearance of your finished product.



WIDELINE™
WINDOWS & DOORS

SYDNEY

LIVERPOOL

18, 12 Homepride Avenue
Warwick Farm NSW 2170

ROSEBERY

1, 593 Botany Road
Rosebery NSW 2018

REGIONAL NSW

CENTRAL COAST

Registered Head Office
174 Pacific Highway
Tuggerah NSW 2259
PO Box 378
Wyong NSW 2259

NEWCASTLE

107 Broadmeadow Road
Broadmeadow NSW 2292

PORT MACQUARIE

28 Janola Circuit
Port Macquarie NSW 2444

WIDELINE PTY LTD | ABN 11 000 945 068

For more information call **1300 943 354** | wideline.com.au



A family
owned
Australian
business

