

**Baby Safe  
Solutions**





**WARNING**

- 1. Do not use the changing station if the lid is damaged or if the lid does not close properly.
- 2. Do not use the changing station if the lid is not properly secured.
- 3. Do not use the changing station if the lid is not properly latched.
- 4. Do not use the changing station if the lid is not properly locked.

**CAUTION**


- 1. Do not use the changing station if the lid is damaged or if the lid does not close properly.
- 2. Do not use the changing station if the lid is not properly secured.
- 3. Do not use the changing station if the lid is not properly latched.
- 4. Do not use the changing station if the lid is not properly locked.



# Baby Changing Stations

ASI JD MacDonald offers baby safe solutions for baby changing stations. All units are easy to install, durable and sanitary. To meet your washroom needs, we offer numerous choices including Accessible Compliant models.

## WHAT MAKES OUR RANGE OF BABY CHANGING STATIONS THE BEST?




### LARGE WEIGHT CAPACITY

Our range of baby changing stations come in a variety of options; recessed, surface mount, parallel, vertical, plastic or stainless steel, with capacity loadings up to 181kg.



### ACCESSIBLE COMPLIANT

Our range includes several options suitable for Accessible Compliant washrooms.



### EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



### FUNGUS- AND BACTERIA-RESISTANT

The plastic used for our baby changing stations has been shown to inhibit the growth of bacteria and fungus.

## STANDARD FEATURES

- Easy to install
- Sanitary, safe and strong
- All units fold up; no obstruction when not in use
- Large weight capacity
- Easy open and close
- Easy to clean



**10-9012 BABY CHANGE STATION PARALLEL POLYETHYLENE SURFACE MOUNT**

Accessible Compliant, made from high density polyethylene and supports a static load up to 136kg. Other features include; a concealed damp gas spring and adjustable two-part safety-strap for ease of use with one hand; a bed-liner dispenser with view slot that can be converted to a multi-fold towel dispenser; 2 heavy duty bag hooks and instructions in seven languages. Entire unit assembled of sealed components, meaning no penetration zones to harbor microbes or bacteria. No level surfaces that may invite the resting of cups, cans, bottles etc. Unit is recyclable at end of usable life.

**Overall Dimensions:** 914 x 559 x 102 mm  
 Closed: 914 x 559 x 102 mm  
 Open: 914 x 559 x 519 mm

**OPTIONS:**  
 Box of 500 liners (Part No: LCR)  
 Replacement belt (Part No: 10-9012-21009)



**10-9020 TODDLER SAFETY SEAT**

Made from high density polyethylene, the unit is durable and non-porous and supports a load up to 22.7kg. No parts of the operating mechanism are accessible when unit is open or closed to provide a tamper-resistant and pinch proof user environment. Unit has a three-point adjustable child protection safety belt and the shoulder harness straps are individually attachable. Graphics and instructions in four languages on interior back. Light grey in colour and recyclable at the end of usable life.

**Overall Dimensions:** 318 x 552 x 283 mm



**10-9015 BABY CHANGING STATION, VERTICAL PLASTIC, SURFACE MOUNTED**

Vertical unit has a pull handle and concealed damped gas spring, assisting in easy operation. Can be fabricated of FDA-approved fungus and bacteria-resistant plastic. Intended use for infants up to 3.5 years old and up to 23kg. Its vinyl-coated, adjustable safety strap assures child protection.

**Overall Dimensions:** 616 x 893 x 98mm  
 Closed: 616 x 893 x 98 mm  
 Open: 616 x 893 x 837 mm

**OPTIONS:**  
 Box of 500 liners (Part No: LCR)  
 Replacement belt (Part No: 10-9014-14159)



**10-9017 BABY CHANGE STATION VERTICAL STAINLESS STEEL CLAD RECESSED**

Made from high density polyethylene and satin finished 304 stainless steel. Unit supports a static load up to 136kg. No parts of the operating mechanism are accessible to provide a tamper-resistant and pinch proof user environment. Other features include; a damped gas spring to assist in opening and closing with one hand; a bag hook; a bed-liner dispenser that converts to a multi-fold towel dispenser; instructions in four languages and an adjustable two-part vinyl coated child protection safety-strap. Entire unit is assembled of sealed components meaning no penetration zones to harbour microbes or bacteria. Recyclable at end of usable life.

**Overall Dimensions:** 718 x 994 x 100 mm  
 Closed: 718 x 994 x 10 mm  
 Open: 718 x 994 x 747 mm

**Rough Wall Opening:** 622 x 902 x 102 mm

**OPTIONS:**  
 Surface Mount (Part No: 10-9017-9)  
 Box of 500 liners (Part No: LCR)  
 Replacement belt (Part No: 10-9014-14159)



**10-9018 BABY CHANGE STATION PARALLEL STAINLESS STEEL CLAD RECESSED**

Made from high density polyethylene and satin finished 304 stainless steel. Unit supports a static load up to 136kg. No parts of the operating mechanism are accessible to provide a tamper-resistant and pinch proof user environment. Other features include; a damped gas spring to assist in opening and closing with one hand; a bag hook; a bed-liner dispenser that converts to a multi-fold towel dispenser; instructions in four languages and an adjustable two-part vinyl coated child protection safety-strap. Entire unit is assembled of sealed components meaning no penetration zones to harbour microbes or bacteria. Recyclable at end of usable life.

**Overall Dimensions:** 994 x 718 x 100 mm  
 Closed: 994 x 718 x 10 mm      Open: 994 x 718 x 460 mm

**Rough Wall Opening:** 902 x 622 x 102 mm

**OPTIONS:**

- Surface Mount (Part No: 10-9018-9)
- Box of 500 liners (Part No: LCR)
- Replacement belt (Part No: 10-9014-14159)



**10-9018-41 BABY CHANGE STATION, PARALLEL, MATTE BLACK, CLAD STAINLESS STEEL – RECESSED**

Made from 18 gauge 304 stainless steel with a powder coated matte black finish. Unit supports a static load up to 136.1kg. Assembled of completely sealed components to provide easy cleaning and no penetration zones to harbor microbes or bacteria. Unit features concealed damped gas spring mechanism for smooth and safe opening and closing, built in bed-liner, safety strap and cam-buckle. Intended use for infants up to 3.5 years old and up to 23kg. Recyclable at end of usable life.

**Overall Dimensions:** 994 x 718 x 100 mm  
 Closed: 994 x 718 x 100 mm      Open: 994 x 718 x 460 mm

**Rough Wall Opening:** 902 x 622 x 102 mm

**OPTIONS:**

- Box of 500 liners (Part No: LCR)
- Replacement belt (Part No: 10-9014-14159)



**10-9018-9-41 BABY CHANGE STATION PARALLEL STAINLESS STEEL CLAD RECESSED**

Made from 20 gauge 304 stainless steel with a powder coated matte black finish. Unit supports a static load up to 136.1kg. Assembled of completely sealed components to provide easy cleaning and no penetration zones to harbor microbes or bacteria. Unit features concealed damped gas spring mechanism for smooth and safe opening and closing, built in bed-liner, safety strap and cam-buckle. Intended use for infants up to 3.5 years old and up to 23kg. Recyclable at end of usable life.

**Overall Dimensions:** 994 x 718 x 100 mm  
 Closed: 994 x 718 x 100 mm      Open: 994 x 718 x 560 mm

**OPTIONS:**

- Box of 500 liners (Part No: LCR)
- Replacement belt (Part No: 10-9014-14159)



**10-9013 BABY CHANGE STATION PARALLEL  
FULL STAINLESS STEEL RECESSED**

Made from high density polyethylene and satin finished 304 stainless steel. Unit supports a static load up to 181kg. Features include; a concealed damped gas spring mechanism for smooth, safe and effortless opening and closing using one hand. Two-part child protection safety-strap and cam buckle, adjustable with one hand and two heavy duty bag hooks. Unit provides a bed-liner dispenser and a multi-fold towel dispenser. Graphic and instructions in four languages on interior back. Antimicrobial treated material used for internal back, bed, dispenser doors, strap and moulded mounting hole covers.

**Overall Dimensions:** 940 x 648 x 102 mm  
 Closed: 940 x 648 x 9.5 mm      Open: 940 x 648 x 451 mm

**Rough Wall Opening:** 870 x 578 x 95 mm

**OPTIONS:**

Surface Mount (Part No: 10-9013-9)  
 Box of 500 liners (Part No: LCR)  
 Replacement belt (Part No: 10-9013-32945)



**BCV-SS-R BABY CHANGE STATION VERTICAL  
FULL STAINLESS STEEL RECESSED**

Made from insulated ABS and 304 grade stainless steel. Unit supports a static load up to 68kg. Includes; a concealed pneumatic gas spring mechanism for smooth and safe opening and closing; hygienic, non-absorbent child safety-strap with lockable two step cam buckle providing effortless size adjustment with one hand; the ABS changing surface is easy to clean and resists odours and bacterial growth; safety information and universal instruction graphics.

**Overall Dimensions:** 590 x 904 x 102 mm  
 Closed: 590 x 904 x 15 mm      Open: 590 x 904 x 769 mm

**Rough Wall Opening:** 553 x 870 x 89 mm

**OPTIONS:**

Surface Mount (Part No: BVC-SS-SM)  
 Box of 500 liners (Part No: LCR)  
 Liner dispenser (Part No: SSLD-R)  
 Replacement belt (Part No: B003)



**ECP-SS-R BABY CHANGE STATION EXTENDED  
FULL STAINLESS STEEL RECESSED**

Made from ABS and 304 grade stainless steel. Unit supports a static load up to 181kg. Intended for use by older children and adults. Includes; a dual concealed pneumatic gas spring mechanism for smooth and safe opening and closing; hygienic, non-absorbent safety-strap with lockable two step cam-buckle providing effortless size adjustment with one hand; easy to clean and resists odours and bacterial growth; safety information and universal instruction graphics. This unit is ideal in special needs schools, schools with integrated programs, aquatic centres and major sporting centres.

**Overall Dimensions:** 1646 x 597 x 103 mm

Closed: 1646 x 597 x 13 mm      Open: 1646 x 597 x 543 mm

**Rough Wall Opening:** 1613 x 552 x 90 mm

**OPTIONS:**

Trim kit for surface mount (Part No: ECP-SMKIT)

Box of 500 liners (Part No: LCR)

Replacement belt (Part No: B003)

**SSLD-R LINER DISPENSER STAINLESS STEEL RECESSED**

Intended to be used in conjunction with all ASI JD MacDonald baby change stations. Full body shall be 304 grade, 16 gauge stainless steel with brushed finish. Unit holds approximately 60 LCR liners and is an ideal choice for high use, low maintenance washrooms.

**Overall Dimensions:** 247 x 460 x 99 mm

**Rough Wall Opening:** 213 x 419 x 102 mm

**OPTIONS:**

Box of 500 liners (Part No: LCR)





**Welcome to ASI JD MACDONALD: where innovation, speed and reliability provide peace of mind**

JD MacDonald expanded into Washroom Accessories in 1959 - since then we have developed a following among Building Owners, Architects and Construction Professionals who count on us because we consistently deliver on a promise of quality, value, impeccable customer service and choice.

In 2013 JD MacDonald was acquired by the ASI Group and as the newly founded ASI JD MacDonald, we continue to provide more choices in hand dryers, paper towel dispensers, waste bins, combination units, grab rails, baby changing stations, soap dispensers, toilet paper dispensers and much more. Since then, we've expanded into toilet partitions, offering options in both structural and compact laminate.

**ASI GROUP**

Privately owned and operated since inception the ASI Group now has operating units and offices in the US, Canada, Australia, Belgium, UK, Middle East and China, with sales in over 50 countries.

For over 50 years our companies have been known for innovative products and the widest choice in product and material for Washroom Accessories, Toilet Partitions, Lockers and other storage devices. Our nimble management philosophy allows us to deliver more products in 48 hours than anyone else in our industry and our flexibility allows us to create unique products to suit specific needs.

You will find one common thread that ties our family of companies together - a singular focus on our customer. That focus is captured in our mission statement: **"To make our customers successful by providing a value greater than price and an excellent service experience."** [www.asigroup.us](http://www.asigroup.us)

**OUR GLOBAL REACH:** Allow our experienced architectural team to help you deliver on your promise of excellence as they have delivered on some of the most prestigious projects worldwide:

**Corporate World HQ:** Apple Corp., Coca Cola Corp., Facebook, Goldman Sachs (US)

**Intl. Offices:** Microsoft, Intel (China), HSBC (Egypt), Residence Palace, Antwerp Port House (Belgium)

**Airports:** Canberra Airport (AUS), JFK Intl., DFW Intl., Logan Intl. (US), Hong Kong Intl. (China)

**Education:** NYU Dormitories (UAE), Yale Univ., Stanford Univ., Univ. of Notre Dame (US)

**Medical:** Red Cross (AUS), Memorial Sloane Kettering, Mayo Clinic (US), Al Mafraq Hosp. (UAE)

**Hospitality:** Crown Plaza (Jordan), Ritz Carlton (US), Kempinski Hotel, Intercontinental Hotel (Qatar)

**Entertainment:** Shanghai Disney (China), Plopsa Water Parks (EU), MGM Grand Casino, Lincoln Center (US)

**Stadiums:** Yankee Stadium, Madison Square Garden (US), Doha Rugby and Football Stadium (Qatar)

**Government:** Royal Australian Airforce Base (AUS), US Embassy (China), Great Lakes Naval Base (US)

**MORE CHOICES: Every building type, physical environment, project size and geography**

- Hospitals and Health Care
- Universities and School Districts
- Office Buildings
- Stadiums and Fitness Facilities
- Airports and Travel Hubs
- Government Buildings & Convention Centers
- Prisons and Security Facilities
- Restaurants and Chain Stores
- Hotels and Multi-Family Buildings
- Theatres and Entertainment Complexes
- Museums and Libraries
- Theme Parks and Shopping Malls
- Parks and Recreation Facilities
- Warehouses / Manufacturing / Food Service Plants

**ASI JD MacDonald: Your *single source* for privacy, hygiene, safety and eco-friendly products.**



ASI JD MacDonald Pty Ltd  
ABN: 61 162 663 872  
E: [enquiry@asijdmacdonald.com.au](mailto:enquiry@asijdmacdonald.com.au)  
P: 03 8558 7200 F: 03 9548 1141

**Free Call 1800 023 441**  
[www.asijdmacdonald.com.au](http://www.asijdmacdonald.com.au)