



**vitrashield**<sup>®</sup>


AS5113 COMPLIANT CLADDING SYSTEM / MANUFACTURED BY FAIRVIEW

**COLOUR CHART**


[WWW.FV.COM.AU](http://WWW.FV.COM.AU)




# SOLID COLOUR RANGE




Snow White 1005 ✓




Pure White 9902 ✓




Bold Cream 9702 ✓



Pearl White 1025 G ✓



Frost White 9210 ✓



Cool Grey 9304 ✓




Monument Grey 1270 ✓



Classic Beige 1310 ✓



Elegant Brown 9108 ✓



Cultured Grey Brown 1283 ✓



Bright Yellow 1140 ✓




Bright Orange 1190 ✓



Poppy Red 1677 ✓




Gallantry Red 1685 ✓



Enigma Black 9130 ✓



Energy Green 1590 ✓



Spring Green 1540 ✓



Sky Blue 1430 ✓



Marine Blue 1460 ✓


✓ No minimum order quantity required. △ Minimum order quantity required. G Gloss.

Disclaimer: Please note that size restrictions may apply to finishes listed with no MOQ's, and thus could still be affected by lead times. Colours shown are as accurate as possible, however due to the limitations of the printing process and lighting changes we recommend requesting a production sample.


# METALLIC COLOUR RANGE




Silver Ice Metallic ✓  
9701




Smoke Silver Metallic ✓  
9134



Maserati Grey Metallic ✓  
4277



Dark Grey Metallic ✓  
9137



Satin Black Metallic ✓  
5292




Champagne Metallic ✓  
9205



Bronze Metallic ✓  
9308



Medium Bronze Metallic ✓  
4344



Satin Brown Metallic ✓  
4370



Gold Metallic ✓  
4150



Copper Metallic ✓  
9809

✓ No minimum order quantity required. △ Minimum order quantity required. G Gloss.

Disclaimer: Please note that size restrictions may apply to finishes listed with no MOQ's, and thus could still be affected by lead times. Colours shown are as accurate as possible, however due to the limitations of the printing process and lighting changes we recommend requesting a production sample.

## DISCLAIMER

While the information provided relating to Fairview Architectural products is true to the tests and measures available to us, the information provided in this article is general in nature only and does not constitute project-specific building, construction or fire-safety advice. Before acting on any information on this document, you should consider the appropriateness of the information having regard to your project parameters and requirements. Fairview products are deemed suitable or compliant after approval from building and construction professionals associated with specific projects and developments. If you'd like some further insight about this topic, contact Fairview on 1800 007 175 or email [helpdesk@fv.com.au](mailto:helpdesk@fv.com.au). We're here to see how we can help.



# FAIRVIEW™

DEFINING ARCHITECTURE SINCE 1968

AUSTRALIA / NEW ZEALAND / UNITED KINGDOM  
SALES ENQUIRIES 1800 007 175 [HELPDESK.AU@FV.COM.AU](mailto:HELPDESK.AU@FV.COM.AU)

MAY 2020