


1111111

Specialists in Wet Area Solutions

Partitioning Systems
Lockers > Bench Seating > Vanities

Version 2 - 2024



Contents

About Duracube®

- > Our Customer Promise
- > Duracube[®] Easy Pricing Process
- > Duracube[®] Locations

Duracube[®] Partitioning Systems

- > Pedestal Mount Overhead Brace
- > Pedestal Mount Ceiling Fixed (PC
- > Floor Mount Overhead Braced (F
- > Floor Mount Ceiling Fixed (FCF)
- > Floor Mount Free Standing (FFS)
- > Full Height Privacy Core (FHPC)
- > Full Height Privacy Ultra (FHPU)
- > Full Height Privacy Max (FHPM)

Duracube® Privacy Panels

- > Privacy Panel Wall Mount (PWM)
- > Privacy Panel Pedestal Mount (Pl
- > Privacy Panel Childcare (PCC)
- > Privacy Panel Full Height (PFH)
- > Privacy Panel Post Fixed (PPF)

Duracube[®] Locker Systems

- > Lockers Plinth Mounted (LPM)
- Lockers Wall Mounted (LWM)
- > Lockers Bench Mounted (LBM)

Duracube[®] Bench Seating

- > Bench Seating Island (BSI)
- > Bench Seating Wall with Shelving
- > Bench Seating Wall with Coat Rai

Duracube® Vanity Bench

- > Vanity Bench Inset (VB520)
- > Vanity Bench Semi-recessed (VB

Compact Laminate Cut to Size Serv

Durasafe[®] Compact Laminate

> Durasafe[®] Stocked Colours

Duracube® Accessories & Hardware Accessories

> Hardware

	4
	4
	5
	5
	6
ed (POB)	6
CF)	10
OB)	14
	18
1	22
	26
	30
	34
	38
)	40
PM)	40
	40
	41
	41
	42
	43
	44
	45
	46
	47
g (BSW-S)	48
ail (BSW-C)	49
	50
	52
3350)	53
vice	54
	56
	57
e	58
	58
	59

About Duracube[®] **Specialists in Wet Area Solutions**

Duracube[®] are a dedicated team of professionals that specialise in providing cost-effective and fit for purpose solutions for commercial wet areas.

Duracube[®] is a wholly owned and operated Australian business that has been providing the construction industry with wet area products and services since the 1980's.

The owners of Duracube[®] saw a need for a more efficient way of constructing wet area facilities that are often subcontracted last on a project.

We work with architects, designers, and builders to help design their wet area projects.

Duracube[®] provide superior customer service from the initial design through to installation and the close out of the project.

We pride ourselves on being approachable and responding quickly to our clients' changing needs. We are a tight-knit team that truly cares.

We manufacture a range of wet area partitioning, systems, privacy panels, bench seating, lockers and vanities with Durasafe® Compact Laminate.

Durasafe® antiviral, antibacterial and antifungal 13mm compact laminate is stocked and machined in our factory located in Western Sydney and shipped weekly to our warehouses Australia wide.

Duracube® systems are manufactured in-house within three weeks from site measure to installation.

We are backed by a network of distributors and a team of installers enabling our products to be installed anywhere in Australia.

Our aim is to supply high-quality products and provide wet area solutions to ensure everyone has a superior wet area experience.

Our product range includes:

- > Toilet and Shower Partitioning Systems
- > Custom Childcare Systems
- > Privacy Panels
- > Bench Seating
- > Wall Hung Vanities
- Locker Systems and Locks
- > Durasafe® Compact Laminate Cut to Size

Duracube[®] Easy Pricing Process

Step 1

Choose System


 \rightarrow

Wet Area Partitions **Privacy Panels** Lockers **Bench Seating** Vanity Benches

Duracube[®] Locations

Our friendly sales team will help you with any questions at the initial design stage.

Contact us today to discuss your wet area requirements.



- Duracube[®] Supply Only

Our Customer Promise

We are committed to providing superior customer service:

- > by utilising our industry experience and expertise,
- > by identifying issues and proactively providing solutions,
- > by working as a team and communicating through one contact,
- > by supplying quality products, and
- > by delivering our products when we say we will,

to provide the best customer experience possible.



Pedestal Mount Overhead Braced



Duracube® Pedestal Mount Overhead Braced wet area partitioning system is strong, economical, and designed to minimise material waste.

The system is quick and easy to assemble, reducing installation time.

Pedestal floor mounting allows for easy cleaning with a mop and hose.

Regulatory Compliance

NCC 2022 Part F - Deem to Satisfy Provisions: F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications

- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities
- > Pubs and Clubs

Features & Benefits

- > The most cost-effective partitioning system
- > Durasafe[®] 13mm compact laminate construction

Strong, quick and easy to install partitioning system

- > No edge strip required as compact laminate black core is visible on the edges
- > Efficient use of materials
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- > Reduced maintenance time and cost
- > Quick and easy installation
- > Overall system height 2020mm AFFL




Pedestal Mount Overhead Braced partitioning system is low-cost, easy to install and clean.

Durasafe® 13mm • compact laminate construction



Standard pedestal leg

Pedestal Mount Overhead Braced (POB)





FFL



HOW TO SPECIFY Pedestal Mount Overhead Braced

Product

Duracube® Pedestal Mount Overhead Braced (POB).

Door and Panel Construction Material Durasafe® 13mm Compact Laminate.

Hardware

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Headrail

Aluminium Square Profile 40mm x 40mm. Colour - Oyster Grey powder-coat.

Floor Mounting

Adjustable 200mm Aluminium Pedestal Legs.

Overall System Height 2020 mm AFFL.

Pedestal Mount Ceiling Fixed

construction

Durasafe® 13mm • compact laminate

Duracube® Pedestal Mount Ceiling Fixed

wet area partitioning system is a visually appealing design as panels are fixed directly to the ceiling while the pedestal legs provide structural strength.

The system is quick and easy to assemble, reducing installation time.

Pedestal floor mounting allows for easy cleaning with a mop and hose.

Regulatory Compliance

NCC 2022 Part F - Deem to Satisfy Provisions:

F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications


- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- Sport and Gym Change Rooms
- > Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities
- > Pubs and Clubs


Features & Benefits

> Durasafe® 13mm compact laminate construction

Strong system with minimal lines as no headrail required

- > No edge strip required as compact laminate black core is visible on the edges
- > Efficient use of materials
- Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- > Reduced maintenance time and cost
- > Quick and easy installation
- > Overall system height 2400mm to 3000mm AFFL











Standard pedestal leg

Pedestal Mount Ceiling Fixed partitioning system is strong and a visually appealing design.


Pedestal Mount Ceiling Fixed (PCF)











Optional Setback Pedestal Mount Detail



HOW TO SPECIFY Pedestal Mount Ceiling Fixed

Product

Duracube® Pedestal Mount Ceiling Fixed (PCF).

Door and Panel Construction Material

Durasafe® 13mm Compact Laminate.

Hardware

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Ceiling Fixing

Aluminium C Channel 20mm x 30mm fixed to the ceiling. Colour – Oyster Grey powder-coat.

Floor Mounting Adjustable 200mm Aluminium Pedestal Legs.

Overall System Height 2400mm to 3000mm AFFL.



Duracube[®] Floor Mount Overhead Braced wet area partitioning system is one of the strongest systems we offer and specifically designed for heavy-duty applications.

Aesthetically pleasing, it is the ideal solution for schools, end of trip facilities and high use corporate bathrooms.

Regulatory Compliance


NCC 2022 Part F - Deem to Satisfy Provisions: F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications

- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities
- > Pubs and Clubs

Features & Benefits

- > Nibs mounted to the floor ensures stability, strength and durability
- > Durasafe[®] 13mm compact laminate construction
- > No edge strip required as compact laminate black core is visible on the edges
- > Aesthetically pleasing design with clean lines
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- Reduced maintenance time and cost
- > Overall system height 2020mm AFFL



No edge strip required as

is visible on the edges


compact laminate black core

Durasafe® 13mm • compact laminate construction Ambulant Door Handle

Viva Satin Chrome cast alloy hardware with concealed fixings is standard



Floor Mount Overhead Braced (FOB)



Elevation







Floor Mount Overhead Braced

Duracube® Floor Mount Overhead Braced

Door and Panel Construction Material Durasafe® 13mm Compact Laminate.

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Aluminium Square Profile 40mm x 40mm. Colour - Oyster Grey powder-coat.

Nib panels fixed with 40mm x 12mm Anodised Aluminium Flat Bar or optional Skirt Mount.

Floor Mount Ceiling Fixed

Duracube® Floor Mount Ceiling Fixed wet area partitioning system is designed specifically for use in upmarket corporate applications or anywhere that requires a quality finished bathroom.

The superbly finished streamlined design makes this system one of our most popular and aesthetically pleasing partitioning systems.

Regulatory Compliance

NCC 2022 Part F - Deem to Satisfy Provisions: F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications

- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities
- > Pubs and Clubs

Features & Benefits

> Nibs mounted to the floor and fixed to the ceiling ensures stability, strength and durability

Quality up-market partitioning system

- > Durasafe[®] 13mm compact laminate construction
- > No edge strip required as compact laminate black core is visible on the edges
- > Aesthetically pleasing design with clean lines
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- > Reduced maintenance time and cost
- > Overall system height 2400mm to 3000mm AFFL

Floor Mount Ceiling Fixed partitioning system is strong with an aesthetically pleasing design.

No edge strip required as compact laminate black core is visible on the edges


Durasafe® 13mm • compact laminate construction

Ambulant

Viva Satin Chrome cast alloy hardware with concealed fixings is standard



Floor Mount Ceiling Fixed (FCF)



Elevation

Section





HOW TO SPECIFY Floor Mount Ceiling Fixed

Product Duracube® Floor Mount Ceiling Fixed (FCF).

Door and Panel Construction Material Durasafe® 13mm Compact Laminate.

Hardware

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Ceiling Fixing

Aluminium C Channel 20mm x 30mm fixed to the ceiling. Colour - Oyster Grey powder-coat.

Floor Mounting

Nib panels fixed with 40mm x 12mm Anodised Aluminium Flat Bar.

Overall System Height 2400mm to 3000mm AFFL.



.

Durasafe® 13mm • compact laminate construction

Duracube® Floor Mount Free Standing wet area partitioning system is one of the nicest finished systems we offer.

A quality low maintenance solution specifically designed for use in low traffic areas and suitable for upmarket corporate applications.

Regulatory Compliance

NCC 2022 Part F - Deem to Satisfy Provisions: F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications


- Corporate Amenities
- > Low traffic areas

Features & Benefits

- > No headrail or ceiling fixing creates a sleek, modern design with clean lines
- > Nibs mounted to the floor provide stability
- > Durasafe[®] 13mm compact laminate construction


Sleek, minimalist design for use in low traffic areas

- > No edge strip required as compact laminate black core is visible on the edges
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- Reduced maintenance time and cost
- > Overall system height 1900mm AFFL





Viva Satin Chrome cast alloy hardware with concealed fixings is standard



Aluminium skirt mount in Oyster Grey powder-coat


Note: This system is only suitable for installation on a concrete sub-floor. Minimum fixing depth is 100mm. Fixings will penetrate the water proofing membrane.



All Duracube[®] panels and doors are constructed with Durasafe® 13mm compact laminate.



Floor Mount Free Standing (FFS)



Duracube® are the specialists in wet area solutions





HOW TO SPECIFY Floor Mount Free Standing

Product

Duracube[®] Floor Mount Free Standing (FFS).

Door and Panel Construction Material

Durasafe® 13mm Compact Laminate.


Hardware

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Floor Mounting

Nib panels fixed with Skirt Mount. Colour - Oyster Grey powder-coat.

Overall System Height 1900mm AFFL.



Duracube® Full Height Privacy Core is a wet area partitioning system providing visual privacy at an affordable price.

Privacy Core panels above the doors are slotted to provide air circulation.

This system complies with Department of Education standards in most Australian states.

Regulatory Compliance

NCC 2022 Part F - Deem to Satisfy Provisions:

F4D81a - Unisex facility requirement for full height doors and partitions.

F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications


- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities

Features & Benefits

- > Cost-effective privacy partitioning system
- > Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- > Duracube® Privacy Edge is a standard inclusion
- > Slotted panel above door enables ventilation
- > Durasafe[®] 13mm compact laminate construction
- > No edge strip required as compact laminate black core is visible on the edges
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- Reduced maintenance time and cost
- > Overall system height 2340mm to 3000mm AFFL




All Duracube® panels and doors are constructed with Durasafe® 13mm compact laminate





Full Height Privacy Core (FHPC)



Elevation

Section





HOW TO SPECIFY Full Height Privacy Core

Product

Duracube® Full Height Privacy Core (FHPC).

Door and Panel Construction Material Durasafe[®] 13mm Compact Laminate.

Construction

Privacy Edge Angled Door and Nibs. Privacy Core Ventilation Panel.

Hardware

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Ceiling Fixing Aluminium Channel. Colour – Oyster Grey powder-coat.

Floor Mounting Aluminium Angle. Colour – Oyster Grey powder-coat.

Overall System Height Min. 2340mm to Max. 3000mm AFFL.



Duracube[®] Full Height Privacy Ultra is a wet area partitioning system that is designed specifically for high use areas where privacy is of the highest concern, such as schools, swimming pools and sporting facilities.

Floor to ceiling doors, panels and nibs create a streamlined design with minimal gaps providing a low maintenance and ultra private solution.

Regulatory Compliance

NCC 2022 Part F – Deem to Satisfy Provisions:

F4D81a - Unisex facility requirement for full height doors and partitions.

F4D82c - Door removable from outside if less than 1.2m between pan and doorway.

Applications


- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities

Features & Benefits

- > Modern, minimalist design with clean lines
- > Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- > Duracube® Privacy Edge is a standard inclusion
- > No sight gaps around panels, nibs and doors
- > Durasafe® 13mm compact laminate construction
- > No edge strip required as compact laminate black core is visible on the edges
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- Reduced maintenance time and cost
- > Overall system height 2100 to 3000mm AFFL




All Duracube® panels and doors are constructed with Durasafe® 13mm compact laminate



Privacy Ultra partitioning system has clean lines with minimal gaps around panels and doors.

Full Height Privacy Ultra (FHPU)







HOW TO SPECIFY Full Height Privacy Ultra

Product Duracube[®] Full Height Privacy Ultra (FHPU).

Door and Panel Construction Material Durasafe[®] 13mm Compact Laminate.


Construction Privacy Edge Angled Door and Nibs.

Hardware Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Ceiling Fixing Aluminium Channel. Colour – Oyster Grey powder-coat.

Floor Mounting Aluminium Angle. Colour – Oyster Grey powder-coat.

Overall System Height Min. 2100mm to Max. 3000mm AFFL.



Privacy Max eliminates all gaps around panels and doors ensuring maximum privacy.



the door providing visual and acoustic privacy. Cycle Tested to 50,000 operations. Patent Pending.

Duracube[®] Full Height Privacy Max is a wet area partitioning system that is a cost-effective alternative to traditional stud wall construction.

Privacy Max cubicles ensure maximum visual and acoustic privacy while also allowing ventilation.

Regulatory Compliance

NCC 2022 Part F – Deem to Satisfy Provisions:

F4D81a - Unisex facility requirement for full height doors and partitions.

F4D82c – Door removable from outside if less than 1.2m between pan and doorway.

Applications

- > Schools and Universities
- > End Of Trip (EOT) Facilities
- Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- Corporate Amenities
- > Recreational Amenities

Features & Benefits

> Economical alternative to stud wall construction

Certified


and Tested by Acoustic Engineer

- > Quick and easy installation
- > Less trades required
- > Minimal project management and program time
- > Sustainable use of materials
- > Nibs and divisional panels are mounted to the floor and fixed to the ceiling to maximise privacy
- > Acoustic Rubber Seal around doors and openings is a standard inclusion
- > No sight gaps around panels, nibs and doors
- > Durasafe[®] 13mm compact laminate construction
- > No edge strip required as compact laminate black core is visible on the edges
- > Impact resistant construction
- > Vandal resistant surface
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise
- > Reduced maintenance time and cost
- > Overall system height 2340 to 3000mm AFFL


doors and nibs. Cycle Tested to

50,000 operations. Patent Pending.

Full Height Privacy Max (FHPM)







Door Seal Detail

HOW TO SPECIFY Full Height Privacy Max

Product Duracube® Full Height Privacy Max (FHPM).

Door and Panel Construction Material Durasafe® 13mm Compact Laminate.

Construction

Privacy Max Door Seals. Privacy Max Ventilation Panel.

Hardware

Viva Satin Chrome Hardware is standard. Other hardware is available. See page 59.

Ceiling Fixing

Aluminium Channel. Colour - Oyster Grey powder-coat.

Floor Mounting Aluminium Angle. Colour - Oyster Grey powder-coat.

Overall System Height Min. 2340mm to Max. 3000mm AFFL.





Duracube[®] Privacy Panels are a versatile wet area screening solution providing privacy in open plan bathrooms and change rooms.

Privacy panels are usually installed between urinals or as a substitute for an airlock.

Childcare Privacy Panels separate toilets at early leaning centres and preschools.

Privacy panel options comprise wall mount, pedestal mount, childcare, full height and post fixed.

Applications

- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- > Corporate Amenities
- > Recreational Amenities

privacy

Features & Benefits

- > Privacy Panels are easy to install
- > Unobtrusive design
- > Compact Laminate colours will coordinate with partitioning system colour scheme
- > Compact Laminate is vandal and impact resistant construction material
- > Waterproof, suitable for hose cleaning
- > Easy to clean and sanitise, reducing maintenance time and cost
- > Oyster Grey powder-coat aluminium extrusions with stainless steel fixings

Privacy Panel Options



Wall Mount (PWM)

Pedestal Mount (PPM)



Full Height (PFH)







Childcare (PCC)




Post Fixed (PPF)

















Privacy Panel - Childcare (PCC)




HOW TO SPECIFY Duracube[®] Privacy Panels

Product Name	Material	Typical Height	Typical Width	Floor Mount / Ceiling Fixed
Duracube [®] Privacy Panel – Wall Mount (PWM)	Durasafe® 13mm Compact Laminate	1400mm AFFL	400mm	Wall mount only with aluminium T-channel.
Duracube [®] Privacy Panel – Pedestal Mount (PPM)		1400mm AFFL	400mm	Floor mount with adjustable 200mm aluminium pedestal legs.
Duracube [®] Privacy Panel – Childcare (PCC)		1000mm AFFL	800mm	Floor mount with adjustable 200mm aluminium pedestal legs.
Duracube [®] Privacy Panel – Full Height (PFH)		To Ceiling max. 3000mm	400mm to 1200mm	Floor mount with aluminium angle. Ceiling fixed with aluminium channel.
Duracube [®] Privacy Panel – Post Fixed (PPF)		2000mm AFFL	400mm to 1200mm	40 x 40mm floor to ceiling square post.

Note: Custom sizes and solutions are available upon request. Contact our sales team for assistance.





Privacy Panel - Post Fixed (PPF)



Duracube® Lockers are constructed from Durasafe® 13mm compact laminate making them suitable for wet and dry locations.

Compact laminate is vandal, impact, and water resistant with a low maintenance surface.

Coordinate your locker colours with partitioning system, bench seating and vanities.

Duracube® lockers are ideal for schools, sport and gym change rooms as well as defence and end of trip facilities.

Features & Benefits

- > Durasafe® 13mm compact laminate construction requires no edge strip due to black core edge
- > Locker carcass constructed from either: · water resistant white 16mm HMR board or
 - 100% waterproof white 16mm PVC board
- > Black PVC edge tape on carcass to match black core on compact laminate panels and doors
- > Four door colours can be used to create a pattern
- > Shelving and vent options are available
- > Coat rail is a standard inclusion
- One to four doors are optional per locker tower

Lockers are suitable for wet areas

Mechanical Combination

Lock (KL20)

Standard Key

Lock (KL)

Five Lock Options



Electronic Touch Pad Lock (ETP)





Electronic Button Lock (KL1000)

0 0

00

00

0.0


00

Applications


- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks

Lockers – Plinth Mounted (LPM)





Plan



Elevation

HOW TO SPECIFY Lockers – Plinth Mounted Product Name Duracube[®] Locker – Plinth Mounted (LPM). **Door and Panel Construction Material** Durasafe® 13mm Compact Laminate. Internal Carcass Construction Material Select either: Dry Area Lockers – White 16mm HMR board. Wet Area Lockers - White 16mm PVC board. Lock

Insert lock option here. See page 42.



Section

Lockers – Wall Mounted (LWM)



HOW TO SPECIFY Lockers – Wall Mounted Product Name

Duracube[®] Locker – Wall Mounted (LWM).


Door and Panel Construction Material Durasafe[®] 13mm Compact Laminate.


Internal Carcass Construction Material Select either:

Dry Area Lockers – White 16mm HMR board. Wet Area Lockers – White 16mm PVC board.

Lock

Insert lock option here. See page 42.






Elevation


Section

Lockers - Bench Mounted (LBM)





Plan



Elevation

HOW TO SPECIFY Lockers – Bench Mounted

Product Name Duracube® Locker – Bench Mounted (LBM).

Door and Panel Construction Material Durasafe[®]13mm Compact Laminate.

Internal Carcass Construction Material Select either: Dry Area Lockers – White 16mm HMR board. Wet Area Lockers – White 16mm PVC board.

Lock Insert lock option here. See page 42.

-Compact Laminate End Panel

-Compact Laminate Infill Panel



Section



Duracube[®] **Bench Seating** is constructed from Durasafe[®] 13mm compact laminate making them robust and durable for heavy-duty applications.

Duracube[®] bench seating is designed to coordinate with lockers and partitioning system.

A practical, low maintenance and modern design ideal for wet area change rooms, schools, gyms and end of trip locker rooms.

Applications


- > Childcare Centres
- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Sport and Gym Change Rooms
- > Recreational Amenities
- Aquatic Centres
- > Factory Change Rooms
- Corporate Amenities

Features & Benefits


- > Durasafe[®] 13mm compact laminate construction
- > Vandal and impact resistant surface
- > Suitable for wet areas that are hose cleaned
- > Low maintenance, easy to clean and sanitise
- > Sturdy Oyster Grey powder-coat frames and legs
- Available in island or wall fixed configurations or combined with lockers. See page 45.
- Coat hooks with rail or shelving is a standard inclusion and installed above bench seating
- > A range of compact laminate colours are available
- Most cost-effective when designed in 1200mm and 1800mm lengths

Bench Seating - Island (BSI)





Plan



Elevation

HOW TO SPECIFY Bench Seating – Island

Product Name Duracube[®] Bench Seating – Island (BSI).


Bench Seat Construction Material Durasafe[®] 13mm Compact Laminate.

Coat Rail and Back Rest Supports Durasafe[®] 13mm Compact Laminate.

Bench Seat Legs Steel Leg – Pearl Grey powder-coat.

Frame Finish

Steel Posts - Pearl Grey powder-coat.



Section

Bench Seating - Wall with Shelving (BSW-S)



HOW TO SPECIFY Bench Seating – Wall with Shelving

Product Name Duracube[®] Bench Seating – Wall with Shelving (BSW-S).

Bench Seat Construction Material Durasafe® 13mm Compact Laminate.


Shelving Durasafe[®] 13mm Compact Laminate.


Shelf Bracket Bracket – Oyster Grey powder-coat.

Bench Seat Legs Steel Leg – Pearl Grey powder-coat.


Bench Seating - Wall with Coat Rail (BSW-C)









Plan







Elevation

HOW TO SPECIFY Bench Seating – Wall with Coat Rail


Product Name

Duracube[®] Bench Seating – Wall with Coat Rail (BSW-C).

Bench Seat Construction Material Durasafe® 13mm Compact Laminate.

Coat Rail Durasafe[®]13mm Compact Laminate.

Bench Seat Legs Steel Leg – Pearl Grey powder-coat.





Duracube[®] Vanities are made to measure and precut ready for quick on-site installation.

A large range of compact laminate colours are available to compliment the partitioning system.

Duracube[®] compact laminate is antiviral, antifungal and antibacterial, and the ideal surface for vanity benches in any commercial wet area.

Applications


- > Childcare Centres
- > Schools and Universities
- > End Of Trip (EOT) Facilities
- > Shopping Centres
- > Sport and Gym Change Rooms
- > Defence Ablution Blocks
- > Corporate Amenities
- > Recreational Amenities
- > Entertainment Centres

Features & Benefits

- > Durasafe[®] 13mm compact laminate construction
- > Basin can be inset or semi-recessed
- > Prefabricated vanity with basin cut-out reduces installation time on-site
- > Waterproof compact laminate ensures no swelling when in contact with water
- > Compact laminate bench will coordinate with partitioning system
- > Cost-effective alternative to engineered stone and natural stone benchtop
- > A large range of compact laminate colours are available in stock
- > Available as a vanity bench or vanity cabinet









Vanity Bench – Inset (VB520)




HOW TO SPECIFY Vanity Bench – Inset

Product Name


Durasafe® Vanity Bench - Inset (VB520).

Vanity Bench Construction Material Durasafe[®] 13mm Compact Laminate.


Wall Fixing Durasafe[®] Custom Brackets.



Plan



Elevation



Section

Vanity Bench – Semi-recessed (VB350)



HOW TO SPECIFY Vanity Bench – Semi-recessed


Product Name

Durasafe® Vanity Bench – Semi-recessed (VB350).


Vanity Bench Construction Material Durasafe® 13mm Compact Laminate.

Wall Fixing

Durasafe® Custom Brackets.




Plan



Elevation

Duracube® are the specialists in wet area solutions



Section



Custom shapes cut to size for furniture & joinerv Castileel.

Durasafe® Cut to Size Service is the ideal solution for custom designed furniture and joinery including tables, desks, benchtops, doors and wall panels.

Compact Laminate is extremely durable, waterproof and easy to clean.

The surface is antiviral, antifungal and antibacterial, eliminating 99% of common microorganisms.

Duracube[®] have four CNC machines dedicated to cutting compact laminate.

We can cut compact laminate to any shape and size within the 3600mm x 1800mm sheet size.

Made to order round, square, rectangle or custom shapes to suit your requirements.

Standard edge profiles are 1.5mm aris top and bottom. Sharknose and square edge profiles are also available.

Duracube[®] can help save assembly time by pre-drilling holes, routing cut-outs and v-grooves at a minimal cost.

Features & Benefits

- > Durasafe® 13mm compact laminate construction
- > Customised designs to suit your space and style
- Cost effective dining solution for indoor and outdoor applications
- Black core is polished to enhance the edges and eliminates the need for edge-tapes that peel
- > Impact, vandal and graffiti resistant material
- > Waterproof material that does not swell when wet
- > Easy to clean and maintain
- > Antiviral, antifungal and antibacterial surface prevents germ growth
- > Large range of compact laminate colours are available in stock


Applications

- > Cafés, restaurants, bars, alfresco dining
- > Childcare Centres
- > Schools and Universities
- > Shopping Centres
- > Corporate breakout areas and lunch rooms
- > Health Facilities









Durasafe[®] Compact Laminate has antiviral, antifungal and antibacterial surface properties ensuring resistance to harmful germs.

Durasafe® has been tested and certified in an Australian laboratory using internationally recognised ASTM E1053 test method.

Durasafe[®] Compact Laminate is suitable for outdoor, indoor and heavy duty applications.

Durasafe[®] is competitively priced compared to other compact laminates on the market.



Durasafe® 13mm compact laminate is antiviral, antifungal and antibacterial, eliminating 99% of common germs.

Durable, waterproof, easy to clean, impact and scratch resistant.

easy to clean, and scratch resistant

Durable, waterproof,

Features & Benefits

- > Resistant to harmful germs
- Resistant to abrasion
- > Resistant to cigarette burns
- > Resistant to water penetration
- > Resistant to humidity and high temperatures
- > Resistant to harsh cleaning solutions
- > Hygienic surface material
- > Easy to clean and maintain
- > Manufactured adhering to strict safety standards
- > All standard colours are stocked in our warehouses and ready for use in your project
- > Non-standard colours are not kept in stock and have an additional lead time

sales@duracube.com.au | phone 1300 387 228 | duracube.com.au



279 Charcoal



245 Gum Leaf



401 Midnight



5578 Slate



5333 Southern Pine



5427 Refresh Oak

The colour chart should be used as a guide only. Physical samples of compact laminate colours are available upon request.



Accessories and Hardware

Duracube[®] accessories and hardware will add the finishing touch to your project.

Duracube[®] only supply quality products that have proven reliability and long life.

If you would like to specify products that are not shown, just let us know.

Contact our team to discuss your design requirements.

Hardware

Viva Satin Chrome - STANDARD HARDWARE









Standard Lock, Indicator and Bumper

Ambulant Lock, Indicator and Bumper

Viva Black - OPTIONAL HARDWARE









Standard Lock, Indicator and Bumper

Ambulant Lock, Indicator and Bumper

Zetlan Satin Chrome - OPTIONAL HARDWARE





Standard Lock,

Zetlan Black – OPTIONAL HARDWARE



Standard Lock, Indicator and Bumper

Bolt Through Cover Plates







three per door

Pedestal Legs



We supply products with proven reliability

Grab Rails

Accessories

Ambulant Signs



P



MLS16246-SIL

emale Ambulant Toilet Female Ambulant Toilet MLS16266-BLU MLS16266-SIL





MLS16446-SIL

Toilet Roll Holders



ML841-SS Toilet Roll Dispenser



ML841-BL Toilet Roll Holder 513TRH-ALUM



MLR112-SS



Ambulant Grab Rail MLR112-BL

Ambulant Grab Rail





















Gravity Hinge, three per door



Ambulant D Handle



Coat Hook with Door Stop



Gravity Hinge, three per door



Ambulant D Handle



Coat Hook with Door Stop



Gravity Hinge,



Ambulant D Handle



Coat Hook with Door Stop



Gravity Hinge,



Ambulant D Handle



Coat Hook with Door Stop

Aluminium Extrusion Colours



Black Satin Interpon No.: GN150A

Sydney, NSW (Head Office)

13 Pullman Place, Emu Plains NSW 2750 Opening Hours: Monday to Friday 7:30am – 4:30pm

Brisbane, QLD

Unit 3B, 400 Nudgee Road, Hendra QLD 4011 By appointment only.

Adelaide, SA

8 Selgar Ave, Clovelly Park SA 5042 By appointment only.

Melbourne, VIC 12 Metrolink Cct, Campbellfield VIC 3061 By appointment only.





Contact our friendly sales team: Phone: 1300 387 228 Email: sales@duracube.com.au **www.duracube.com.au**