

BORAL ROOF TILES
Build something great™



Roof Tile Range

VICTORIA

June 2014





CONTENTS

Choosing a Roof Tile	2
Benefits of Terracotta	4
Terracotta Shingle	5
Terracotta French	7
Terracotta Swiss	11
Benefits of Concrete	13
Striata	16
Uno	18
Linea	18
Contour	20
Slimline	21
Macquarie	22

Choosing a Roof Tile

Add beauty and character to your roofline with tiles. Choosing a quality roof for your home is a valuable, long term investment.

Step 1: Your home location

All Boral roof tiles are salt-safe and frost resistant making them suitable for any location, particularly coastal areas. Boral roof tiles are built to last with a 50-year warranty[^] against defects for Terracotta tiles and a 20-year warranty[^] for Concrete tiles.

Step 2: Shape

The profile refers to a roof tile's shape and design. Boral roof tile profiles range from smooth flat tiles to prominent undulations or waves on the surface of the tile. Key considerations when choosing a tile profile will be the pitch of your roof as well as its style.

MINIMUM ROOF PITCH – DEGREES

Profile*	Minimum pitch without sarking	Minimum pitch with sarking
Terracotta		
Shingle	20	18
French	20	15
Swiss	20	15
Concrete		
Striata	20	20
Linea	20	20
Uno	n/a	20
Contour**	20	15
Slimline	20	15
Macquarie	20	15

* Maximum rafter length at the minimum pitch is 4.5 metres.

** To be laid in a cross bond on pitches 20° and lower.

Step 3: Colour

When it comes to choosing a colour, it's easy to be overwhelmed by the number of options available. Boral has carefully selected colours for each roof tile range, so you can be confident in choosing the right roof colour for your home.

Step 4: Roofing essentials

Sarking

Talk to any good roof installer and they will likely tell you Sarking (reflective foil insulation) is essential for enhancing the energy efficiency and performance of your roof. Sarking is a thermal barrier, water-resistant, dust resistant and a fire retardant membrane; its use is recommended under all roofing materials.

Installation

Choose a qualified roofing installer and ensure your roof is installed properly and to Boral specifications. We recommend Boral's supply and fix service where available or an established installer from the Boral preferred installer network.

For new homes, renovations, extensions and re-roofing projects call Boral Roofing 1300 134 002 for a referral to a Boral preferred installer near you.

[^] Please refer to the full warranty at time of supply.

Why Roof Tiles

Top off your most important asset with Boral roof tiles. The roof is usually the largest surface area of a house and materials selection will impact both performance and aesthetic longevity. The extensive range and designs of Boral roof tiles provide homeowners with enhanced flexibility in roof design. With an extensive range of colours and profiles, there is literally a tile to suit all architectural styles and exterior finishes.

Generally, all Boral roof tiles are salt-safe and frost-resistant, making them particularly suitable for homes built in coastal locations. This is a standard feature across the entire Boral roof tile range. Additionally roof tiles are fire resistant and with good design and planning, can contribute to energy savings when heating and cooling your home.

So the choice is yours! Choose from Boral's stylish and exceptional Terracotta roof tile range or the attractive, cost-effective Concrete roof tile range.

Terracotta tiles are made from prepared natural clays and are exceptionally strong, have a high level of colour retention and require negligible maintenance.

Modern concrete tiles, are made from sand and cement with a pigmented colour coat. This can replicate the appearance of a broad array of distinctive tile designs while remaining relatively cost-effective.

Looking for further inspiration?

Homeowners can visit www.boralsampler.com.au for visual inspiration and information on roof tiles as well as other Boral materials. The Get the Look brochure, can also be downloaded or ordered online to help homeowners decide on materials and design styles.

Cover: Linea in Charcoal Grey



get the look YOU love with
Boral Sampler

The great new tool for selecting Boral products and colours.

www.boralsampler.com.au



Linea: Charcoal Grey

terracotta tiles



Shingle: Eclipse

exceptional beauty

Terracotta roofing has brought beauty and character to the roofscapes of Europe and Asia and has stood the test of time.

Colour Retention

Terracotta tiles are crafted from prepared natural clays that are kiln-fired to temperatures of 1100°C for exceptional character, strength, high colour retention and negligible maintenance requirements. Terracotta roofing substantially retains its appearance with age, maintaining the aesthetic appearance of your home over time.

Long Lasting – 50 Year Warranty

With a 50 year warranty against defects¹, Boral terracotta tiles are manufactured to last and will make a beautiful and hardwearing roof for your home. Terracotta roofing has brought beauty and character to the roofscapes of Europe and Asia and has stood the test of time over centuries in these continents.

Salt-Safe & Frost Resistant

All Boral Terracotta tiles are salt-safe making them suitable for any location including coastal areas and sites with close proximity to breaking surf.

The 50 year warranty on Boral Terracotta tiles is provided to all terracotta tiles regardless of the location of the property.

Thermal Performance

The thermal performance of a roof refers to how it affects the temperature within a house and relates to the energy used within the house to maintain the temperature at a comfortable level.

Further improvements in thermal performance can be gained by using sarking, increased insulation, a lighter roof colour and changes in the overall design considerations. The addition of sarking under tiles considerably reduces the need for cooling in the home and is recommended in all roofing applications.

Sound Performance

Enjoy more peace and quiet with Boral Terracotta roof tiles as their density helps reduce sound inside the home such as traffic, aircrafts and trains.²

Low Maintenance

Once Terracotta roof tiles are properly installed they have negligible maintenance requirements for the life of the roof. Should a section of the roof ever be damaged or require modification (e.g. installing a skylight), only the affected tiles usually require replacement or removal.

Fire Resistance

Boral Terracotta roof tiles are non-combustible and can be safely used in bushfire-prone areas. In areas assessed as BAL-12 to BAL-40, sarking with a flammability index of not more than 5 must be installed under the tiles and cover the whole roof. In BAL-FZ areas, specific construction requirements can be obtained at www.rtaa.com.au.

Rainwater & Tank Safety

Boral Terracotta roof tiles are non-toxic and provided your roof is clean and healthy, can be suitable for the collection of rainwater for reuse. Any excess water can be channelled into grey water tanks. This is good news for those thinking about water conservation and great news for your garden. Boral Terracotta roof tiles are manufactured to AS 2049 ensuring the surface treatment is free of any elements or chemicals in concentrations known to be hazardous to health.

¹ Please refer to the full warranty at time of supply.

² Cement and Concrete Association of Australia Technical Report. TR/F81.Sept. 1984, Roof Tile Association of Australia

terracotta shingle

Contemporary design flexibility fuses with enduring quality in Boral's Terracotta Shingle.

Shingle House by Clare Cousins Architects,
Photography by Shannon McGrath.



Shingle: Eclipse


Shingle STANDARD

MINERAL



Finish: Matt

SAVANNA



Finish: Matt

ANTIQUÉ BRONZE



Finish: Matt

ASPHALT




Finish: Matt

SCORIA



Finish: Matt

GHOST GUM GREY



Finish: Matt

WILD CHOC



Finish: Matt

ECLIPSE



Finish: Matt

SYDNEY RED



Finish: Unglazed


Shingle METALLICS

METEOR



Finish: Glazed

GALAXY



Finish: Glazed

terracotta french

The terracotta French tile adds a much desired texture and warmth to modern living.



French: Savanna

French

BARLEY STONE



Finish: Matt

ANTIQUE BRONZE



Finish: Matt

WILD CHOC



Finish: Matt

SAVANNA



Finish: Matt

GHOST GUM GREY



Finish: Matt

FELDSPAR



Finish: Matt

JAFFA RED



Finish: Matt

CRIMSON BLAZE



Finish: Matt

ECLIPSE



Finish: Matt

terracotta french



French: Mahogany

French

SYDNEY RED



Finish: Unglazed

SUNSET RED



Finish: Random Glaze

SIENA RED



Finish: Glazed

COTTAGE RED



Finish: Random Glaze

FEDERATION



Finish: Random Glaze

FIRE GLOW



Finish: Random Glaze

AUTUMN LEAF



Finish: Glazed

MAHOGANY



Finish: Glazed

BURGUNDY



Finish: Glazed

SLATE GREY



Finish: Glazed

EBONY



Finish: Glazed

terracotta swiss

A long-serving perfect match with classically beautiful architecture.



Swiss: Tuscan Blend

Swiss

EBONY



Finish: Glazed

SLATE GREY



Finish: Glazed

MAHOGANY



Finish: Glazed

SYDNEY RED



Finish: Unglazed

AUTUMN LEAF



Finish: Glazed

CRIMSON BLAZE



Finish: Matt

TUSCAN WHITE*



Finish: Random Matt Glazed

TUSCAN STRAW*



Finish: Random Matt Glazed

TUSCAN TAN*



Finish: Random Matt Glazed

To achieve a true Tuscan look we recommend a blend of Sydney Red (28%), Tuscan Straw (28%), Tuscan Tan (28%) and Tuscan White (16%). Or you can select any combination of these colours.

* Colour is made to order, lead times apply.

concrete tiles

attractive and cost-effective solution



Linea: Charcoal Grey

Modern concrete tiles offer a wide range of profiles and colours, while remaining relatively cost-effective.

Durability

Boral concrete roof tiles are made to last for a beautiful and hardwearing roof for your home. Boral concrete roof tiles are manufactured from durable concrete and they are strong – built to withstand the sometimes harsh Australian climate. They come with a 20-year warranty against defects¹.

Range of Colours

Modern concrete roof tiles are made from cement, graded sands and pigments and formed into a number of distinctive tile designs. Boral has developed a wide variety of roof tile colours so you can be confident in making the right choice.

Salt-Safe for Coastal Homes

Boral concrete roof tiles are salt safe making them particularly suitable for homes built in coastal locations close to the breaking surf. This is a standard feature across the entire Boral roof tile range.

Comfort Indoors

The thermal performance of a roof refers to how it affects the temperature inside the home and the energy used to maintain the temperature at a comfortable level. Add to the thermal performance of your Boral concrete roof by using sarking, increased insulation, a lighter roof colour and passive design considerations. The addition of sarking under tiles can reduce the need for cooling in the home and is recommended in all roofing applications.

Acoustic Performance

Enjoy more peace and quiet at home with Boral concrete roof tiles as their density helps reduce sound inside the house from aircraft, trains and traffic. In fact, roof tiles have a sound reduction potential of 30 decibels.²

Low Maintenance

Once concrete roof tiles are properly installed, they require little maintenance for the life of the roof. Should a section of the roof ever be damaged or require modification (eg. installing a skylight), only the affected tiles usually require replacement or removal.

Fire Resistance

Boral concrete roof tiles are non-combustible and can be safely used in bushfire prone areas. In areas assessed as BAL-12 to BAL-40, sarking with a flammability index of not more than 5 must be installed under the tiles and cover the whole roof. In BAL-FZ areas specific construction requirements can be obtained at www.rtaa.com.au.

Rainwater & Tank Safety

Boral concrete roof tiles are non-toxic and provided your roof is clean and healthy, can be suitable for the collection of rainwater for reuse. Any excess water can be channelled into grey water tanks. This is good news for those thinking about water conservation and great news for your garden.

¹ Please refer to the full warranty at time of supply.

² Cement and Concrete Association of Australia Technical Report. TR/F81.Sept. 1984, Roof Tile Association of Australia

flat concrete tiles

Flat tiles offer a crisp, clean appearance that perfectly complements both traditional and modern homes.

Striata

SHALE



TWILIGHT



GUNMETAL



WALNUT



EBONY



CHARCOAL GREY



Premium: Colour Through



flat concrete tiles



Linea: Charcoal Grey

Uno

SHALE



TWILIGHT



EBONY



CHARCOAL GREY



Premium: Colour Through

Linea

CHARCOAL GREY



Premium: Colour Through

shaped concrete tiles

Contour roof tiles are the practical solution to inject your home with instant appeal.



Contour: Gunmetal

Contour

QUARTZ



GUNMETAL




EBONY



WALNUT



DARK CHOCOLATE



ATMOSPHERE



CHARCOAL GREY



Premium: Colour Through

Premium: Colour Through



Contour: Gunmetal

shaped concrete tiles

Beautiful, strong and durable, the Macquarie's superior performance makes it one of Boral's most popular roof tiles.



Macquarie

HUSK



STONEWALL



SHALE



TWILIGHT



GUNMETAL



EBONY




WALNUT



DARK CHOCOLATE



TERRA ROSSA



Slimline

GUNMETAL



TWILIGHT



EBONY



TERRA ROSSA



DARK CHOCOLATE



CHARCOAL GREY



Premium: Colour Through

Product Information

Terracotta Roof Tiles


Terracotta Shingle

Dimensions (Nominal)
Actual length: 425mm
Actual width: 264mm
Exposed length: 308mm
Exposed width: 226mm
Recommended Bond:
Cross Bond




French

Dimensions (Nominal)
Actual length: 423mm
Actual width: 265mm
Exposed length: 350mm (Mean)
Exposed width: 236mm
Recommended Bond:
Cross Bond



Swiss


Dimensions (Nominal)
Actual length: 418mm
Actual width: 260mm
Exposed length: 356mm
Exposed width: 214mm
Recommended Bond:
Straight Bond



Flat Concrete Roof Tiles


Striata

Dimensions (Nominal)
Actual length: 432mm
Actual width: 345mm
Exposed length: 355mm
Exposed width: 300mm
Recommended Bond:
Cross Bond




Linea

Dimensions (Nominal)
Actual length: 432mm
Actual width: 345mm
Exposed length: 355mm
Exposed width: 300mm
Recommended Bond:
Quarter Bond



Uno


Dimensions (Nominal)
Actual length: 432mm
Actual width: 345mm
Exposed length: 355mm
Exposed width: 300mm
Recommended Bond:
Cross Bond



Shaped Concrete Roof Tiles

Contour

Dimensions (Nominal)
Actual length: 432mm
Actual width: 345mm
Exposed length: 355mm
Exposed width: 300mm
Recommended Bond:
Straight Bond/Cross Bond
only at less than 20°




Macquarie

Dimensions (Nominal)
Actual length: 432mm
Actual width: 343mm
Exposed length: 355mm
Exposed width: 308mm
Recommended Bond:
Straight Bond/ Cross Bond



Slimline

Dimensions (Nominal)
Actual length: 432mm
Actual width: 336mm
Exposed length: 355mm
Exposed width: 308mm
Recommended Bond:
Straight Bond/ Cross Bond



For more information about Boral roof tiles or to find your nearest Boral Selection Centre:



call us on 1300 134 002



visit our website at www.boral.com.au/rooftiles

IMPORTANT INFORMATION

Product information contained in this leaflet is correct at the time of printing however is subject to change without notice. Some photos featured in this brochure are artist's impressions of how Boral roof tiles will look on a roof. These images are computer generated. Please ensure you view a tile display before making a final decision. Colours shown are indicative only and should not be used for final selection. Colours are subject to change without notice. Check print date prior to product selection. Roof tile colours may vary in shades throughout the manufacturing process therefore it is important that roof tiles are blended consistently across the roof. At Boral Roofing, all tiles are manufactured to the requirements of Australian Standard 2049 Roof tiles. Please ask for a copy of the Boral Roofing guarantee before making your purchase. During transportation and installation small blemishes such as scuffing and chip marks may occur. These are not considered a production fault and will not detract from the performance of the roof tile.

© Copyright Boral Roofing – all rights reserved 2014.

Boral, the Boral logo, boral.com.au, and Build Something Great are trade marks or registered trade marks of Boral Limited or Boral Montoro Pty Ltd trading as Boral Roofing in Australia, other countries, or both. If these and other Boral trade marked terms are marked on their first occurrence in this information with a trade mark symbol (® or ™), these symbols indicate Australian registered or common law trade marks owned by Boral at the time this information was published. Such trade marks may also be registered or common law trade marks in other countries. Other product, company or service names may be trade marks or service marks of others. Boral Roofing ABN 34 002 944 694. Correct as at June 2014.

BCC 11916 JUNE14

