



# FUSE LANDSCAPE









The Fuse Landscape collection imagines interior spaces as fields of colour, with fluid transitions for creating flexible, multifunctional workspaces. Complementary shades and textures melt into one another organically for effortlessly beautiful spaces that work better – naturally.

### JOURNEY THROUGH COLOUR







#### A CIRCULAR JOURNEY

Learning from nature means learning from the beautifully circular systems that exist in the natural world. At Tarkett, our circular journey is about the used and reused materials that go into our products, the innovative manufacturing processes, and the knowledge that we're actively cutting down on waste and greenhouse gas emissions.






FUSE 8804 FUSE 8823 FIELDS 8822 FIELDS 8332 FIELDS 9515

FUSE 8804 FUSE 8823 FIELDS 8822 FIELDS 8332 FIELDS 9515

FUSE 7073 FUSE 7833 FIELDS 7072 FIELDS 7814 FIELDS 9515






#### DESIGNING THE OFFICE LANDSCAPE

Flexible, adaptive workplaces are the new normal, with the best spaces responding to multiple needs, personalities and ways of working. Fuse Landscape carpet tiles easily define hybrid spaces and marked zones for gathering or focused work, seamlessly denoting transitional areas with thoughtful, transitional colours.



FUSE 2014 FUSE 5433 FUSE 2045




FUSE 1915 FUSE 2014 FIELDS 6218 FIELDS 9515 FIELDS 4438

FUSE LANDSCAPE




### FUSE LANDSCAPE



FUSE LANDSCAPE


FUSE 2956 FIELDS 4438 FIELDS 2093





FUSE 2956 FUSE 1915 FUSE 2104 FIELDS 4438 FIELDS 2093 FIELDS 9515

FUSE 5131 FIELDS 4438 FIELDS 2056







FUSE 7073 FIELDS 7072 FIELDS 9515





## NATURAL TRANSITIONS



Nature-inspired shades and fluid, colour-to-colour transitions mean you can build flexibility into every floor plan, creating softly textured spaces that evoke different landscapes, moods and seasons. Inviting and tactile, these are workplaces that respond to nature – human nature.

JOURNEY THROUGH COLOUR

FUSE 8823 FUSE 8804 **FIELDS 8822** FIELDS 8332 FIELDS 9515








FUSE 8804 FUSE 8823 FIELDS 8332 FIELDS 8822 FIELDS 9515

0

#### CIRCULAR CARBON FOOTPRINT

At Tarkett, we're committed to taking real steps to reduce the emission of greenhouse gases like carbon dioxide, a major contributor to global warming. Our circular approach to carpet tiles enables us to do just that.

The only carpet tile manufacturer with a closed-loop recycling system, we limit the use of virgin raw materials for new products, and avoid common, carbon-emitting options such as incineration and the landfill at product end-of-life. This closed-loop system ensures that our carpet tiles record an impressively low circular carbon footprint - one we're continually working to shrink even further.



FUSE 1915 FUSE 2956 FIELDS 4438 FIELDS 2093 FIELDS 9515




#### 0,91% Total carbon

footprint (Modules A-D)\*

100% Yarn recycled content

\* According to the Environmental Product Declaration (EPD) S-P-08559 - Fuse and Fields externally verified by Bureau Veritas, based on the total carbon footprint (Modules A-D) with a closed loop circular recycling scenario.


#### SUSTAINABILITY CREDENTIALS





FUSE LANDSCAPE

FIELDS 6218



#### **TECHNICAL** DATA SHEET

Product Characteristics	Standards	DESSO <sup>®</sup> Fuse Landscape
Type of manufacture	ISO 2424	Tufted 1/10 <sup>»</sup>
Aspect	ISO 2424	Structured loop pile
Dye method		Solution dyed
Dimension	EN ISO 24342	50 x 50cm (20 tiles per box)
Primary backing	ISO 2424	Polyester fleece
Secondary backing	ISO 2424	DESSO EcoBase® * - 100% recycla
Pile fibre composition	ISO 2424	BCF Polyamide 6 ECONYL® (ECON
Total thickness	ISO 1765	6.5mm
Effective pile thickness	ISO 1766	2.8mm
Total mass	ISO 8543	4250g/m <sup>2</sup>
Total pile mass	ISO 2424	730g/m <sup>2</sup>
Effective pile mass	ISO 8543	415g/m <sup>2</sup>
Pile density	ISO 8543	0.148g/cm <sup>3</sup>
Number of tufts	ISO 1763	1580/dm <sup>2</sup>
Performance Characteristics	Standards	DESSO® Fuse Landscape
Reaction to fire	ISO AS 9239-1	Critical Radiant Flux 4.8kW/m² Smoke - 25%.min
Stroll test	ISO 6356	≤2,0 kV
Vertical resistance	ISO 10965	≤ 1 x 10º Ohm
Horizontal resistance	ISO 10965	- Ohm
Luxury rating	EN 1307	LC 2
Dimensional stability	EN 986	≤ 0,2 %
Impact sound reduction	ISO 10140	ΔL <sub>w</sub> 23 dB
Sound absorption	ISO 354	Freq. Hz 125 a <sub>s</sub> 0.01
Noise reduction	ISO 354	0.15 a <sub>w</sub>
Thermal resistance	ISO 8302	≤ 0,071 m²·K/W
ACCS Grading		CEHD 4*
Sustainability Performances	Standards	DESSO <sup>®</sup> Fuse Landscape
Cradle to Cradle®	-	Silver
CRI Green Label Plus Certification	-	GLP 3372
Global Green Tag	-	Level A
Phthalate - free	-	Yes
Recycled Content	-	62.4%
Carbon Footprint	-	4.82kg CO <sub>2</sub> eq/m <sup>2</sup> (Cradle to Gate 0.91kg CO <sub>2</sub> eq/m <sup>2</sup> (Cradle to Grave
Material Health Statement	-	Available
Total VOC Emissions (after 28 days)	EN 16516	Gold (≤ 100 µg / m³)
ReStart <sup>®</sup> Ready		Yes
GUI Allergy Certificate #		Certificate FST 100-051-08

\* DESSO EcoBase® is a polyolefin based backing. Positively defined means: all ingredients have been assessed as either Green (optimal) or Yellow (tolerable) according to the Cradle® assessment criteria. As described in Cradle® Certified CM Product Standard Version 3.1. The total % of recycled content varies per product and per colour which can be found on our website: www.tarkett.com For products with acoustic backing: SoundMaster/SoundMaster Lite backings contain 80% recycled polyester felt; SoundMaster Thrive is a low antimony polyester felt. \*\* ECONYL® is a yarn made from 100% regenerated content. The total % of regenerated content

DESSO flooring products are to be installed in full accordance with Tarkett's installation instructions and recognized trade standards. An effective, regular cleaning and maintenance program is vital for retaining a high appearance level. DESSO flooring products should only be used as floorcoverings. Note: Tarkett reserves the right to change this specification without prior notice; changes are subject to normal production tolerances. For the latest versions of the technical specifications, visit www.tarkett.com.au

Disclaimer: Please note that products in photos are installed for creative purposes and not according to technical specifications. Please refer to Tarkett installation instructions for guidance.







		19	,68" x 19,68		
lable, cont	ains on avei	rage 80% po	sitively defir	ed recycled content.*	
NYL® is ma	ade from 10		ated conten	) **	
		0.3			
		0.1	11"		
			5.4 oz/yd <sup>2</sup>		
			.5 oz/yd²		
			.2 oz/yd²		
			0054 lb/in <sup>3</sup>		
		13	2104/yd <sup>2</sup>		
250 0.03	500 0.06	1000 0.15	2000 0.26	4000 0.31	
e Only)					
/e)					



Photography: Alexander van Berge 3D Renderings: Studio 3D Sweden Thanks to: Casala, Ethnicraft, Live-Light, vtwonen, Vitra, Noom, Arco

Installation method used in all photography: single line installation 2 cm bricks

#### Tarkett Human-Conscious Design<sup>®</sup>

Tarkett Human-Conscious Design<sup>®</sup> is our pledge to stand with present and future generations. To create flooring and sports surfaces that are good for people and for the planet. And to do it every day. We deliver on this through the synergy of three commitments:

1 Deep human understanding

2 Conscious choices. For people and planet

3 With you. Every step of the way

With a history of 140 years, Tarkett is a worldwide leader in innovative flooring and sport surface solutions, with net sales of €2.8 billion in 2021. Offering a wide range of products including vinyl, linoleum, rubber, carpet, wood, laminate, artificial turn and athletic tracks, the Group serves customers in more than 100 countries across the globe. Tarkett has 12,000 employees and 34 industrial sites, and sells 1.3 million square meters of flooring every day, for hospitals, schools, housing, hotels, offices, stores, and sports fields. Committed to change the game with circular economy and to reducing its carbon footprint, the Group has implemented an eco-innovation strategy based on Cradle to Cradle principles, fully aligned with its Tarkett Human-Conscious Design approach. Tarkett is listed on Euronext (Compartment B, ISIN FR0004188670, ticker: TKTT).

www.tarkett-group.com

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail

Suite 1, Level 3, 3 Columbia Court, Baulkham Hills, NSW 2153 (02)



