



# Mirage Series<sup>®</sup>



Louvreclad's Mirage Series<sup>®</sup> provides superior impact resistance and durability with clean, straight lines that complement modern architecture.

## Distinctive Features + Diverse Applications + Multitude of Benefits:

- Can be used for trafficable walkways
- A diverse range of mounting methods available
- Superior impact resistance and durability
- Range of configurations available to suit individual applications

## Attention to Detail:

- Customised fixing details and engineering
- 15%-95% Free open area



**ROBUST AND DURABLE**



*Thinking outside for inside performance*

## DRAFT SPECIFICATION

Screens will be Louvreclad Mirage Series<sup>®</sup> type (state type from options below)

### Base Material & Finish

Screens will be manufactured in [powder coated/anodised] aluminium finish in [state colour]

### Installation and Mounting

Installation and mounting details will be designed in accordance with proprietary systems and recommendations as designed and manufactured by Louvreclad Pty. Ltd. Phone: 1300 165 678 Email: sales@louvreclad.com

### Base Material

- Extruded Aluminium

### Finishes Available


Choose from the following range of finishes:

- complete powder coated range
- complete anodised range


*Specialised coatings are also available on request.*

### Mirage Series<sup>®</sup> Types


- Mirage Series<sup>®</sup> Grating (MSG)



- Mirage Series<sup>®</sup> Sunscreens (MSS)





- Mirage Series<sup>®</sup> Combination (MSC)




## Louvreclad Mirage Series® Grating (MSG)


Louvreclad Code	Toe Depth	Flat Bar Thickness	Blade Pitch	Trafficable	Free Open Area	Weight / m <sup>2</sup>
	"X" (mm)	"Z" (mm)	"Y" (mm)	Yes / No		
MSG-253-30	25	3	30	✓	90%	8.5
MSG-253-60	25	3	60	✗	95%	5.1
MSG-323-30	32	3	30	✓	90%	10.3
MSG-323-60	32	3	60	✗	95%	6.0
MSG-403-30	40	3	30	✓	90%	12.5
MSG-403-60	40	3	60	✗	95%	7.1
MSG-453-30	45	3	30	✓	90%	13.9
MSG-453-60	45	3	60	✗	95%	7.8
MSG-503-30	50	3	30	✓	90%	15.2
MSG-503-60	50	3	60	✗	95%	8.5
MSG-553-30	55	3	30	✓	90%	16.6
MSG-553-60	55	3	60	✗	95%	9.1
MSG-603-30	60	3	30	✓	90%	17.9
MSG-603-60	60	3	60	✗	95%	9.8
MSG-653-30	65	3	30	✓	90%	19.3
MSG-653-60	65	3	60	✗	95%	10.5
MSG-753-30	75	3	30	✓	90%	22.0
MSG-753-60	75	3	60	✗	95%	11.8
MSG-255-30	25	5	30	✓	83%	13.0
MSG-255-60	25	5	60	✗	92%	7.3
MSG-325-30	32	5	30	✓	83%	16.1
MSG-325-60	32	5	60	✗	92%	8.9
MSG-405-30	40	5	30	✓	83%	19.7
MSG-405-60	40	5	60	✗	92%	10.7
MSG-455-30	45	5	30	✓	83%	22.0
MSG-455-60	45	5	60	✗	92%	11.8
MSG-505-30	50	5	30	✓	83%	24.2
MSG-505-60	50	5	60	✗	92%	13.0
MSG-555-30	55	5	30	✓	83%	26.5
MSG-555-60	55	5	60	✗	92%	14.1
MSG-605-30	60	5	30	✓	83%	28.7
MSG-605-60	60	5	60	✗	92%	15.2
MSG-655-30	65	5	30	✓	83%	31.0
MSG-655-60	65	5	60	✗	92%	16.3
MSG-755-30	75	5	30	✓	83%	35.5
MSG-755-60	75	5	60	✗	92%	18.6



Louvreclad Mirage Series® Sunscreens (MSS)								
Louvreclad Code	Toe Depth	Thickness	Blade Drop	Blade Angle	Blade Pitch	Trafficable	Free Open Area	Weight / m <sup>2</sup>
	"X" (mm)	"Z" (mm)	"W" (mm)	A°	"Y" (mm)	Yes / No		
MSS-32360/100-60	32	3	60	100	60	✘	15%	10.3
MSS-20345/135-30	20	3	45	135	30	✘	63%	13.6
MSS-20345/135-60	20	3	45	135	60	✘	68%	7.6
MSS-20360/135-30	20	3	60	135	30	✘	63%	15.7
MSS-20360/135-60	20	3	60	135	60	✘	68%	8.7
MSS-32360/135-30	32	3	60	135	30	✓	63%	19.0
MSS-32360/135-60	32	3	60	135	60	✘	68%	10.3
MSS-40360/135-30	40	3	60	135	30	✓	63%	21.1
MSS-40360/135-60	40	3	60	135	60	✘	67%	11.4
MSS-20380/135-30	20	3	80	135	30	✘	63%	18.6
MSS-20380/135-60	20	3	80	135	60	✘	67%	10.2
MSS-32380/135-30	32	3	80	135	30	✓	63%	21.9
MSS-32380/135-60	32	3	80	135	60	✘	67%	11.8
MSS-32360/160-30	32	3	60	160	30	✓	87%	19.0
MSS-32360/160-60	32	3	60	160	60	✘	90%	10.3



Louvreclad Mirage Series® Combination (MSC)								
Louvreclad Code	Toe Depth	Thickness	Blade Drop	Blade Angle	Blade Pitch	Trafficable	Free Open Area	Weight / m <sup>2</sup>
	"X" (mm)	"Z" (mm)	"W" (mm)	A°	"Y" (mm)	Yes / No		
MSC-20360/135	20	3	60	135	30	✓	71%	11.4
MSC-32360/135	32	3	60	135	30	✓	78%	14.7
MSC-40360/135	40	3	60	135	30	✓	78%	16.8
MSC-20380/135	20	3	80	135	30	✓	71%	12.9
MSC-32380/135	32	3	80	135	30	✓	76%	16.1





**i** **WOULD YOU LIKE TO KNOW MORE?**

If you have any questions about this product, or if you would like to speak to a member of our expert team about how we can tailor a solution for you, call: **1300 165 678** or visit: [louvreclad.com](http://louvreclad.com)