

Bradford™ gold batts

Thermal insulation for ceilings and walls,
for improved comfort all year round.



**MORE COMFORTABLE
HOME YEAR ROUND**



**HELPS REDUCE
ENERGY COSTS**



**AUSTRALIA'S MOST
TRUSTED INSULATION**



**70 YEAR PRODUCT
WARRANTY**

Bradford Gold and Bradford Gold Hi-Performance insulation can reduce energy used for heating and cooling by up to 20%, leading to a decrease in your energy consumption and in your energy bills.

Choosing the right insulation is important. You need confidence that the product installed delivers on the performance that is promised. Whether building a new home or undertaking alterations or additions to existing homes, insulating walls and ceilings with Bradford Gold and Bradford Gold Hi-Performance insulation will provide peace of mind for you and your family.

BREATHE EASY

Bradford is the only approved insulation partner of the National Asthma Council Australia's Sensitive Choice® program. Bradford Gold and Bradford Gold Hi-Performance insulation are suitable for use in the homes of asthma and allergy sufferers.



Upgrade to higher R-values for higher customer satisfaction



BRADFORD GOLD & BRADFORD GOLD HI-PERFORMANCE

PERFORMANCE YOU CAN TRUST

- Keeps homes warmer in winter and cooler in summer
- Helps reduce home owner's ongoing energy costs
- Made for Australian conditions and complies with AS4859.1 "Materials for the Thermal Insulation of Buildings"
- Backed by CSR, Australia's leading building materials company
- Non combustible
- Environmentally sound, made from up to 80% recycled glass



Bradford provides a comprehensive warranty with a 70 year product performance guarantee on all Bradford Gold and Bradford Gold Hi-Performance products.

BEST POSSIBLE FIRE RATING

Bradford Gold insulation achieves the best fire rating when tested to AS1530.3. Zero result for ignitability, spread of flame, smoke developed and heat evolved. These are the best possible ratings. Bradford Gold and Bradford Gold Hi-Performance insulation will not burn and can hinder the spread of flame. Bradford Gold Ceiling and Wall insulation is also classified as non combustible when tested to AS 1530.1.

ENVIRONMENTALLY SOUND

Bradford Gold and Bradford Gold Hi-Performance insulation are made from glasswool, the most common residential insulation in the world. It is manufactured in Australia from up to 80% recycled glass, using FBS-1 bio-soluble formulation, which has been assessed as non-hazardous under the National Occupational Health & Safety Commission's guidelines.

THE BRADFORD GOLD INSULATION RANGE

There's a full range of Bradford Gold insulation to suit ceilings and walls of any home in Australia.

| R-VALUE m ² K/(W) | THICKNESS (mm) | STANDARD SIZE (mm) | PIECES PER PACK | m ² PER PACK | COVERAGE PER PACK (m ²) | MULTI PACK | PRODUCT CODE |
|--|-------------------|-----------------------|--------------------|----------------------------|---|---------------|-----------------|
| TIMBER FRAME CONSTRUCTION | | | | | | | |
| BRADFORD GOLD FOR WALLS | | | | | | | |
| R2.0 | 90mm | 1160 x 430 | 22 | 11.0 | 12.5 | 5 | 15250 |
| R2.0 | 90mm | 1160 x 580 | 18 | 12.1 | 13.6 | 6 | 15229 |
| R2.2 | 90mm | 1160 x 430 | 16 | 8.0 | 9.0 | 5 | 170351 |
| R2.2 | 90mm | 1160 x 580 | 16 | 10.8 | 12.2 | 5 | 170227 |
| BRADFORD GOLD HI-PERFORMANCE FOR WALLS | | | | | | | |
| R2.0 | 75mm | 1160 x 420 | 12 | 5.8 | 7.0 | 6 | 152166 |
| R2.0 | 75mm | 1160 x 570 | 12 | 7.9 | 9.1 | 6 | 152192 |
| R2.2 | 75mm | 1160 x 420 | 6 | 2.9 | 3.5 | 6 | 152168 |
| R2.2 | 75mm | 1160 x 570 | 6 | 4.0 | 4.5 | 6 | 152194 |
| R2.5 | 90mm | 1160 x 420 | 9 | 4.4 | 5.0 | 6 | 181430 |
| R2.5 | 90mm | 1160 x 570 | 9 | 6.0 | 6.7 | 6 | 181471 |
| R2.7 | 90mm | 1160 x 420 | 5 | 2.4 | 2.8 | 5 | 152191 |
| R2.7 | 90mm | 1160 x 570 | 5 | 3.3 | 3.8 | 5 | 152197 |
| R4.0 | 140mm | 1160 x 420 | 5 | 2.4 | 2.8 | 6 | 181432 |
| R4.0 | 140mm | 1160 x 570 | 5 | 3.3 | 3.8 | 6 | 181416 |
| BRADFORD GOLD FOR CEILINGS | | | | | | | |
| R2.5 | 140mm | 1160 x 430 | 16 | 8.0 | 9.0 | 7 | 111720 |
| R2.5 | 140mm | 1160 x 580 | 16 | 10.8 | 12.2 | 7 | 111719 |
| R3.0 | 165mm | 1160 x 430 | 16 | 8.0 | 9.0 | 6 | 15226 |
| R3.0 | 165mm | 1160 x 580 | 16 | 10.8 | 12.2 | 6 | 15256 |
| R3.5 | 185mm | 1160 x 430 | 16 | 8.0 | 9.0 | 5 | 15241 |
| R3.5 | 185mm | 1160 x 580 | 10 | 6.7 | 7.6 | 8 | 41895 |
| R4.1 | 215mm | 1160 x 430 | 10 | 5.0 | 5.6 | 7 | 111716 |
| R4.1 | 215mm | 1160 x 580 | 10 | 6.7 | 7.6 | 7 | 111715 |
| BRADFORD GOLD HI-PERFORMANCE FOR CEILINGS | | | | | | | |
| R5.0 | 240mm | 1160 x 430 | 8 | 4.0 | 4.5 | 6 | 467911 |
| R5.0 | 240mm | 1160 x 580 | 8 | 5.4 | 6.1 | 6 | 467912 |
| R6.0 | 260mm | 1160 x 430 | 6 | 3.0 | 3.4 | 6 | 467949 |
| R6.0 | 260mm | 1160 x 580 | 6 | 4.0 | 4.5 | 6 | 467960 |
| R7.0 | 290mm | 1160 x 430 | 4 | 2.0 | 2.3 | 6 | 467961 |
| R7.0 | 290mm | 1160 x 580 | 4 | 2.7 | 3.0 | 6 | 467962 |
| STEEL FRAME CONSTRUCTION | | | | | | | |
| BRADFORD GOLD FOR WALLS | | | | | | | |
| R2.0 | 90mm | 1200 x 450 | 18 | 9.7 | 9.7 | 6 | 127777 |
| R2.0 | 90mm | 1200 x 600 | 18 | 13.0 | 13.0 | 6 | 127782 |
| BRADFORD GOLD HI-PERFORMANCE FOR WALLS | | | | | | | |
| R2.0 | 75mm | 1200 x 450 | 12 | 6.5 | 6.5 | 6 | 131367 |
| R2.0 | 75mm | 1200 x 600 | 12 | 8.6 | 8.6 | 6 | 131368 |
| R2.5 | 90mm | 1200 x 450 | 9 | 4.9 | 4.9 | 6 | 181412 |
| R2.5 | 90mm | 1200 x 600 | 9 | 6.5 | 6.5 | 6 | 181433 |
| R2.7 | 90mm | 1200 x 450 | 5 | 2.7 | 2.7 | 5 | 127780 |
| R2.7 | 90mm | 1200 x 600 | 5 | 3.6 | 3.6 | 5 | 126512 |



For more information call 1300 850 305
or visit bradfordinsulation.com.au

CSR Bradford Locked Bag 1345 North Ryde BC NSW 1670
bradfordinsulation.com.au



CSR Bradford is a business division of CSR Building Products Limited ABN 55 008 631 356.

The contents of this brochure are copyright protected and may not be reproduced in any form without prior written consent of CSR Bradford. Recommendations and advice regarding the use of the products described in this brochure are to be taken as a guide only, and are given without liability on the part of the company or its employees. We reserve the right to change product specifications without prior notification, please refer to the CSR Bradford website for the latest revision of this document. The purchaser should independently determine the suitability of the product for the intended use and application.



Global-Mark.com.au®
ID Number: 100109

