

MATERIALS FOR YOUR IMAGINATION

FACADES

BALUSTRADES

FEATURES/SPACE SCULPTING

CEILINGS

SCREENING

HORIZONTAL SCREENING

PIC PERF

ATMOSPHERE

PRODUCT PROFILES


FIXING SYSTEMS

LONSDALE ST


MELBOURNE, VIC



SJB

BOSTON 743A



FACADES - WIRE





FACADES - PERFORATED

SMILE COUNCIL


BUNDOORA, VIC

I2C DESIGN

PIC-PERF




FACADES - PIC PERF



PONSONBY APARTMENTS

AUCKLAND, NZ

MINIMAT



FACADES - CURTAINS


ATMOSPHERE TYPICAL INSTALLATION

3D RENDER

ATMOSPHERE E₂ PANELS



FACADES - ATMOSPHERE





400 GEORGE ST

BRISBANE

COX RAYNER

SUN 919A



FACADES - EXPANDED


PRIVATE RESIDENCE



BRIGHTON

CUSTOM PERFORATED



BALUSTRADES - PERFORATED






BALUSTRADES - EXPANDED

ALBANY HIGH SCHOOL

AUCKLAND, NZ


ARROW INTERNATIONAL

IKON WIRE MESH



BALUSTRADES - WIRE





BALUSTRADES - CURTAINS



BALUSTRADES - PIC PERF





HORIZONTAL SCREENING



ORIGINAL IMAGE
(PROVIDED BY DESIGNER)




PROOF
(PROVIDED BY LOCKER GROUP)



INSTALLED

PIC PERF




INFINITE VARIABILITY - THE DESIGNER CAN CHOOSE STANDARD OR CUSTOMISED PROFILES, CAN VARY COLOUR, FINISH AND ELEMENT PLACEMENT

CONSTRUCTABILITY - THE STAINLESS STEEL CABLE STRUCTURE ENSURES FAST AND EFFICIENT INSTALLATION, AND ALLOWS EXISTING BUILDINGS TO BE RETROFITTED WHILE STILL TENANTED


DELIVERABLE SUSTAINABILITY - ATMOSPHERE CAN OFFER POTENTIAL ENERGY SAVINGS OF UP TO 45%*. E₂ ELEMENTS BALANCE ENERGY REDUCTION WHILE MAXIMISING NATURAL DAYLIGHT AND VISION FROM WITHIN.

ATMOSPHERE

*BASED ON THE STUDIES OF A TYPICAL BUILDING IN MELBOURNE, AS CONDUCTED BY GHD.



ATMOSPHERE



FEATURES/SPACE SCULPTING
- PERFORATED

SUPREME COURT NZ

WELLINGTON, NZ

WARREN & MAHONEY ARCHITECTURE

COPPER & BRASS WIRE




FEATURES/SPACE SCULPTING
- WIRE

CREMORNE HOTEL

ADELAIDE, SA

STUDIO NINE

TRANSIT 210, L7 FIXING



FEATURES/SPACE SCULPTING
- CURTAINS

BOTSWANA HIGH COMMISSION

CANBERRA, ACT

GUIDA MOSELEY BROWN

PIC-PERF



FEATURES/SPACE SCULPTING
PIC-PERF




LOCKER group




CEILINGS - PERFORATED



CEILINGS - WIRE





CEILINGS - CURTAINS


LYELL MCEWIN HOSPITAL

ADELAIDE, SA

CHEESMAN ARCHITECTS
VARIOUS SLOTTED PROFILES



SCREENING - PERFORATED




KURILPA BRIDGE

BRISBANE, QLD

COX RAYNER

CUSTOM WIRE PROFILE



SCREENING - WIRE

GOLDEN SHEAF HOTEL

SYDNEY, NSW

TZANNES ASSOC ARCHITECTURAL URBAN DESIGNS

TRANSIT F360



SCREENING - CURTAINS





LOCKER group

CAXTON ROMA PEDESTRIAN LINK


BRISBANE, QLD

EDAW AUSTRALIA


PIC PERF



SCREENING - PIC-PERF



SCREENING - EXPANDED



KINGSFORD SMITH INTERNATIONAL AIRPORT

SYDNEY, NSW

SHEER 2800



SCREENING - PERFORATED

ADELAIDE BUS STATION

ADELAIDE, SA

WOODHEAD & DENTON CORKER MARSHALL
NICHE 10015



FACADE/FEATURES - PERFORATED



LOCKER group



ANTI-THROW SCREENS




WAKEFIELD ST CARPARK


ADELAIDE S.A


HASSELL

CUSTOM PERFORATED



SCREENING - PERFORATED






DRAGON SCALE

THE 'DRAGON SCALE' PROFILE (ABOVE), IS AN ELEGANT EXAMPLE OF WHAT CAN BE ACHIEVED WHEN LOCKER GROUP WORKS CLOSELY WITH THE DESIGNER IN ORDER TO COME UP WITH SOMETHING BEAUTIFUL AND FUNCTIONAL. DRAGON SCALE, DESIGNED BY DESIGNINC, ACHIEVES A TEXTURAL FACADE WITH A HIGH OPEN AREA, WHILE STILL RESTRICTING VISION. THE PRIVACY OF INHABITANTS IS ENSURED AS THE LIGHT IS REFLECTED UPWARD.




CORTEN - EXPANDING THE BOUNDARIES

LOCKER GROUP IS ALWAYS LOOKING TO EXPAND ITS PRODUCT OFFERING TO MATCH THE CREATIVE VISION OF THE DESIGNER WE WORK WITH. ABOVE IS OUR STANDARD SUN 919 EXPANDED MESH, MANUFACTURED IN 3MM CORTEN, AN EXAMPLE OF THE FLEXIBILITY OF LOCKER GROUP'S LOCAL MANUFACTURING CAPABILITY. UTILISE AN EXISTING PROFILE, BUT SELECT A DIFFERENT MATERIAL, OR CREATE A UNIQUE PROFILE TO REPRESENT YOUR PROJECT. LOCKER GROUP SEEKS TO CULTIVATE YOUR CREATIVITY.




ANTIQUITA II



MATERIAL	BRASS
WIDTH	2400
WEIGHT	2.99 (KG/M ²)
OPEN AREA	55%
STOCK STATUS	CUSTOM MADE
APPLICATION	INFILL PANELS, BALUSTRADES

BOSTON 705



MATERIAL	T316 (S/S), T304 (S/S), GALVANISED ALUMINIUM
WIDTH	2400
WEIGHT	6.2 (KG/M ²)
OPEN AREA	72%
STOCK STATUS	CUSTOM MADE
APPLICATION	SECURITY, BALUSTRADES, CLADDING

BOSTON 311



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	8.15 (Kg/m ²)
OPEN AREA	63%
STOCK STATUS	CUSTOM MADE
APPLICATION	SECURITY, BALUSTRADES, CLADDING

CIVIC 520



MATERIAL	T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	9.70 (Kg/m ²)
OPEN AREA	55%
STOCK STATUS	CUSTOM MADE
APPLICATION	SECURITY, BALUSTRADES, CLADDING


* Images are not to scale

FINE 250




MATERIAL	T316 (S/S)
WIDTH	1220
WEIGHT	0.20 (KG/M ²)
OPEN AREA	37%
STOCK STATUS	EX STOCK
APPLICATION	INFILL PANELS, SCREENS, SOFT FURNISHINGS

IKON 111



MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	3.5 (KG/M ²)
OPEN AREA	58%
STOCK STATUS	CUSTOM MADE
APPLICATION	CEILINGS, INFILL PANELS, CLADDING

IKON 141



MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	4.85 (Kg/m ²)
OPEN AREA	45%
STOCK STATUS	CUSTOM MADE
APPLICATION	CEILINGS, BALUSTRADES, CLADDING

IKON 205



MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	2400
WEIGHT	6.1 (Kg/m ²)
OPEN AREA	69%
STOCK STATUS	CUSTOM MADE
APPLICATION	BALUSTRADES, CLADDING

IKON 311




MATERIAL	T304 (S/S), T316 (S/S), GALVANISED
WIDTH	1500
WEIGHT	7.4 (KG/M ²)
OPEN AREA	69%
STOCK STATUS	CUSTOM MADE
APPLICATION	BALUSTRADES, CLADDING

PLANAR 441




MATERIAL	T316 (S/S)
WIDTH	2400
WEIGHT	4.8 (KG/M ²)
OPEN AREA	57%
STOCK STATUS	CUSTOM MADE
APPLICATION	CEILINGS, BALUSTRADES, CLADDING

QUAD 306



MATERIAL	T316 (S/S), BRASS
WIDTH	2400
WEIGHT	7.1 (Kg/M ²)
OPEN AREA	38%
STOCK STATUS	CUSTOM MADE
APPLICATION	BALUSTRADES, CLADDING, PRIVACY SCREEN


WEAVE 1020



MATERIAL	T304 (S/S)
WIDTH	1525
WEIGHT	4.11 (Kg/M ²)
OPEN AREA	41%
STOCK STATUS	EX STOCK
APPLICATION	SCREENS, INFILL PANELS


* Images are not to scale

TRANSIT 091




MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	2.64 (Kg/M ²)
OPEN AREA	76%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, CURTAINS, CEILINGS

TRANSIT 210




MATERIAL	T316 (S/S), GALVANISED/BRASS
WIDTH	5000
WEIGHT	4.56 (Kg/M ²)
OPEN AREA	56%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, CURTAINS CEILINGS

TRANSIT F160



MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	10.2 (Kg/m ²)
OPEN AREA	19%
STOCK STATUS	CUSTOM MADE
APPLICATION	FACADES, CURTAINS, SUNSHADES


TRANSIT F281



MATERIAL	T316 (S/S)
WIDTH	3000
WEIGHT	8.6 (Kg/m ²)
OPEN AREA	30%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, ROLLER CURTAINS

* Images are not to scale

TRANSIT F360




MATERIAL	T316 (S/S)
WIDTH	5000
WEIGHT	10.8 (KG/M ²)
OPEN AREA	61%
STOCK STATUS	CUSTOM MADE
APPLICATION	BUILDING FACADES, FEATURES

ARGOS




MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	4000
WEIGHT	5.2 (KG/M ²)
OPEN AREA	50.6%
THICKNESS	4.5MM
STOCK STATUS	CUSTOM MADE

CIRRUS



MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	4000
WEIGHT	5.2 (KG/M ²)
OPEN AREA	44.3%
THICKNESS	3.0MM
STOCK STATUS	CUSTOM MADE


QUAD 160



MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	1900
WEIGHT	2.8 (KG/M ²)
OPEN AREA	42.3%
THICKNESS	1.3MM
STOCK STATUS	CUSTOM MADE


* Images are not to scale

STRATUS




MATERIAL	T304 (S/S) & T316 (S/S)
MAX WIDTH	4000
WEIGHT	6.8 (KG/M ²)
OPEN AREA	44%
THICKNESS	4.0MM
STOCK STATUS	CUSTOM MADE

TITAN 190




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	51%
THICKNESS	1.6-5.0MM (A) 2.5-5.0MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

TITAN 120




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	49%
THICKNESS	1.6-10.0MM (A) 0.9 -6.0MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

NICHE 250




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	40%
THICKNESS	1.2-5.0MM (A) 1.2-2.5MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	FACADES, SECURITY SCREENS INFILL PANELS, PARTITIONS, BALUSTRADES

ECLIPSE 600




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1525
OPEN AREA	40%
THICKNESS	1.2 - 6.0MM (A) 0.9 - 4.0MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	FACADES, SECURITY SCREENS INFILL PANELS, PARTITIONS BALUSTRADES

APOLLO 300




MATERIAL	ALUMINIUM T304 (S/S), T316 (S/S)
MAX WIDTH	1220
OPEN AREA	62%
THICKNESS	1.0 -3.0MM (A) 0.5-1.5MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

CLARITY 800




MATERIAL	ALUMINIUM, T304 (S/S), T316 (S/S)
MAX WIDTH	1220
OPEN AREA	62%
THICKNESS	1.0 -3.0MM (A) 0.5-1.5MM (S/S)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS PARTITIONS, BALUSTRADES

FORTE 800



MATERIAL	T316 (S/S), STEEL, ALUMINIUM
MAX WIDTH	1200
OPEN AREA	53%
THICKNESS	1.0-2.0MM (S), 0.9 -1.5 (S/S), 1.0-3.0MM (A)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS (INTERNAL OR EXTERNAL) FENCING, BALUSTRADE INFILL, PARTITIONS CAR PARK SCREENS


NICHE 10015



MATERIAL	ALUMINIUM
MAX WIDTH	1500
OPEN AREA	50%
THICKNESS	3.0-5.0MM
STOCK STATUS	CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS CAR PARK SCREENS, FENCING BALUSTRADES INFILL


USED IN AREAS WHERE HIGH OPEN AREA IS REQUIRED

SHEER 2800




MATERIAL	STEEL, ALUMINIUM
MAX WIDTH	1200
OPEN AREA	73%
THICKNESS	2.0MM (S) 3.0MM (A)
WEIGHT	4.24 (KG/M2) (S) 2.2 (KG/M ²) (A)
STOCK STATUS	CUSTOM MADE

SAFE T PERF 6 STILLETTO



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
WIDTH	1220
OPEN AREA	4%
THICKNESS	1.6-3.0MM (A), 1.2-2.5MM (S) 1.20-2.0MM (S/S)
WEIGHT	4.24 (KG/M2) (S) 2.2 (KG/M2) (A)
STOCK STATUS	CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS, NON SLIP FLOORING TREADS PLANKS PARTITIONS, STILETTO PROOF FLOORS


SAFE T PERF 14 UNIVERSAL



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
WIDTH	1400
OPEN AREA	13%
THICKNESS	2.5MM (S), 3.0-4.0 MM (A), 1.20-2.0MM (S/S)
STOCK STATUS	EX - STOCK, SELECTED PROFILES AND CUSTOM MADE
APPLICATIONS	DECORATIVE SCREENS, NON SLIP FLOORING, PLANKS, PLATFORMS, SUN SHADES PARTITIONS


* Images are not to scale

SAFE T PERF 19 STOCK CRATE



MATERIAL	STEEL, ALUMINIUM, T304 (S/S) & T316 (S/S)
WIDTH	1400
OPEN AREA	23%
THICKNESS	2.5-4.0MM (A), 1.2-2.0MM (S/S)
STOCK STATUS	EX STOCK SELECTED PROFILES AND CUSTOM MADE 3.0-4.0 MM ALUMINIUM
APPLICATIONS	DECORATIVE SCREENS, NON SLIP FLOORING TREADS, PLANKS, PLATFORMS, SUN SHADES, PARTITIONS

AERO




MATERIAL	ALUMINIUM
WIDTH	1500
OPEN AREA	56%
THICKNESS	3.0, 4.0, 5.0MM
STOCK STATUS	CUSTOM MADE
APPLICATION	CAR PARK SCREENS, FACADES, SECURITY SCREENS, INFILL PANELS BALUSTRADES

RIBBON



MATERIAL	ALUMINIUM
WIDTH	1500
OPEN AREA	51%
THICKNESS	3-5MM
STOCK STATUS	CUSTOM MADE
APPLICATION	CAR PARK SCREENS, FACADES SECURITY SCREENS, INFILL PANELS, PARTITIONS BALUSTRADES


JE PROFILE



MATERIAL	STEEL, ALUMINIUM
OPEN AREA	27-45%
WEIGHT	13-17 (KG/M ²) (S)
NOMINAL SIZE OF MESH	LWM 19 SWM 11
THICKNESS	3.0MM
STOCK STATUS	EX STOCK
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, BALUSTRADES


* Images are not to scale

09-16




MATERIAL	STEEL, ALUMINIUM, STAINLESS STEEL
WEIGHT	6.2 (KG/M ²) (S) 2.2 (KG/M ²) (A)
NOMINAL SIZE OF	MESH LWM 28 SWM 9
THICKNESS	1.6MM
OPEN AREA	48-56%
STOCK STATUS	EX STOCK
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, BALUSTRADES

L7616G LOUVRE




MATERIAL	GALVANISED, ALUMINIUM
WEIGHT	4.02 (KG/M ²) (A)
NOMINAL SIZE OF	MESH LWM 76 SWM 16
THICKNESS	1.6MM
OPEN AREA	21-66%
STOCK STATUS	EX STOCK
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, SUNSCREEN

19-30



MATERIAL	ALUMINIUM, STEEL, T304 (S/S), T316 (S/S)
WEIGHT	8.3 (KG/M ²) (S) 2.9 (KG/M ²) (A)
NOMINAL SIZE OF MESH	LWM 50 SWM 19
THICKNESS	3.0MM
OPEN AREA	67-74%
STOCK STATUS	Ex Stock
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS

1225




MATERIAL	STEEL, ALUMINIUM
WEIGHT	14 (KG/M ²) (S)
NOMINAL SIZE OF MESH	LWM SWM
THICKNESS	2.5MM
OPEN AREA	26%
STOCK STATUS	Ex Stock
APPLICATIONS	SECURITY, CLADDING, PRIVACY INFILL PANELS, BALUSTRADES

SUN919A



MATERIAL	ALUMINIUM
WEIGHT	6.33 (KG/M ²)
NOMINAL SIZE OF MESH	LWM 135 SWM45
OPEN AREA	25%
THICKNESS	3.0MM
STOCK STATUS	CUSTOM MADE

SUN20



MATERIAL	ALUMINIUM / GALVABOND / STEEL
WEIGHT	3.6 (KG/M ²)(A) 10.5 (KG/M ²)(S)
NOMINAL SIZE OF MESH	LWM 120 SWM 34
OPEN AREA	35%
THICKNESS	1.6/2.0MM
STOCK STATUS	CUSTOM MADE

SUN636




MATERIAL	ALUMINIUM, GALVABOND, STEEL
WEIGHT	3.6 (KG/M ²)(A) 9.7 (KG/M ²)(S)
NOMINAL SIZE OF MESH	LWM 75 SWM 30
OPEN AREA	23%
THICKNESS	1.6MM
STOCK STATUS	CUSTOM MADE

LM252625A



MATERIAL	ALUMINIUM
WEIGHT	5.0 (KG/M ²)
NOMINAL SIZE OF MESH	LWM 175 SWM 30
OPEN AREA	26%
THICKNESS	2.5MM
STOCK STATUS	CUSTOM MADE



FIXING SYSTEMS

LOCKER GROUP MATERIALS ARE IDEAL FOR THE ARCHITECTURAL AND DESIGN MARKET IN THEIR FLEXIBILITY TO SUIT ALMOST ANY TYPE OF APPLICATION. MANY LOCKER GROUP PRODUCTS ARE SPECIFIED INTO BESPOKE SYSTEMS, TO BE INCORPORATED INTO THE DESIGNERS VISION. ALTERNATIVELY, LOCKER GROUP HAVE DEVELOPED A NUMBER OF 'OFF THE SHELF' SYSTEMS SUITED TO EXPANDED, PERFORATED OR WIRE MESH, READY FOR INCLUSION IN INTERNAL OR EXTERNAL APPLICATIONS.

NOTES



Locker Group Pty. Ltd.

2 Cojo Place,
Dandenong South,
Victoria 3175
Australia

Phone: +61 3 8791 1000
Fax: +61 3 8791 1099
Email: info@locker.com.au
Website: www.locker.com.au
TOLL FREE 1800 635 947

Locker Group (NZ) Limited

12 Offenhauser Drive,
East Tamaki,
Auckland
New Zealand

Phone: +64 9 273 9825
Fax: +64 9 274 5940
Email: sales@lockernz.co.nz
Website: www.lockernz.co.nz
TOLL FREE 0800 285 837