




ICONIX SERIES



**VOGLFUGE® / VOGLJOINT SYSTEM
SEAMLESS ACOUSTIC PLASTERBOARD**



DECOR[®]
Systems

Photo by Walter Henisch

ACOUSTIC DESIGN CEILINGS

VoglFuge[®] / VoglJoint system

Designed with European style and precision, and with a Group One Fire Rating certification, this revolutionary ceiling system covers all the acoustic and aesthetic requirements in modern commercial design.

Vogl ceiling systems are designed to serve as noise absorbers, and at the same time offer a seamless aesthetic that is visually superb.

The design of this product allows for circular, square or slotted perforations to be used in a continuous pattern to achieve a seamless look right across your ceiling. Whether you have a long narrow walkway or a vast open auditorium, the Vogl range will ensure perfect sound control in your area, with unique visual appeal.

Unsurpassed advantages of the Vogl systems











The unique joint technology offers maximum reliability for installation and finishes

- Create a seamless ceiling without complex aligning of panels
- Enjoy fast delivery of products that are available in stock in Australia.
- Save significant time on site due to ease of installation and drying times
- Quality ceiling panels with maximum crack resistance and minimum dust and moisture.
- VoglFuge[®]/VoglJoint system kit included

Contains all the necessary material, required tools and a detailed installation guide for maximum reliability on site and guaranteed results.

Step 1 - Choose your profile



VoglFuge® / VoglJoint system - Perforation patterns and Sound absorption values

Profile No.	Description	Details	m ² / pallet boards / pallet
	VF 6/18R Acoustic design panel VF 6/18R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.55$ sound absorption class D Backed with 30mm glass wool: $\alpha_W = 0.55$ sound absorption class D	1188 x 1998 x 12.5mm Perforated area: 8.7% Weight: 9.1kg/m ² Includes VoglJoint system kit	59.3 m ² / pallet 25 boards / pallet 
	VF 8/18R Acoustic design panel VF 8/18R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.70$ sound absorption class C Backed with 30mm glass wool: $\alpha_W = 0.75$ sound absorption class C	1188 x 1998 x 12.5mm Perforated area: 15.5% Weight: 8.5kg/m ² Includes VoglJoint system kit	59.3 m ² / pallet 25 boards / pallet 
	VF 12/25R Acoustic design panel VF 12/25R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.70$ sound absorption class C Backed with 30mm glass wool: $\alpha_W = 0.80$ sound absorption class B	1200 x 2000 x 12.5mm Perforated area: 18.1% Weight: 8.2kg/m ² Includes VoglJoint system kit	60.0 m ² / pallet 25 boards / pallet 
	VF 15/30R Acoustic design panel VF 15/30R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.75$ sound absorption class C Backed with 30mm glass wool: $\alpha_W = 0.80$ sound absorption class B	1200 x 1980 x 12.5mm Perforated area: 19.6% Weight: 8.0kg/m ² Includes VoglJoint system kit	59.4 m ² / pallet 25 boards / pallet 
	VF 12/20/66R Acoustic design panel VF 12/20/66R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.70$ sound absorption class C Backed with 30mm glass wool: $\alpha_W = 0.80$ sound absorption class B	1180 x 1980 x 12.5mm Perforated area: 19.6% Weight: 8.0kg/m ² Includes VoglJoint system kit	58.8 m ² / pallet 25 boards / pallet 

	<p>Profile No. VF 12/25Q</p> <p>Description Acoustic design panel VF 12/25Q Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.75$ sound absorption class C Backed with 30mm glass wool: $\alpha_W = 0.90$ sound absorption class A</p>	<p>Details 1200 x 2000 x 12.5mm Perforated area: 23.0% Weight: 7.7kg/m²</p> <p>Includes VoglJoint system kit</p>	<p>m² / pallet boards / pallet 60.0 m² / pallet 25 boards / pallet</p>
	<p>Profile No. VF 8/15/20R</p> <p>Description Acoustic design panel VF 8/15/20R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.55$ sound absorption class D Backed with 30mm glass wool: $\alpha_W = 0.60$ sound absorption class C</p>	<p>Details 1200 x 2000 x 12.5mm Perforated area: 9.5% Weight: 9.1kg/m²</p> <p>Includes VoglJoint system kit</p>	<p>m² / pallet boards / pallet 60.0 m² / pallet 25 boards / pallet</p>
	<p>Profile No. VF 12/20/35R</p> <p>Description Acoustic design panel VF 12/20/35R Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.55$ sound absorption class D Backed with 30mm glass wool: $\alpha_W = 0.60$ sound absorption class C</p>	<p>Details 1200 x 2000 x 12.5mm Perforated area: 11.0% Weight: 8.9kg/m²</p> <p>Includes VoglJoint system kit</p>	<p>m² / pallet boards / pallet 60.0 m² / pallet 25 boards / pallet</p>
	<p>Profile No. VF 5/82/14.4SL</p> <p>Description Acoustic design panel VF 5/82/14.4L Acoustic fleece, black Rated sound absorption: $\alpha_W = 0.70$ sound absorption class C Backed with 30mm glass wool: $\alpha_W = 0.85$ sound absorption class B</p>	<p>Details 1186 x 1984 x 12.5mm Perforated area: 21.5% Weight: 7.9kg/m²</p> <p>Includes VoglJoint system kit</p>	<p>m² / pallet boards / pallet 58.8 m² / pallet 25 boards / pallet</p>

Step 2 - Choose your options / add ons

VoglJoint panels with custom components



Access Panels
(for ceiling access)

Frieze Tape
(to create solid edge details)

Pre-formed
Returns
(flat pack)

How to specify **VoglFuge**[®] / **VoglJoint** system

SPECIFICATION VoglFuge[®]/VoglJoint Ceiling System







Ceiling Panels shall be VoglFuge[®]/VoglJoint System by Decor Systems.
Contact Decor Systems on Ph: 1800 835 035.

Ceiling Panels shall be installed with Profile _____

VoglFuge[®]/**VoglJoint** System should be installed as per manufacturers instructions.

Acoustic Panel type cannot to be substituted unless agreed by Architect _____
and Acoustic Engineer _____ All panels must be supplied with Completion
Certificate Number _____ (please contact Decor Systems for your project specific
completion number).

VoglFuge[®] / **VoglJoint** system

-  SEAMLESS CEILING WITH SMOOTH CONTINUOUS LOOK
-  GROUP 1 FR RATED
-  SUPERIOR ACOUSTIC PERFORMANCE
-  DIVERSE RANGE OF PROFILES STOCKED IN AUSTRALIA FOR IMMEDIATE DELIVERY
-  EASY TO INSTALL AND MAINTAIN
-  MANUFACTURED TO STRINGENT EUROPEAN STANDARDS



DECOR[®]

Systems

VogIFuge[®]/VogJoint
is a product of
Decor Systems Iconix Series

DECOR SYSTEMS AUSTRALIA

HEAD OFFICE

The Silverwater Estate
6 Millennium Court
Silverwater NSW 2128
Australia

OFFICES

Brisbane
Perth
New Zealand
United Kingdom
United States

FRECALL

1800 835 035

FAX

+61 2 9648 1800

EMAIL

letstalk@decorsystems.com.au

WEB

decorsystems.com.au