



Safety Lockout and Contractor Padlocks

Safety Lockout and Contractor Padlocks

Overview

Safety Lockout Padlocks and Accessories

The Lockwood Safety Lockout padlock range gives the physical tools to help you implement or maintain an effective Safety Lockout program*, to prevent accidents and protect your most valuable asset; your employees.

Repairs and maintenance on modern machinery can contain many hazards to workers, from things like electrical, mechanical, pneumatic or hydraulic sources.

To ensure safety during repairs and maintenance, energy sources should be isolated and machines shut off and rendered inoperable. These machines should not be started up again until the repairs or maintenance are completed.

Lockwood's Safety Lockout Padlocks allow for portable installation within sight of serviceable machine, to shut off the energy source. They ensure the machine is isolated and reduces the chance of someone turning the power back on if they can see the work going on.

Safety Lockout Padlocks are available in range of colours to increase visibility and allow workers to readily see if a device is isolated. Optional etching is also available to further identify the padlock key holder.

The Safety Lockout Jaws allows for multiple locks so more than one person can work on the machinery safely. Each sub contractor applies their own padlock to the clamp. The locked out device cannot be removed until all workers have signed off on their portion of the project and removed their padlock from the clamp.

Lockwood's guarantee of quality means that you can be confident in your choice of Lockwood Safety Lockout Padlocks.

** in conjunction with your own OH&S and Policies and Procedures and Energy Control Programs.*

Contractor Series Padlocks

The 225 padlocks have also been added in this range as they complement the padlock offer where general access is required for trades or services personnel.



Safety Lockout and Contractor Padlocks

High Security 214 and 215 Series Aluminium Case Padlocks



The Lockwood 214 and 215 Aluminium Series Padlocks are a range of durable, rugged and lightweight 40mm aluminium case padlocks with full commercial grade special keying. The range has been specifically designed to meet the requirements of commercial and industrial applications. Along with a range of up to eight clearly identified coloured jackets, it is ready to be custom marked to make lock identification easy.

Features and Specifications

- Heavy duty, aluminium case extrusion
- High corrosion resistant 5.0mm (214 model) or 6.4mm (215 model) stainless steel shackle
- Self latching double ball locking
- Extended shackle model
- Can be converted from self latching to deadlocking (key retained) by simply relocating the cam plate pin in the cylinder assembly
- Clearly identified jacket in 8 colours


Cylinders

334B top loaded cylinders are rekeyable in standard 5 pin with 6 pin capability (nickel silver keys with 6 pin padlocks).

334B cylinders are preloaded with one length top pins and stainless steel pin springs using a Lockwood 570 barrel.

Custom Marking

Custom marking is available. Pricing and availability on application.



Dimensions and Ratings

	A	B	C	D	E	Security Rating	Corrosion Resistance Rating
214A40/619	40	52	5.0	19	21	4	4
214A40/650	40	52	5.0	50	21	3	4
215A40/619	40	52	6.4	19	20	6	4
215A40/650	40	52	6.4	50	20	5	4

Available Pack Variations

	RKA	BK	5KA	5KD	6KA	6KD	6MK	DRKA	D5KA	D5KD	D6KA	D6KD	D6MK
214A40/619	•	•	•	•	•	•	•	•	•	•	•	•	•
214A40/650	•	•	•	•	•	•	•	•	•	•	•	•	•
215A40/619	•	•	•	•	•	•	•	•	•	•	•	•	•
215A40/650	•	•	•	•	•	•	•	•	•	•	•	•	•

Safety Lockout and Contractor Padlocks

215P Plastic Body Padlock


The Lockwood 215P Plastic Body Padlock has been specifically designed for the electrical and mining safety lockout industries. When specified with a polymer shackle the padlock becomes completely non-conductive allowing for safety lockout within electrical applications.

Features and Specifications

- Excellent corrosion resistance
- All components are non-sparking
- All components are non-magnetic
- Available in brass, stainless steel and polymer shackles
- Available in 6 colours
- Includes write on "Danger" label
- Meets OH&S guidelines of one employee, one padlock and one key

Keying and Cylinders

- 6 pin 570 barrel with 334B cylinder housing
- The standard key supplied is restricted E3 profile with no duplication possible as key head is exclusively stamped 'Safety Do Not Copy'
- Bulk locksmith versions are available to allow for keying to existing systems



Available Pack Variations

	RKA	6KD	BK
215P40/850	•	•	•
215P40/250	•	•	•
215P40/225	•	•	•

Safety Lockout and Contractor Padlocks


225 Series Padlock

The Lockwood 225 Series Padlock is a 40mm zinc diecast padlock with a powdercoated finish.

Features and Specifications

- Primarily used for keying applications
- High purity, diecast, zinc alloy case
- 6.4mm zinc plated hardened steel shackle
- Disc tumbler mechanism
- Self latching, single locking mechanism

Note: Standard 003 Fire Industry Lock available in Red - Part No. 225/40/119/003. All other combinations are in Brown.



Dimensions

	A	B	C	D	E
225/40/119	38	38	6.4	19	19.5

Available Pack Variations

	RKA	LS	KA	KD	E
225/40/119	•	•	•	•	

Safety Lockout and Contractor Padlocks

312 Series Padlocks

The Lockwood 312 Safety Lockout Series Padlock is a durable and rugged 30mm brass padlock that has been specifically designed to meet the requirements of safety lockout applications.


Multiple departments or jobs can be easily identified using one of the jacket options. Laser etching is also optional for individual identification when using the windowed jacket options.

Features and Specifications

- Primarily used for keying applications
- Solid brass case extrusion
- 4.8 mm stainless steel shackle
- 6 pin tumbler mechanism
- Self latching or deadlocking (key retained)
- Double locking
- Extended shackle models

Custom Marking

Custom marking is available. Pricing and availability on application.



Dimensions

	A	B	C	D	E
312##19	29	34	4.8	19	16
312##38	29	34	4.8	38	16
312##50	29	34	4.8	50	16

Safety Lockout and Contractor Padlocks

312 Safety Lockout Kit

The Lockwood Safety Lockout Kit includes all the equipment your personnel require to implement safety lockout procedures.

With the assurance of the Lockwood guarantee, the kit includes:

- A robust carry case with a clear face compartment – attaches easily and comfortably to the belt
- Four keyed alike Lockwood Safety Lockout Padlocks with 50 mm hardened steel shackles and colour coded covers
- Retractable steel line key ring holder with one colour coded cut key
- Lockout jaws to fit Lockwood Safety Padlocks



Safety Lockout and Contractor Padlocks

312 Safety Lockout Kit

312 Accessories

312 Holder/4

The Lockwood 312 Holder/4 has the capacity to hold four 312 Lockwood Padlocks (19 mm – 80 mm shackle), a retractable 312 Keyline and 312 Series Safety Jaws.

The carry case is designed to be easily fitted onto your belt. The 312 Holder also includes a clear face compartment which makes identification easy.

Finish: Black

312 Holder/6

The Lockwood 312 Holder/6 has the capacity to hold six 312 Lockwood Padlocks (19 mm – 80 mm shackle), a retractable 312 Keyline and the 312 Series Safety Jaws.

The carry case is designed to be easily fitted onto your belt. The 312 Holder also includes a clear face compartment which makes identification easy.

Finish: Black

312 Keyline

This compact retractable key holder incorporates a spring loaded mechanism, a robust steel cable line and key ring.

The built in clip allows easy fitting onto the 312 Holder, or can be used independently. The 312 Keyline ensures keys are easily accessible when needed.

Finish: Chrome Plate/Black

312 Jaws

The safety lockout jaws ensure that machinery stays 'locked out' until each person removes his/her padlock from the hasp. This prevents any accidental re-energising of machinery before crews have completed their work.

The 312 Jaw holds up to six 312 padlocks and is made from hardened steel with a vinyl coating.

Lockout Permit to Work Red Board

The Lockwood 312PTW/A Lockout Permit to Work Board has been designed to be used when multiple isolations are required. Durable construction from 1.2 mm aluminium and 4 mm clear acrylic sheet.



312 Holder/4

312 Holder/6

312 Keyline

312 Jaws

Permit to Work Board

- Durable construction from 1.2 mm aluminium and 4 mm clear acrylic sheet
- Lightweight and easy to transport – including integral handle
- Clear tough acrylic pocket protects permit or procedure

Note: Padlocks and Accessories are ordered separately.

Available Pack Variations

Item	Description
312HOLDER/6	312 Holder for 6 Padlocks
312JAWS	312 Lockout Jaws 25mm
312JAWS/38	312 Lockout Jaws 38mm
312JAWS/7	312 Lockout Jaws 7 Holes 25mm
312KEYTAG1/78	312 Key Tag 1/78
312PTW/A	Permit to Work Board

Safety Lockout and Contractor Padlocks

Ordering Procedure



ASSA ABLOY

Padlock Configuration Matrix (for Reference Only)

Sample part number 312BD19E1RWKD is made up of several sections. Choose your product by selecting an option from each section.

For example:

Padlock Series	Profile	Function	Shackle	Etching	Jacket Colour	Keying
312	B	D	19	E1	RW	KD

Padlock Series	
Safety Lockout	312
Profile	
ALR	A
32R	B
CNR	C
32S*	E

Function	
Deadlatching (key retained when unlocked)	D
Latching	L
Shackle	
19mm	19
38mm	38
50mm	50

Etching	
Single Sided	E1
Double Sided	E2
Leave blank if no etching is required	

Jacket Colour	
Red Solid Jacket	RD
Red Window Jacket	RW
Orange Window Jacket	OR
Yellow Window Jacket	YE
Green Window Jacket	GR
Blue Window Jacket	BL
Purple Window Jacket	PU
White Window Jacket	WH
Black Solid Jacket	BK
Black Window Jacket	BW
Grey Window Jacket	GY
Red Windowed Jacket with "Danger Do Not Operate"	DD
Black and Yellow Stripe Window Jacket	ST

Keying	
Keyed to Differ	KD
Keyed Alike	KA
Locksmith	LS
Master Keyed	MK

*Note: 312E Series is a replacement for the old style 232 Padlock with the 232 standard key profile. When ordering MK padlocks please specify the keying details. Part number convention is for reference only.

Padlock Configuration Matrix (for Reference Only)

Sample part number 215A40/619/BK is made up of several sections. Choose your product by selecting an option from each section.

For example:

Padlock Series	Case Config.	Case	Shackle Material	Shackle Opening	Pack Types & Keying
215	A	40	6	19	DP

Padlock Series	
Contract	225
Contract	214
Contract	215
Case Configuration	
Aluminium	A
Brass	B
Plastic	P
Steel	S

Case	
Nominal Size in mm	40
Shackle Material	
Brass	5
Stainless Steel	6
Polymer	8

Shackle Opening	
Nominal vertical clearance in mm	19

Pack Types and Keying	
Keyed Alike	KA
5 Pin Keyed Alike	5KA
5 Pin Keyed to Differ	5KD
6 Pin Keyed Alike	6KA
6 Pin Keyed to Differ	6KD
6 Pin Master Keyed	6MK
Bulk	BK
Bulk (Deadlocking)	DBK
Locksmith	LS

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



ASSA ABLOY



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia
1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand
Telephone +64 9415 7888
assaabloy.co.nz

ASSA ABLOY Australia Pty Limited
235 Huntingdale Road,
Oakleigh Victoria, 3166
Australia

ASSA ABLOY New Zealand Ltd.
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.au@assaabloy.com
assaabloy.com.au

info.nz@assaabloy.com
assaabloy.co.nz

