

EasyLift

wheelchair lift

*Indoor
& Outdoor*
available



Warranty:
2 years



Maximum
User Weight: 300kg



Fits Most Brands
Type of Wheelchairs

ndis

NDIS
Registered



EasyLift 1, 2 & 3 | Wheelchair Lift up to 970mm

A **cost-effective** way to navigate staircases or different levels at **home or work**

Where ramps are too steep or too long – where stair lifts or elevators are needless due to too small difference in altitude – the EasyLift is the optimal solution.

With the help of our EasyLift models 1, 2 & 3, wheelchair users and physically disabled persons are able to comfortably and safely move between heights up to 970mm.

The weatherproof lifting platform can be easily put in place and readily moved to another location making it the perfect solution for urgent or temporary needs.



▶ **Simple Installation**
for temporary uses

Simple Installation

The simple construction allows a fast installation with minimal structural works necessary on site.



▶ **Handset On Spiral Cable**
For a comfortable control on the platform

Reliable & Comfortable

Designed for outdoor or indoor installation, a strong motor in combination with robust electronics ensure a reliable and low maintenance performance.

Optimal drive comfort is ensured by a stable and smooth lifting movement.



▶ **Outdoor Unit**
For temporary or permanent installations


Indoor & Outdoor

EasyLift can be positioned indoors or outdoors. Ideal for temporary wheelchair access, the EasyLift can be easily rolled into position and be ready for use within minutes.

Why Choose EasyLift Wheelchair Lift

- › Silent, stable and smooth driving experience
- › **Simple to transport and fast to install**
- › Available in any RAL colour
- › **Available as an outdoor version**
- › Optional with transport wheels for mobile version
- › **Optional with extra long access ramp for easy access**
- › 90° entry-exit is possible





Safety Bar for Upper Landing

Remote Control

Automatic Ramp

STD Height Side Bars

STD Protection Screen



Technical Specifications | Product Overview

Type	EasyLift 1	EasyLift 2	EasyLift 3
Max. Lifting Height	595 mm	830 mm	970 mm
Loading Capacity	180 kg	300 kg	240 kg
Lifting Speed	10 mm/s	10 mm/s	10 mm/s
Min. Height Of Platform	100 mm	120mm	120mm
Net Weight	53 kg	95 kg	95 kg
Internal Dimensions	713 x 1170 mm	800 x 1495 mm	800 x 1495 mm
External Dimensions	810 x 1180 mm	924 x 1505 mm	924 x 1505 mm
Power Supply	1 x 230V / 50-60Hz	1 x 230V / 50-60Hz	1 x 230V / 50-60Hz
Warranty	1 Year	1 Year	1 Year



Optional Extras | To Suit Your Additional Needs



Side Access On Lower Landing




Gate For Upper Level



Side Access On Upper Landing



Safety Bar In Upper Landings (1780mm)



Higher Side Bars




Control Pillar On Lift



External Controls
With Key Switch & Cables




Transport Wheel Base



Increased Length Ramp
Used Where No Pit Is In Place



Mechanical Access Ramp
Folds down when unit is lifting
and creates a barrier against
rolling off the platform



Control Pillar
Easy to access

Removable Transport Wheels
Allow a convenient transportation
of the portable version of the
EasyLift 1, 2 & 3



Additional Lift Products We Offer...

Direct Lifts Australia

NSW Office

Unit 8/20-28 Ricketty St. Mascot NSW 2020

NSW Satellite Office

6/8-10 Industrial Drive Coffs Harbour NSW 2450
(By Appointment)

QLD Office

43 Telford Street, Virginia QLD 4014

QLD Satellite Office

Townsville (By Appointment)

T: 1300 134 011

E: info@directlifts.com.au

www.directlifts.com.au

Copyright © Direct Lifts Australia 2019

About Us

Direct Lifts installs a wide range of lifts throughout the eastern coast of Australia including Queensland, New South Wales & Victoria, with offices in both Brisbane & Sydney. We carefully select what we consider to be the leading models available in their category.

We supply & install vertical lifts, wheelchair lifts, platform lifts, home lifts, residential elevators and a wide range of stair lifts to fit both internal and external, straight & curved stairways.



ndis