

INNOSHADE

INNOSHADE

INNOWOOD architecturally designed SOL'ART Shading Systems enhance a building's environment by creating shade, privacy and increased thermal comfort.

SOL'ART Shading Systems also facilitate the control of direct sunlight to increase or decrease solar heat gain (depending on the season).

This not only serves to optimise internal comfort naturally, but can also substantially improve a building's energy efficiency, making our shading systems ideal for both commercial and residential applications.

FLEXIBILITY

INNOWOOD SOL'ART Shading system have the flexibility of being incorporated into an energy efficient ventilated façade system

CAPABILITY

INNOWOOD SOL'ART Shading systems can be orientated vertically or horizontally to deliver a clean finish.

DESIGN INTENT

InnoShade can be designed based on your aesthetic preferences, performance requirements, installation cost requirements or any other design requirements you may have.

BENEFITS

INNOWOOD SOL'ART Shading systems can add a sophisticated natural look to your building.



SOL'ART FIXED LOUVRE

Fixed blade systems can be set at a predetermined angle and pitch depending on the application. They are designed to not only offer customised solar heat and natural light control, but also deliver privacy and weather protection.



Our manually operable louvre systems are easily controlled by hand adjusting the angle of the blades. This is done with ease thanks to our high quality pivots that move only when and how desired.




SOL'ART OPERABLE LOUVRE

MOTORISED

SOL'ART Motorised Louvre Systems allow the blades to be adjusted automatically, either via: A simple flick of a switch, or the push of a button.

The blades can also be fully automated via integration into a building façade management system to maintain light and shade levels based on predetermined programs.



PROFILES			
PRODUCT CODE	LB09119	LB15035	LB30060
VERTICAL SPAN	1800mm	1800mm	3000mm
HONRIZONTAL SPAN	1200mm	2700mm	3800mm
COVERAGE	19mm	35mm	60mm
INNOVATIVE COLOURS	Available	Available	Not Available
PREMIUM COLOURS	Not Available	Not Available	Available



SOLART OPENING ROOF LOUVRE

SOLART's Opening Roof is an innovative motorised system that is ideal for all outdoor areas and spaces for which you would like to achieve total control and protection from the sun and other natural elements. The opening roof creates the ultimate adaptable environment allowing full

control over light, ventilation and airflow.

SOLART Opening Roof comprises unique 200mm INNOWOOD & Aluminium Hybrid Blades that give a warm look when closed with the benefits of an aluminium top surface.




PRODUCT CODE
LB21540

MAX SPAN
4200mm

COVERAGE
215mm

INNOVATIVE COLOURS
Available

PREMIUM COLOURS
Not Available



APPLICATIONS & BENEFITS

APPLICATIONS

Residential Application
Commercial Application
Health / Aged Care Facilities
Educational Institutions
Hospitality Sector
Fit Outs
Retail & Shopping Centres

BENEFITS

Lightweight & Durable
Fire & Water resistant
Natural Timber Look & Feel
Adds Warmth and Style
Enhances Aesthetic Appeal
Variety of Colours & Finishes
Fungus, Termite & Mould Resistant
Environmentally Friendly product
Acoustic & Thermal Insulation
Quick and Easy to Install

COLOURS & FINISHES

INNOVATIVE TEXTURE COLOUR

Colour Options

Iron Bark, Spotted Gum, Teak, American Oak, Weathered Wood, Ebony and Western Red Cedar

Surface Finish Options

Smooth, Brushed, Embossed and Embedded Wood Grain

PREMIUM TEXTURE COLOUR

Colour Options

Golden Oak, Tasmania Oak, Dark Oak, Premium Oak, Urban Oak, Kiwi Black and Lily White

Surface Finish Options

Smooth and Brushed



IRON BARK



GOLDEN OAK



SPOTTED GUM



TASMANIA OAK



TEAK




DARK OAK



AMERICAN OAK



PREMIUM OAK




WEATHERED WOOD



URBAN OAK



EBONY



KIWI BLACK



WESTERN RED CEDAR



LILY WHITE

INNOVATIVE RANGE

PREMIUM RANGE

