



# Pegasi

CATALOGUE 2010



# Pegasi

SMART

GREEN

ARCHITECTURAL

# contents

<b>INTRODUCTION TO PEGASI</b>	3
<b>FINISH OPTIONS</b>	5
<b>FLOWSTEP-LIFE TECHNOLOGY</b>	6
<b>FLOWSTEP-LIFE IN ACTION</b>	7
<b>PEGASI AT THE BASIN</b>	9
<b>PEGASI IDEAS FOR BATH &amp; SPA</b>	11
<b>PEGASI BASIN &amp; BATH SELECTION</b>	12
<b>PEGASI SINK MIXERS</b>	15
<b>SLIDE RAIL TECHNOLOGY</b>	16
<b>SHOWER HEADS IN ACTION</b>	17
<b>PEGASI SLIDE SHOWER SELECTION</b>	18
<b>MODEL NUMBERS &amp; OPTIONS</b>	20
<b>SPECIFICATIONS &amp; CERTIFICATION</b>	21



# Clever design

# Clean style

# Absolute reliability

## Pegasi for life

Perfect balance and crisp, clean lines imbue Pegasi. Like the flowing of water in nature's stream, the simplicity and tranquility of Pegasi hides advanced technology and suggests the precise hand-built quality that brings you functional superiority and inherent durability.

The beautiful proportions, smooth positive action and superb finish are cues to thoughtful Australian design. You will feel & see the difference, you will experience the difference... Pegasi is on its own, quietly ahead.

Read about the clever 2 stage valve and how this innovative technology helps you save water easily. Find out about the inner workings of the unique slide showers that make them so user friendly. Imagine Pegasi in your bathroom. We can.

Designed and built by Faucet in Australia, Pegasi is guaranteed for 15 years, carries Watermark certification and complies with the WELS.



# Create your atmosphere

## Enhance your design

You are free. Get the look you want. Pegasi is available in different finishes to help you create your atmosphere. Whether you choose the bright clean look of chrome, the soft, cool look of brushed chrome, or the bold statement of black chrome, be assured of perfect pre-plating preparation and corrosion resistance.

Smooth durable plating starts with careful hand polishing of individual components like CNC machined brass bodies, forged brass handles or cast brass spouts. Out of sight, a thick Nickel base layer of around 10 microns gives the visible chromium layer superior shine and durability.

Chrome has long been a popular finish for tapware and justly so with its extraordinary toughness and mirror-like shine.

The sought after look of brushed chrome is the art of the specialist plater who undertakes the intermediate brushing process before the finish chrome layer is applied.

Black Chrome is unique. This is the premium black finish for tapware, unsurpassed in appearance and lustre. Chrome trim is an option with Black.



Chrome



Brushed Chrome



Black



Black + Chrome

# Pegasi's advanced **flowstep-life** ceramic valve...

Here Pegasi is special. The first thing you will notice is the feel of the valve operation. Silky smooth and precise, the handle slides up. Halfway through its movement it comes to a tactile step through which you can ease the handle to full open. This is a real-world water saving feature. It is so simple and quick to get gentle flow for hand washing etc that even children will appreciate flowstep beyond its water-saving role.

Inside flowstep-life, 2 precision-ground discs work in harmony thanks to the special formulation of near diamond-hard ceramic. The white base disc is  $Al_2O_3$  whilst the upper moving disc is black in colour and produced from high performance SiC. This matched pair runs on specialized lubricant offering outstanding durability and a smoothness outlasting traditional ceramics in demanding environments.

Anti-scald is a comfort feature fitted to flowstep-life. Rotating the temperature adjuster ring adjusts the limits of the handle movement, and therefore can be used to reduce the maximum temperature of the hot mixed water leaving the tap. This is particularly useful for the aged, children and those less familiar with mixer taps. Please note that this does not substitute for applications requiring tempered hot water supply.



flowstep-life cartridge




$Al_2O_3$  + SiC discs.



anti-scald adjustment.





# ...offers real world **water saving** and outstanding service life.



The attributes of flowstep-life are clearly demonstrated in the 2 scenarios below. The flowstep feature makes it easy to save water when it counts without over-restricting the maximum flow to an impractical level.

**1) Washing hands** – With other mixers it can take a few seconds to adjust the flow to a comfortable level for washing your hands and that may be a little more than necessary. With flowstep-life, as quick as a wink, you lift the handle to the adjustable step position, the perfect flow for hand washing. By giving you just what you need immediately, a substantial water saving can be realised. See diagram below.

**2) Filling a sink** – Filling a sink or vessel with an over restricted tap can be frustrating, as it takes long to fill and does not save any water. With Pegasi, simply lift the handle to fully open for a good flow eg. 9lpm and get the job done. See diagram below. Based on Pegasi sink mixer with WELS 9lpm flow regulation versus other sink mixer with 6lpm flow regulator.



Graphs are for representation only. Supply pressure and flow rate have a significant impact on flow curves. High pressure supply may reduce the performance of the flowstep function on mixers with 5\* and 6\* WELS ratings.



# Pegasi at the basin

Serene and precise, Pegasi's pure style and efficient functionality are quite at home at the basin. Over time, basins and bathrooms have evolved into stylish masterpieces. A range of models and options are available with Pegasi to suit basin designs from the conservative to the latest trends.

A hallmark of Pegasi basin mixers, the clean, tight internal corners of the body are the result of careful design and the fine machining of solid brass body components. This results in the superior wave-free finish and crisp look. The flow softening aerators, specially designed for easy cleaning and resistance to lime scale build up, incorporate the flow regulating device.

The pictures below show some of the configurations possible with Pegasi. Tower versions give extra height for vessel type basins. The beautiful curved basin mixer has its own charm and suits a variety of applications. Modern bathrooms often feature wall mounted mixers and outlets. The neat Pegasi wall mixer can work with a variety of wall outlets giving you freedom with layout.






# Pegasi ideas for the bath and spa

Baths and spas, whether built in or freestanding, round or oval are the highlight of the bathroom. Pegasi is ready with beautiful mixers and outlets to give your bathroom the truly luxurious finishing touch.


The bold curving hob spa outlet, with its swivel spout and effortless cascading flow is a premium choice for inset baths and spas. A range of wall mounted outlets of various length, whether straight or curved, suits the wall mixers and offers rich design freedom.

Hidden flow straighteners on curved outlets enhance the smooth flowing lines and crisp design that is Pegasi minimalism.





**30600** Basin mixer  
 WELS 3\* 9 lpm / WELS 6\* 4.5 lpm  
 For finishes & options see pg 20



**30601** Basin mixer, 213h  
 WELS 3\* 9 lpm / WELS 6\* 4.5 lpm  
 For finishes & options see pg 20




**30602** Basin mixer, 313h  
 WELS 3\* 9 lpm / WELS 6\* 4.5 lpm  
 For finishes & options see pg 20




**30603** Basin mixer, curve  
 WELS 3\* 9 lpm / WELS 6\* 4.5 lpm  
 For finishes & options see pg 20




**30604** Basin mixer, curve, 316h  
 WELS 3\* 9 lpm / WELS 6\* 4.5 lpm  
 For finishes & options see pg 20





**30605** Basin mixer, curve, 416h  
 WELS 3\* 9 lpm / WELS 6\* 4.5 lpm  
 For finishes & options see pg 20





**30610** Wall bath outlet, 150  
**30611** Wall bath outlet, 200  
**30612** Wall bath outlet, 250  
 For finishes & options see pg 20




**30615** Wall basin outlet, 150  
**30616** Wall basin outlet, 200  
**30617** Wall basin outlet, 250  
 WELS 3\* 9lpm / WELS 6\* 4.5lpm  
 For finishes & options see pg 20




**30613** Wall bath outlet, curve, 200  
**30614** Wall bath outlet, curve, 250  
 For finishes & options see pg 20





**30618** Wall basin outlet, curve, 200  
**30619** Wall basin outlet, curve, 250  
 WELS 3\* 9lpm / WELS 6\* 4.5lpm  
 For finishes & options see pg 20



**30608** Wall mixer, 90 round  
 For finishes & options see pg 20



**30609** Wall mixer, 60 round  
 For finishes & options see pg 20



**30632** Spa outlet, hob  
 For finishes & options see pg 20





# Practical Sink mixers for indoor and alfresco kitchens

Action in the kitchen centres around the sink. Here is a constant flow of washing, rinsing, draining and food preparation. In the modern kitchen, function and efficiency are key. Pegasi helps you achieve this with 2 practical models built to perform.

The solid brass construction and thick chrome and nickel plating makes Pegasi mixers corrosion resistant and well suited for use in alfresco kitchens and laundries. Pegasi mixers can be mounted through the sink or bench top to suit various configurations.

The stepflow function (see page 7) is a breeze for the quick rinse tasks ever so frequent at the sink. You will also appreciate the smooth shape of these mixers with minimal joints making them easy to keep clean.



**30606** Sink mixer  
WELS 3\* 9 lpm / WELS 5\* 6 lpm  
For finishes & options see pg 20

**30607** Sink mixer, curve  
WELS 3\* 9 lpm / WELS 5\* 6 lpm  
For finishes & options see pg 20

# Sleek Pegasi Slide showers use new technology for **positive adjustment**



Pegasi Slide showers are the epitome of sleek, functional design. Built from solid brass, these slide showers represent the ultimate in build quality and use new technology for easy, positive adjustment. A choice of handshowers, slide rail designs and lengths makes it easy to select the perfect slide shower for your new bathroom.

The technology behind the concise, tactile angle adjustment for the handshower involves the use of spring-loaded ball bearings running on an indexed, dimpled stainless steel disc, all concealed in a sealed mechanism inside the slide holder.

When you adjust the angle of the handshower you will feel it move through a fine clicking motion, this not only makes it easy to select the best angle, but ensures that it remains firmly in the set position without drooping, seizing or changing friction with moisture, temperature and time. A breakthrough you will appreciate.

A smooth Chromalux® hose on Pegasi showers complements the minimalist modern look, incorporates anti-tangle swivels and is especially easy to clean.



# Micro & 100disc, handshowers for **superior function & design**

Fitted to Pegasi Slide rails, these handshowers match the performance of fixed showers, whilst offering the convenience and function of the removable handshower.

The **micro** handshower produces a soaking **full cover spray** due to precise jet diameter and angle. Micro is a minimalist performer of exceptionally clean design and, despite being machined from **solid brass**, it is quite light and easy to handle. A small angle on the connection to the hose makes micro easier to use and alleviates excessive hose bending.

The **100disc** offers freedom and performance in a sleek and lightweight package. The 3 plus spray patterns are selectable via a thumb tab that clicks through the functions. The **rain spray** setting is an effective standard spray of good, even coverage. The **pulsating massage** function directs 9 strong jets through a spinning disc and can benefit circulation to tired muscles. **Soft foam** produces 6 gentle, aerated streams ideal for soaping and face rinsing. Between settings dual function can be achieved, e.g. **rain spray + soft foam**.



micro handshower



100disc handshower



full cover spray



rain spray function




pulsating massage function



soft foam function




rain spray + soft foam



**30620**  
Slide shower, inflow 900, micro

**30622**  
Slide shower, inflow 600, micro  
**WELS 3\* 9lpm**  
*For finishes & options see pg 20*




**30621**  
Slide shower, inflow 900, 100disc


**30623**  
Slide shower, inflow 600, 100disc  
**WELS 3\* 9lpm**  
*For finishes & options see pg 20*

## Inflow rail, architectural...

The architectural appearance of the inflow rail, thanks to integrated water flow, makes it the premium choice for modern showers. The top bracket of this clever rail connects directly to the water supply, directing flow through the rail to the hose, eliminating the need for a separate supply elbow.


If you are replacing a single shower, the inflow rail may connect to the existing fitting. The bottom mount bracket position is adjustable for optimum fixing position.





**30624**  
Slide shower, adjust 900, micro

**30626**  
Slide shower, adjust 600, micro  
**WELS 3\* 9lpm**  
*For finishes & options see pg 20*




**30625**  
Slide shower, adjust 900, 100disc

**30627**  
Slide shower, adjust 600, 100disc  
**WELS 3\* 9lpm**  
*For finishes & options see pg 20*

## Adjust rail for new & retrofit

Whilst maintaining a clean & simple design, the adjust rail uses the conventional configuration with a separate supply elbow. This, along with an adjustable position bottom mount bracket makes the adjust rail well suited to replacing an existing slide rail shower without changing plumbing or mount positions.



# Model numbers, finishes & flow rates

Below is a table of Pegasi models, the finish options and the flow rates available. For ordering and specification purposes, the finish suffix (.XX) and flow rate suffix (.YY) need to be added to the five digit model number.



Model	Description	Finish (.XX)				Flow Rate (.YY)			
		.11	.55	.66	.61	.01		.02	
		Chrome	Brushed Chrome	Black	Black + Chrome	Unregulated flow WELS not applicable	Flow regulated to WELS 3 star 9 lpm	Flow regulated to WELS 6 star 4.5 lpm	Flow regulated to WELS 5 star 6 lpm
30600	Basin mixer	S	o	o	o		S	o	
30601	Basin mixer, 213h	S	o	o	o		S	o	
30602	Basin mixer, 313h	S	o	o	o		S	o	
30603	Basin mixer, curve	S	o	o	o		S	o	
30604	Basin mixer, curve 316h	S	o	o	o		S	o	
30605	Basin mixer, curve 416h	S	o	o	o		S	o	
30606	Sink mixer	S	o	o	o		S		o
30607	Sink mixer, curve	S	o	o	o		S		o
30608	Wall mixer, 90 round	S	o	o	o	S			
30609	Wall mixer, 60 round	S	o	o	o	S			
30610	Wall bath outlet, 150	S	o	o	o	S			
30611	Wall bath outlet, 200	S	o	o	o	S			
30612	Wall bath outlet, 250	S	o	o	o	S			
30613	Wall bath outlet, curve, 200	S	o	o	o	S			
30614	Wall bath outlet, curve, 250	S	o	o	o	S			
30615	Wall basin outlet, 150	S	o	o	o		S	o	
30616	Wall basin outlet, 200	S	o	o	o		S	o	
30617	Wall basin outlet, 250	S	o	o	o		S	o	
30618	Wall basin outlet, curve, 200	S	o	o	o		S	o	
30619	Wall basin outlet, curve, 250	S	o	o	o		S	o	
30620	Slide shower, inflow 900, micro	S	o	o	o		S		
30621	Slide shower, inflow 900, 100disc	S	o	o	o		S		
30622	Slide shower, inflow 600, micro	S	o	o	o		S		
30623	Slide shower, inflow 600, 100disc	S	o	o	o		S		
30624	Slide shower, adjust 900, micro	S	o	o	o		S		
30625	Slide shower, adjust 900, 100disc	S	o	o	o		S		
30626	Slide shower, adjust 600, micro	S	o	o	o		S		
30627	Slide shower, adjust 600, 100disc	S	o	o	o		S		
30632	Spa outlet, hob	S	o	o	o	S			

S = standard, o = option

# Technical specifications

Below are general specifications that apply to Pegasi mixers. For specific specifications and installation requirements, please request a Product Specification Sheet.

<b>SUPPLY PRESSURE</b>	100 – 700 kPa
<b>OPTIMUM WORKING PRESSURE</b>	500 kPa
<b>MAX. HOT WATER TEMPERATURE</b>	70°C
<b>VALVE CARTRIDGE DIAMETER</b>	40mm
<b>BODY CONSTRUCTION MATERIAL</b>	Dezincification resistant brass alloy
<b>WATER QUALITY</b>	Suitable for clean municipal water supply. Not suited to bore water, tank water, dam water or hard water without appropriate filtration/treatment.

## Guarantee

Pegasi mixers, showers and outlets are guaranteed for 15 years against faulty workmanship and materials for residential applications. For full details and inclusions, please see guarantee terms and conditions.

## Certification


Pegasi mixers, showers and outlets are built in Australia to the highest standard. Pegasi mixers are certified to **AS/NZS3718** under Faucet Australia's WaterMark licence **WMKA 002459**.

Pegasi complies with **WELS regulation**. Some models have two WELS rating options. Star and flow rating information appears beneath product descriptions.

## Contact & support

*For all sales and technical enquiries:*

<b>FREECALL</b>	1800 505 116
<b>PHONE</b>	03 5450 4236
<b>FAX</b>	03 5450 4420
<b>E-MAIL</b>	sales@faucetau.com
<b>POSTAL ADDRESS</b>	PO Box 271, Kerang, VIC, 3579
<b>DELIVERY ADDRESS</b>	Factory 2, 21 Tate Drive, Kerang, VIC, 3579



Faucet Australia  
Factory 2, 21 Tate Drive  
PO Box 271  
Kerang Vic 3579 Australia  
Phone: + 61 3 5450 4236  
Facsimile: +61 3 5450 4420  
Freecall: 1800 505 116

