



Electric Sprayers

Graco's Complete Line of Professional Electric Airless Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.

There is nothing like a Graco® sprayer.

Quality. Performance. Durability. Productivity.

Graco electric airless sprayers deliver on all counts. Whether you're a contractor focused on small residential or a large contractor tackling the biggest projects every day, Graco offers you the best, most extensive line of painting equipment to meet your needs. Most importantly, when you choose Graco, you know that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco electric sprayers are designed, manufactured, and assembled right here in the United States of America.

We do!



What is the G4 Difference? Simply put, it's Graco's commitment to provide you with the very best electric airless sprayers, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to exceed the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

100% factory-tested and field-proven design, coupled with cutting-edge technology, keep Graco sprayers performing reliably on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control ensures the highest quality finish for every job.

INDUSTRY-LEADING WARRANTY

Every Graco electric sprayer is backed by our full warranty coverage and more than 80 years of proven commitment to the professional contractor.

UNMATCHED PRODUCTIVITY

Exclusive Endurance™ pumps deliver long life and reliable performance, while the Endurance Advantage Program eliminates downtime by providing you a spare pump for quick job site change-out.

For patent information see www.graco.com/patents.



Choose the RIGHT SIZE when purchasing a Graco small electric sprayer.

When you routinely handle small residential and repainting jobs, you need to know that your sprayer will deliver the performance you need to get the job done. Graco's mission is to fit you to the perfect sprayer that's sized for the work you do. Use the Painting Solutions Guide below to help you choose which of Graco's small electric sprayers is right for you.

- What types of material do you spray? In the future?
- How many gallons per week will you spray?
- How many guns do you now need? In the future?
- What hose lengths will you use?
- Will most jobs be indoors or outdoors?
- What tip sizes do you need?
- What power source do you have available?
- What types of jobs will you bid?
- How much do you want to spend on a sprayer?
- On what types of surfaces will you spray (drywall, wood, concrete, steel, etc.)?

PAINTING SOLUTIONS GUIDE

CLASSIFICATION:	SMALL ELECTRICS	
SPRAYER MODEL:	390™ Ultra® 395	Ultra Max II 490 Ultra Max II 495 Ultra Max II 595
TYPICAL JOBS:	Small Residential • New Construction Repaint/Remodel • Property Maintenance	Small Residential • New Construction Repaint/Remodel • Property Maintenance Light Commercial
TYPICAL MATERIALS:	Light Lacquers and Stains Interior/Exterior Latex Enamels • Acrylics	Medium Lacquers and Stains Interior/Exterior Latex Enamels • Acrylics • Oil-Based Primers
PRODUCTION RATE:	Low 1 gun up to 0.023 tip up to 0.54 gpm	Medium 1 gun up to 0.027 tip up to 0.70 gpm



390

If you need a solid workhorse of a sprayer that is built for the professional who is just "starting out" then the 390 is for you. This is Graco's lightest professional sprayer ideal for residential jobs because it is lightweight and portable, and delivers a quality spray pattern. Hands down, the 390 is the best value compared to any small electric sprayer.

DESCRIPTION	PART #
STAND	253958
HI-BOY	262019
SPECIFICATIONS	
MAX TIP SIZE:	0.021
MAX GPM (LPM):	0.47 (1.8)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	5/8 DC

- INCLUDES**
- FTx™ Gun
 - RAC X™ 515 SwitchTip™ and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose



Stand model

Features Found Only On A Graco Small Electric Sprayer



Lightweight, Ergonomic Design

- ▶ Graco's lightest professional sprayer—weighs only 30 lb (13.6 kg)
- ▶ Offset handle with rubber comfort grip positions sprayer at a comfortable carrying angle
- ▶ Extremely portable

Swivel Inlet Suction Hose

- ▶ Durable, lightweight and rustproof aluminum construction
- ▶ Easily swivels to reach paint buckets or cans
- ▶ Toolless hose removal for quick cleaning or accessing inlet ball
- ▶ Attached big cup holds the inlet during transport to catch drips



Endurance Pump

- ▶ The most rugged and reliable pump on the market today—lasts 2 times longer than the next leading brand
- ▶ Long-life V-Max Blue™ packings, Chromex™ rod and hardened stainless steel cylinder
- ▶ QuickAccess™ intake valve requires only a hammer to access the intake ball to easily clean or clear debris



Easy Out Pump Filter

- ▶ Vertical design helps eliminate spills when changing the filter element
- ▶ Filters from the inside out—filters won't get stuck or collapse when dirty
- ▶ Large 7.8 square inch filtering area reduces tip clogs



Hi-Boy model

Ultra® 395

The Ultra 395's reliability and performance has made it Graco's most popular small electric sprayer. It features SmartControl™ 1.0 pressure control that delivers a consistent spray fan without pressure fluctuation at all spraying pressures. Proven technology and design make it perfect for professionals who spray daily with a wide range of coatings.



Hi-Boy model

DESCRIPTION	PART #
STAND	233960
HI-BOY	233962
LO-BOY	233961

SPECIFICATIONS	
MAX TIP SIZE:	0.023
MAX GPM (LPM):	0.54 (2.0)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	7/8 TEFC DC

- INCLUDES**
- Contractor™ Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose



Lo-Boy model



Stand model

All the features of the 390, **PLUS:**

15% higher output flow and 40% higher hp TEFC motor than the 390

SmartControl 1.0 Pressure Control

- ▶ Advanced variable speed motor control delivers a consistent spray fan without pressure fluctuation at all spraying pressures
- ▶ Lowest deadband and fast response when spraying

Contractor Gun

- ▶ Professional quality Contractor gun for longer life



Chrome Plated, Welded Steel Carts

- ▶ Retractable handle doubles as coiled hose storage
- ▶ Semi-pneumatic wheels roll easily over rough terrain
- ▶ Hi-Boy TiltBack™ kickstand cart design holds inlet clear of the paint bucket for easy one-person bucket changes
- ▶ Inlet tube fits through a 2-inch cap opening on standard 5-gallon bucket
- ▶ Lo-Boy model lets you carry a 5-gallon bucket



Ultra Max II 490

The Ultra Max II 490 sprayer is the ideal choice for professionals looking for superior performance and control for daily use on residential jobs.

DESCRIPTION	PART #
STAND	249911
HI-BOY	249914
LO-BOY	249913
SPECIFICATIONS	
MAX TIP SIZE:	0.023
MAX GPM (LPM):	0.54 (2.0)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.0 Brushless DC

- INCLUDES**
- Contractor™ Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose



Stand model



Lo-Boy model



Hi-Boy model

All the features of the Ultra 395, **PLUS:**

20% lighter than the Ultra 395

Brushless motor never needs maintenance

MaxPower High Torque Brushless DC Motor

- ▶ Compact, lighter-weight motor delivers more horsepower per amp
- ▶ No brushes to change—ever!
- ▶ Enclosed design protects internal components from dirt, dust and overspray

SmartControl 2.0 Pressure Control

- ▶ Advanced technology delivers a consistent spray fan without pressure fluctuation
- ▶ Lowest dead band at lower spraying pressures makes this line of sprayers ideal for fine finish spraying

Ultra Max II 495

The Ultra Max II 495 brings the leading technology and performance of Graco's larger Ultra Max II models into a compact and lightweight design.

DESCRIPTION	PART #
STAND	249915
HI-BOY	249917
LO-BOY	249916

SPECIFICATIONS	
MAX TIP SIZE:	0.025
MAX GPM (LPM):	0.60 (2.3)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.2 Brushless DC

INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Ultra Max II 595

The Ultra Max II 595 sprayer is the ideal choice for the painting professional who needs the highest possible output from a small, portable unit.

DESCRIPTION	PART #
HI-BOY	249919
LO-BOY	249918

SPECIFICATIONS	
MAX TIP SIZE:	0.027
MAX GPM (LPM):	0.70 (2.6)
MAX PSI (BAR):	3300 (227)
MOTOR HP:	1.6 Brushless DC

INCLUDES

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose



Lo-Boy model



Hi-Boy model



Stand model

All the features of the Ultra Max II 490, **PLUS:**
20% higher hp motor and 11% higher flow output than the Ultra Max II 490



Lo-Boy model

All the features of the Ultra Max II 495, **PLUS:**

33% higher hp motor than the Ultra Max II 495

Long Stroke Pump

- ▶ Reduces wear and extends time between repacks
- ▶ Suitable for Wide RAC® tips



Hi-Boy model




Choose the RIGHT SIZE when purchasing a Graco large electric sprayer.

If you're a painting contractor who routinely handles large residential, commercial, or industrial work, you need an airless sprayer that will deliver the best in performance and reliability. Graco's mission is to offer you the perfect sprayer that's sized for the work you do and will give you the results you expect. Use the Painting Solutions Guide below to help you choose which of Graco's large electric sprayers is right for you. Whatever size you need, Graco has the absolute best airless sprayers in the industry.

- What types of material do you spray? In the future?
- How many gallons per week will you spray?
- How many guns do you now need? In the future?
- What hose lengths will you use?
- Will most jobs be indoors or outdoors?
- What tip sizes do you need?
- What power source do you have available?
- What types of jobs will you bid?
- How much do you want to spend on a sprayer?
- On what types of surfaces will you spray (drywall, wood, concrete, steel, etc.)?

PAINTING SOLUTIONS GUIDE

CLASSIFICATION:	LARGE ELECTRICS	
SPRAYER MODEL:	Ultra Max II 695 Ultra Max II 795	Ultra Max II 1095 Ultra Max II 1595
TYPICAL JOBS:	Interior/Exterior • Residential New Construction • Light Commercial	Exterior Residential • New Construction Heavy Commercial • Industrial
TYPICAL MATERIALS:	Heavy Interior/Exterior Latex • Oil-Based Primers Acrylics • Block Fillers	Heavy Interior/Exterior Latex • Oil-Based Primers Epoxies • Block Fillers Dryfall • Elastomerics
PRODUCTION RATE:	High up to 2 guns up to 0.033 tip up to 1.10 gpm	High up to 3 guns up to 0.039 tip up to 1.35 gpm



Choose the RIGHT SERIES for all your painting applications.

Only Graco goes beyond motor size and offers three different series of electric airless sprayers that have features designed to make your work easier, faster and more productive. Whether you need the everyday reliability of our **Standard Series**, the increased speed and productivity of the **ProContractor Series**, or extreme ruggedness of the **IronMan Series**, Graco offers the perfect sprayer that's designed specifically for you.



m.graco.com/cedseriesvid

LARGE ELECTRICS

If You're a Small Residential and Repainting Contractor

- ▶ You're painting multiple days a week
- ▶ Your jobs are typically on the smaller side
- ▶ You demand everyday reliability
- ▶ You don't need a lot of extra features



You need a **Standard Series** sprayer.

EVERYDAY RELIABILITY

If You're a Large Residential and Commercial Contractor

- ▶ You're painting every day
- ▶ You tackle medium to large projects
- ▶ You're moving frequently from job to job
- ▶ You need features that save you time and get you in, out, and on to the next jobsite



You need a **ProContractor Series** sprayer.

WORK SMARTER, FINISH MORE JOBS

If You're a Large Commercial and Industrial Contractor

- ▶ You're painting continuously in less-than-ideal conditions
- ▶ You handle large, long-duration projects that require large volumes of material
- ▶ You keep your equipment on-site in paint
- ▶ You require extreme durability and reliability



You need an **IronMan Series** sprayer.

BEYOND JOBSITE TOUGH

Standard Series

EVERYDAY RELIABILITY

When you're tackling larger painting projects multiple days a week, you demand reliability. Graco's Standard Series sprayers deliver durability and performance time after time. They handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease.

All Standard Series sprayers come with these "Only On A Graco" features:



MaxPower Motor Graco's compact and powerful MaxPower brushless DC motors are designed to produce the most power possible for all painting applications.

- ▶ Higher torque = More work done
- ▶ Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray
- ▶ Brushless design means that you will never need to replace brushes
- ▶ Lifetime warranty



SmartControl 3.0 Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- ▶ Lowest dead band at any pressure
- ▶ ProGuard™ Sprayer Protection System guards against bad or extreme jobsite power conditions



Rugged, Durable Cart Design With a Graco sprayer, it's not just the mechanical parts that are built to last. Our carts are built to deliver years of performance.

- ▶ Thick chrome over steel withstands rugged environments
- ▶ Full pneumatic wheels absorb impacts and vibrations
- ▶ Retractable handle doubles as coiled hose storage
- ▶ Hi-Boy TiltBack kickstand cart design holds the inlet clear of the paint bucket for easy one-person bucket changes

STANDARD
SERIES



Easy Out™ Pump Filter The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- ▶ Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- ▶ Vertical filter removes with the cap for less mess



Advantage Drive™ The drive is the critical link between the motor and the pump. Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- ▶ Hardened steel gears run extremely quiet
- ▶ The most durable, longest lasting drive in the industry
- ▶ Lifetime warranty



Endurance Pump Graco's Endurance Pump is the most rugged and reliable pump on the market today.

- ▶ Long-life V-Max Blue packings
- ▶ Chromex™ rod and stainless steel sleeve deliver superior reliability and life



Ready To Work Everything you need to get spraying—Contractor™ gun, RAC X™ SwitchTip™, Throat Seal Liquid (TSL™) and 50 feet of BlueMax™ II hose is included.

Heavy-Duty Prime Valve Maintenance-free design withstands high-pressure dumping.

ProContractor Series

WORK SMARTER, FINISH MORE JOBS

When it comes to getting the most work done in a day, it's all about speed and high performance. And that's where Graco delivers. With features that enable you to work more efficiently, the ProContractor series of electric airless sprayers help you get in, out, and on to the next job site faster, saving you time and money.

ProContractor Series sprayers have all the Features of the Standard Series, **Plus:**



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush™ This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to 4X faster using only half the water!



QuikReel™ With the integrated QuikReel you can deploy and rewind up to 300 feet of hose in seconds, letting you put the sprayer where you want it and the gun where you need it.



- ▶ Hose guide eliminates twisting, kinking, and coiling for one-person operation
- ▶ Hose is always connected and weight balanced to not tip over
- ▶ Use only the hose you need—the rest stays on the reel
- ▶ Hand crank folds away for storage and one man loading



On-Board Toolbox Convenient storage container keeps tools, tips, filters and accessories where you need them most.



ProConnect™ 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Ready To Spray Everything you need—Contractor gun, RAC X SwitchTip, Throat Seal Liquid (TSL) and 100 feet of BlueMax II hose is already assembled and ready to use right out of the box, getting you working that much faster.



IronMan Series

BEYOND JOBSITE TOUGH

Power, Durability and Capability is what makes an IronMan. From its MaxLife pump to its rugged roll cage frame, IronMan airless sprayers are built for the serious contractor who routinely handles large commercial and industrial jobs.

IronMan Series sprayers have all the Features of the Standard Series, *Plus!*



SmartControl 3.0 with LED Display Graco's advanced SmartControl 3.0 delivers a consistent spray fan without pressure fluctuations at all spraying pressures.

- ▶ Bright, easy-to-read LED display shows pressure read-out, job/lifetime/gallon counter and self-diagnostics
- ▶ ProGuard Sprayer Protection System guards against bad or extreme jobsite power conditions

WatchDog™ The WatchDog Pump Protection System automatically shuts down the pump when paint runs out or if the hose is damaged.

- ▶ Prevents dry pumping damage



FastFlush This high flow cleaning system runs faster and dramatically decreases cleaning time.

- ▶ Motor runs at super high speed
- ▶ Results in high flow and faster cleaning—up to **4X faster** using only half the water!



Heavy-Duty Hose and Gun

100 feet of high-performance BlueMax II airless hose, a Silver Plus™ gun, and RAC X SwitchTip that can handle spraying heavier materials are included with every IronMan sprayer.



Flat-Proof Tires

These tires can't be punctured by nails, screws or other sharp debris. They will **never** go flat, leaving the sprayer stranded on a jobsite.



Extreme-Duty MaxLife® Pump Built for the most demanding jobs, Graco's Extreme-Duty MaxLife Pump delivers unmatched durability and life.

- ▶ Exclusive MaxLife sleeve and rod
- ▶ Lasts **6X longer** between repacks
- ▶ Oversized clearances ensure minimal pressure drop and increased performance
- ▶ Long-life ceramic and stainless steel balls included for maximum versatility no matter what you're spraying
- ▶ Crush-proof intake screen stands up to harsh impacts



ProConnect 2 This next-generation pinless design of Graco's ProConnect Pump Removal and Installation System makes it easier and faster than ever to replace the pump in seconds.

- ▶ Eliminates costly jobsite downtime
- ▶ Quickly and easily swap out the pump for a spare
- ▶ Pinless design needs no tools



Roll Cage Frame Design

All IronMan sprayers are built for the most brutal and demanding job sites.

- ▶ Heavy-duty roll cage frame withstands the most extreme abuse from industrial job sites



Ultra Max II 695

With a 2.0 hp brushless DC motor, the Ultra Max II 695 is a rock-solid performer for the professional residential contractor who sprays a wide variety of coatings. It can handle a wide variety of tip sizes and has outstanding proven reliability.

SERIES	PART #
STANDARD	16W892
LO-BOY	16W893
PROCONTRACTOR	16W894

SPECIFICATIONS	
MAX TIP SIZE:	0.031-1 Gun 0.023-2 Guns
MAX GPM (LPM):	0.95 (3.6)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.0 hp Brushless DC

- INCLUDES**
- STANDARD SERIES AND LO-BOY UNITS:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- PROCONTRACTOR SERIES UNIT:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Lo-Boy model

Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

MaxPower Brushless DC Motor Never change brushes with this maintenance-free, totally enclosed, high torque motor.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

Choose a Series that's built FOR YOU!

ProContractor Series

WORK SMARTER, FINISH MORE JOBS



All the features of the Standard Series, PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.



Ultra Max II 695



Lo-Boy easily carries a standard 5-gallon paint bucket.

Ultra Max II 795

With a 2.2 hp brushless DC motor, the Ultra Max II 795 can handle multiple guns and is ideal for the professional residential remodeling and repainting contractor who sprays a wide variety of coatings.

SERIES	PART #
STANDARD	16W895
PROCONTRACTOR	16W896
SPECIFICATIONS	
MAX TIP SIZE:	0.033-1 Gun 0.025-2 Guns 0.019-3 Guns
MAX GPM (LPM):	1.10 (4.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.2 hp Brushless DC

- INCLUDES**
- STANDARD SERIES UNIT:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- PROCONTRACTOR SERIES UNIT:**
- Contractor Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND**
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

MaxPower Brushless DC Motor Never change brushes with this maintenance-free, totally enclosed, high torque motor.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

Choose a Series that's built FOR YOU!

ProContractor Series

WORK SMARTER, FINISH MORE JOBS



All the features of the Standard Series, PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.



Ultra Max II 795

Ultra Max II 1095

With a 2.4 hp brushless DC motor and the ability to spray up to 1.2 gallons per minute, the Ultra Max II 1095 is the industry standard for the large residential and commercial contractor who sprays a wide variety of coatings.

SERIES	PART #
STANDARD	16W899
PROCONTRACTOR	16W900
IRONMAN	16W901

SPECIFICATIONS	
MAX TIP SIZE:	0.035-1 Gun 0.027-2 Guns 0.021-3 Guns
MAX GPM (LPM):	1.20 (4.5)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.4 hp Brushless DC

INCLUDES

STANDARD SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

PROCONTRACTOR SERIES UNIT:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

IRONMAN SERIES UNIT:

- Silver Plus Gun
 - RAC X 517 SwitchTip and Guard
 - 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

MaxPower Brushless DC Motor

Never change brushes with this maintenance-free, totally enclosed, high torque motor.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

Choose a Series that's built FOR YOU!

ProContractor Series

WORK SMARTER, FINISH MORE JOBS



All the features of the Standard Series, PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.

IronMan Series

BEYOND JOBSITE TOUGH



All the features of the Standard Series, PLUS:

MaxLife Extreme Duty Pump Keeps you working by running 6X longer between repacks.

Ceramic and Stainless Steel Ball Sets Provides maximum versatility no matter what you're spraying.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

Roll Cage Frame Innovative steel design withstands rugged environments and protects critical sprayer components.

LED Display Bright easy-to-read

LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

Flat-Proof Tires Roll through even the worst jobsite debris without ever going flat.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or if a hose breaks.

Additional 50 ft of Hose Gives you the versatility to work farther away from the sprayer.

Ultra Max II 1595

With a 2.8 hp brushless DC motor and the ability to spray up to 1.35 gallons per minute, the Ultra Max II 1595 is Graco's largest airless electric sprayer. Because it can handle the widest range of tip sizes, longer hose lengths and heavier coatings with ease, it's perfect for the large residential and industrial painter.

SERIES	PART #
STANDARD	16W902
STANDARD (CANADA)	16W936
PROCONTRACTOR	16W903
PROCONTRACTOR (CANADA)	16W937
IRONMAN	16W907
IRONMAN (CANADA)	16W938
SPECIFICATIONS	
MAX TIP SIZE:	0.039-1 Gun
	0.029-2 Guns
	0.023-3 Guns
MAX GPM (LPM):	1.35 (5.1)
MAX PSI (BAR):	3300 (227)
MOTOR:	2.8 hp Brushless DC

INCLUDES

STANDARD SERIES UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

PROCONTRACTOR SERIES UNITS:

- Contractor Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose

IRONMAN SERIES UNITS:

- Silver Plus Gun
- RAC X 517 SwitchTip and Guard
- 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax™ II Airless Hose
- AND
- 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax™ II Airless Hose

Standard Series

EVERYDAY RELIABILITY



Standard Series features found Only On A Graco:

Advantage Drive System Runs quiet and has a lifetime guarantee.

SmartControl 3.0 Pressure Control Delivers consistent spray fan without pressure fluctuations at all spraying pressures.

Endurance Pump Amazingly durable design lasts twice as long as the next leading brand.

MaxPower Brushless DC Motor Never change brushes with this maintenance-free, totally enclosed, high torque motor.

Rugged Cart Design Chrome over steel makes this durable cart last for years.

Easy Out Pump Filter Less mess when changing or cleaning the filter.

Heavy-Duty Prime Valve Maintenance-free design withstands high pressure dumping.

Choose a Series that's built FOR YOU!

ProContractor Series

WORK SMARTER, FINISH MORE JOBS



All the features of the Standard Series, PLUS:

QuikReel Deploy and rewind up to 300 feet of hose in seconds without twists, kinks or coils.

Ready To Spray A total of 100 feet of hose and gun already installed.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

LED Display Bright easy-to-read LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or a hose breaks.

On-Board Toolbox End frustration and save time by never again searching for tips, filters, and tools.

IronMan Series

BEYOND JOBSITE TOUGH



All the features of the Standard Series, PLUS:

MaxLife Extreme Duty Pump Keeps you working by running 6X longer between repacks.

Ceramic and Stainless Steel Ball Sets Provides maximum versatility no matter what you're spraying.

ProConnect 2 Change out the pump using no tools in seconds resulting in quickly getting back to work.

Roll Cage Frame Innovative steel design withstands rugged environments and protects critical sprayer components.

LED Display Bright easy-to-read

LED display shows pressure readout, job/lifetime/gallon counter and self diagnostics.

Flat-Proof Tires Roll through even the worst jobsite debris without ever going flat.

FastFlush Cleaning System Cleans the unit up to 4X faster using only half the water!

WatchDog Save the pump from damage when paint runs out or if a hose breaks.

Additional 50 ft of Hose Gives you the versatility to work farther away from the sprayer.

Accessories

ELECTRIC AIRLESS SPRAYERS

In addition to the industry's best sprayers, Graco makes the accessories that enable you to work faster and more productively. From rugged guns and tips to hoses and extensions, Graco's accessories let you customize your sprayer for the maximum performance that best suits your work.

FOR SPRAYERS: 390 – Ultra Max II 595

DIGITAL DISPLAYS Simple to use and easy to install display featuring pressure display and error code self diagnostics.

287098 Digital Display for Ultra 395

287904 Digital Display for Ultra Max II 490/495/595



HOPPER 1.5-gallon molded hopper attaches to sprayer in place of inlet suction hose. Ideal for spraying small amounts of material. Lid included. Smooth inside cleans up fast. Works with Stand, Hi-Boy and Lo-Boy sprayers.

288526 Hopper Accessory



FILTERS AND INLET STRAINER

246425 Easy Out Filters – Short, Gray, 30 mesh

246384 Easy Out Filters – Short, Black, 60 mesh

246382 Easy Out Filters – Short, Blue, 100 mesh

246383 Easy Out Filters – Short, Red, 200 mesh



246385 Inlet Strainer



FOR SPRAYERS: Ultra Max II 695 – 1595

LED DISPLAY Bright easy-to-read LED display shows pressure readout, job/lifetime, gallon counter and self diagnostics.

24V061 LED Display for SmartControl 3.0 fits Ultra Max II 695/795/1095/1595 Fits all SmartControl 3.0 models. Includes WatchDog feature.



SUCTION HOSE KIT Easily installs on any sprayer to provide the convenience of a flexible inlet hose. Leave tube long (fits 30-gallon trash cans and 55-gallon drums) or simply unscrew at middle fitting to shorten (fits 5-gallon buckets).

248317 55 Gallon Suction Hose Kit

FILTERS AND STRAINERS

244071 Easy Out Filters – Long, Gray, 30 mesh

244067 Easy Out Filters – Long, Black, 60 mesh

244068 Easy Out Filters – Long, Blue, 100 mesh

244069 Easy Out Filters – Long, Red, 200 mesh



189920 Inlet Screen – Ultra Max II 695/795/1095/1595

257033 Inlet Screen – IronMan 1095/1595

RAC X SWITCHTIP The RAC X SwitchTip is a high-performance spray tip used for residential and commercial applications. With a large selection of tip sizes available we are sure to have one to fit your needs. RAC X provides the best fan pattern life and the highest quality finish. These Graco tips are the most widely used reversible spray tip on the market today!



CONTRACTOR/FTx GUNS Designed by Graco to be the longest-lasting guns on the market, the Contractor and FTx Guns continue to be the number one choice of painting contractors. With features like the FlexSeal design, Easy Out Gun Filter and EasyGlide Swivel, no wonder these are the contractors choice in guns.

288420 Contractor Gun (2-finger trigger) with RAC X 517 Tip and Guard

288425 Contractor Gun (4-finger trigger) with RAC X 517 Tip and Guard

288421 Contractor Gun (2-finger trigger) with RAC® 5 517 Tip and Guard

288430 FTx Gun (4-finger trigger) with RAC X 515 Tip and Guard

288429 FTx Gun (2-finger trigger) with RAC X 515 Tip and Guard

288431 FTx Gun (4-finger trigger) with RAC 5 515 Tip and Guard

246240 Silver Plus Gun with RAC X 517 Tip and Guard

246468 Flex Plus™ Gun with RAC X 517 Tip and Guard

287023 3 ft (0.9 m) Pole Gun with Contractor Inline Valve, CleanShot™ Valve, RAC X Tip and Guard

287024 6 ft (1.8 m) Pole Gun with Contractor Inline Valve, CleanShot Valve, RAC X Tip and Guard



GUN HOSE KITS – KITS INCLUDE THE FOLLOWING UNLESS OTHERWISE NOTED

Airless Gun, RAC X 517 Tip and Guard, 1/4 in x 50 ft (6.4 mm x 15 m)

BlueMax II 3300 psi (227 bar) Airless Hose and 3 ft (0.9 m) Whip Hose

288489 Contractor Gun Hose Kit

288496 Contractor Gun Hose Kit with RAC 5

288490 Contractor Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose

288493 FTx Gun Hose Kit with RAC X 515 Tip (Whip Hose excluded)

288497 FTx Gun Hose Kit with RAC 5 515 Tip (Whip Hose excluded)

287095 Flex Plus Gun Hose Kit

287041 Silver Plus Gun Hose Kit

287042 Silver Plus Gun Hose Kit with 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose



BLUEMAX II AIRLESS HOSE To maximize results, choose the high performance BlueMax II Airless Hose. Lighter weight and increased hose flexibility improves usability when spraying under pressure. With superior flexibility and durability, BlueMax II ensures you get the best results from your airless sprayer.

238358 3/16 in x 3 ft (4.8 mm x 0.9 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose

238959 3/16 in x 4.5 ft (4.8 mm x 1.4 m) BlueMax II 3300 psi (227 bar) Airless Whip Hose

240793 1/4 in x 25 ft (6.4 mm x 7.5 m) BlueMax II 3300 psi (227 bar) Airless Hose

240794 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose

240797 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II 3300 psi (227 bar) Airless Hose



PUMP ARMOR™/TSL™ Maintaining your pump is essential for long life and reliability. Graco has made pump maintenance simple with our complete line of fluids. Pump Armor is a storage solution which protects your pump from the damaging effects of corrosion during storage. TSL (Throat Seal Liquid) prevents dried paint from accumulating on the pump rod—extending the life of the pump packings.

243103 Pump Armor – 1 qt (1 l)

245133 Pump Armor – 1 gal (3.8 l)

206994 Throat Seal Liquid (TSL) – 8 oz (.24 l)

206995 Throat Seal Liquid (TSL) – 1 qt (1 l)

206996 Throat Seal Liquid (TSL) – 1 gal (3.8 l)



JETROLLERS™ Save time and money by spraying and back rolling in one easy step with the **NEW** Graco 3-in-1 JetRoller System. Each kit includes a lightweight detachable roller (uses industry standard roller covers), CleanShot shut-off valve, spray tip and guard.

24U170 JetRoller System with 20 in (50 cm) Heavy-Duty Extension

24U172 JetRoller System with 20 in (50 cm) Heavy-Duty Extension and Contractor Inline Valve

PRESSURE ROLLERS

245397 EvenFlow™ Pressure Roller Assembly with 20 in (50 cm)

Fixed, Heavy-Duty Extension and Contractor Inline Valve

244279 EvenFlow Pressure Roller Assembly with 20 in (50 cm) Fixed, Heavy-Duty Extension, 45° Angle

244281 EvenFlow Pressure Roller Assembly with 18-36 in (46-91 cm) Telescoping Extension



Ask your local authorized Graco Distributor for details on our complete line of airless accessories.

ELECTRIC AIRLESS SPRAYER SPECIFICATIONS

		390	Ultra 395	Ultra Max II 490	Ultra Max II 495	Ultra Max II 595
SPECIFICATIONS	Maximum Tip Size	0.021	0.023	0.023	0.025	0.027
	Maximum psi (bar)	3300 (227)	3300 (227)	3300 (227)	3300 (227)	3300 (227)
	Maximum gpm (lpm)	0.47 (1.8)	0.54 (2.0)	0.54 (2.0)	0.60 (2.3)	0.70 (2.6)
	Motor hp	5/8 DC	7/8 TEFC DC	1.0 Brushless DC	1.2 Brushless DC	1.6 Brushless DC
	Weight lb (kg)	30 (14) Stand	42 (19) Stand	34 (15) Stand	34 (15) Stand	72 (33) Hi-Boy
	Gun Support: 1 Gun 2 Guns 3 Guns	0.021 — —	0.023 — —	0.023 — —	0.025 — —	0.027 — —
MODEL	Cart Design— Part Number	Stand—253958 Hi-Boy—262019	Stand—233960 Hi-Boy—233962 Lo-Boy 233961	Stand—249911 Hi-Boy—249914 Lo-Boy 249913	Stand—249915 Hi-Boy—249917 Lo-Boy 249916	Hi-Boy—249919 Lo-Boy—249918
INCLUDES	Gun	FTx	Contractor	Contractor	Contractor	Contractor
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
	Tip	RAC X 515	RAC X 517	RAC X 517	RAC X 517	RAC X 517
	Filter	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out	60 Mesh Easy Out
ENDURANCE PUMP	Type	QuikChange System	QuikChange System	QuikChange System	QuikChange System	QuikChange System
	Rod	Chromex	Chromex	Chromex	Chromex	Chromex
	Cylinder	Hardened SST	Hardened SST	Hardened SST	Hardened SST	Hardened SST
CONTROL & DRIVE	Control	Electronic	SmartControl 1.0	SmartControl 2.0	SmartControl 2.0	SmartControl 2.0
	Motor	DC	TEFC DC	MaxPower	MaxPower	MaxPower
ENDURANCE PUMP	Replacement Pump	246428	246428	246428	246428	246428
WEAR PARTS	Repair Kit	244194	244194	244194	244194	244194
	Rod	249125	249125	249125	249125	249125
	Cylinder	243176	243176	243176	243176	243176
	Intake Seat Kit	246429	246429	246429	246429	246429
MANUAL	Operation	311732	309665	309665	309665	309665
	Parts	311761	309675	309675	309675	309675


		Ultra Max II 695		Ultra Max II 795		Ultra Max II 1095			Ultra Max II 1595												
SPECIFICATIONS	Maximum Tip Size	0.031		0.033		0.035			0.039												
	Maximum psi (bar)	3300 (227)		3300 (227)		3300 (227)			3300 (227)												
	Maximum gpm (lpm)	0.95 (3.6)		1.10 (4.1)		1.20 (4.5)			1.35 (5.1)												
	MaxPower Motor hp	2.0 Brushless DC		2.2 Brushless DC		2.4 Brushless DC			2.8 Brushless DC												
	Control	SmartControl 3.0		SmartControl 3.0		SmartControl 3.0			SmartControl 3.0												
	Weight lb (kg)	93 (42) Standard Hi-Boy		98 (44) Standard		120 (55) Standard			125 (56) Standard												
Gun Support: 1 Gun 2 Guns 3 Guns	0.031 0.023 —		0.033 0.025 0.019		0.035 0.027 0.021			0.039 0.029 0.023													
SERIES TYPE		STANDARD		PROCONTRACTOR		STANDARD		PROCONTRACTOR		IRONMAN		STANDARD		PROCONTRACTOR		IRONMAN					
MODEL	Cart Design— Part Number	Hi-Boy—16W892 Lo-Boy—16W893		16W894		16W895		16W896		16W899		16W900		16W901		16W902 (Canada) 16W936		16W903 (Canada) 16W937		16W907 (Canada) 16W938	
INCLUDES	Gun	Contractor		Contractor		Contractor		Contractor		Contractor		Contractor		Silver Plus		Contractor		Contractor		Silver Plus	
	Hose	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) <i>AND</i> 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) <i>AND</i> 1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless		1/4 in x 50 ft (6.4 mm x 15 m) <i>AND</i> 3/8 in x 50 ft (9.5 mm x 15 m) BlueMax II Airless			
	Tip	RAC X 517		RAC X 517		RAC X 517		RAC X 517		RAC X 517		RAC X 517		RAC X 517, RAC X Wide RAC 1231		RAC X 517		RAC X 517		RAC X 517, RAC X Wide RAC 1231	
	Filter	60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out		60 Mesh Easy Out	
PUMP	Type	QuikChange System		ProConnect System		QuikChange System		ProConnect System		QuikChange System		ProConnect System		ProConnect System		QuikChange System		ProConnect System		ProConnect System	
	Rod	Chromex		Chromex		Chromex		Chromex		Chromex		Chromex		MaxLife		Chromex		Chromex		MaxLife	
	Sleeve	Hardened SST		Hardened SST		Hardened SST		Hardened SST		Hardened SST		Hardened SST		MaxLife		Hardened SST		Hardened SST		MaxLife	
ADDITIONAL SERIES FEATURES		—		QuikReel		—		QuikReel		—		QuikReel		Roll Cage Frame		—		QuikReel		Roll Cage Frame	
		—		FastFlush		—		FastFlush		—		FastFlush		FastFlush		—		FastFlush		FastFlush	
		—		LED Display		—		LED Display		—		LED Display		LED Display		—		LED Display		LED Display	
		—		WatchDog		—		WatchDog		—		WatchDog		WatchDog		—		WatchDog		WatchDog	
		—		On-Board Toolbox		—		On-Board Toolbox		—		On-Board Toolbox		Flat-Proof Tires		—		On-Board Toolbox		Flat-Proof Tires	
WEAR PARTS	Replacement Pump	16Y598		16X414		16Y598		16X414		16Y706		16X419		16X420		16Y706		16X419		16X420	
	Repair Kit	248212		248212		248212		248212		248213		248213		248213/16X430*		248213		248213		248213/16X430*	
	Rod	248206		16X434		248206		16X434		248207		16X435		16X436		248207		16X435		16X436	
	Sleeve	248209		248209		248209		248209		248210		248210		257031		248210		248210		257031	
	Intake Seat Kit	239922		239922		239922		239922		244199		244199		244199		244199		244199		244199	
MANUAL	Operation	332916		332916		332916		332916		332916		332916		332916		332916		332916		332916	
	Parts	332918		332918		332918		332918		332918		332918		332918		332918		332918		332918	
	Pump	333028		332922		333028		332922		333028		332922		332922		333028		332922		332922	

*Kit includes ceramic inlet and outlet check balls.

ENDURANCE™ ADVANTAGE PROGRAM

A SOLUTION TO KEEP YOU SPRAYING

Graco knows the last thing you can afford is costly downtime. And with the Endurance Advantage Program, you'll never need to worry about it. When you buy any new Graco sprayer, you can purchase an additional Endurance Pump for **up to 80% OFF** the list price—keep a spare on hand to save yourself time and money on every job. Or if you'd rather repack your own pump, we'll let you choose a **FREE Repair Kit** instead. No matter what your choice, Graco ensures you'll always be up and spraying! Simply follow the registration instructions included with your sprayer.



m.graco.com/proconnect2vid



ProConnect no-tools pump removal system makes swapping out the Endurance Pump fast and easy.



WARRANTY SPRAY PROTECTION

We stand behind every piece of equipment we manufacture with the industry's strongest warranty. Spray with the confidence that you will probably never need to use Graco's warranty, but if you do. . . *we will be there.*

LIFETIME ELECTRIC MOTOR WARRANTY If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVE TRAIN WARRANTY If the drive train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE *Dissatisfied?* Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade-up to a larger sprayer at an additional cost.

3-YEAR WARRANTY Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM Part needed for a warranty repair not in stock at your distributor? Get **FREE** next business day air freight delivery when distributor orders the part by 2 p.m. CST.

CONVENIENT SERVICE Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.



NOBODY ELSE BUILDS SPRAYERS LIKE THIS.



ABOUT GRACO

PROVEN QUALITY. LEADING TECHNOLOGY.

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Headquarters
Graco N.V.
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 443, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
Shinhan Bank Building
4th Floor #1599
Gwanyang-Dong, Dongan-Ku,
Anyang-si, Korea 431-060
Tel: 82 31 476 9400
Fax: 82 31 476 9801

SALES/ DISTRIBUTION/ SERVICE

Call today for product information or to request a demonstration.

800-690-2894 or visit us at www.graco.com.

Graco Inc. is registered to I.S. EN ISO 9001

North America
Customer Service
800-690-2894
Fax 800-334-6955