



Weatherboard

PRODUCT FACT SHEET

Sustainable Style

COMMERCIAL | RESIDENTIAL | CUSTOM

cedarsales.com.au

A natural all-rounder with supreme versatility

Cedar Sales' Weatherboard in Western Red Cedar offers versatility and timeless appeal. This traditional profile [also known as Beveled Siding] is cost-efficient and suitable for a wide range of applications. Choose from smooth or rustic finishes.

FEATURES + BENEFITS


- Select Tight Knot Weatherboard is kiln dried for maximum stability and minimal shrinkage.
- Contains good thermal properties and proven durability.
- 190mm board guarantees 170mm coverage.
- Sourced from sustainably-managed forests.
- Premium Tight Knot grade available.
- Available in Dressed Face for a smooth finish [DF].
- Available in Bandsawn Face for a rugged, natural texture [B].
- Various sizes of end stop available.
- Improved Green Star rating with FSC®, PEFC™ and GreenTag^{Cert™} GreenRate Level A Certification.

IDEAL USES

- Sheds
- Cabins
- Studios
- Garages
- External cladding
- Homes



WB 170 K REV KD [STAINED COATING WITH SAWN FACE]



WB 170 K REV KD



WB 170 K REV KD [DRESSED FACE WITH STAINED COATING]

PROFILES AVAILABLE

WEATHERBOARD



WB 170 K REV KD (18 BUTT)



WB 170 K REV KDR (18 BUTT REBATED)



WB 176 X 18 CDF CC (18 BUTT)



WB 180 X 22 CB (22 BUTT)

INSTALLATION

For secret nail fixing and in-depth installation instructions, visit cedarsales.com.au





WEATHERBOARD SIZES + SPECS

PROFILE CODE	COVER (MM)	THICKNESS (MM)	MAX SPANS (MM)	ORDER OPTIONS
WEATHERBOARD				
WB 170 K REV KD [18 BUTT]	170	18	600	△ ○ □
WB 170 K REV KDR [18 BUTT REBATED]	170	18	600	△ ○ □
WB 176 X 18 CDF CC [18 BUTT]	176	18	600	△ ○ □
WB 180 X 22 CB [22 BUTT]	180	22	600	△ ○ □

△ Suitable for external cladding

○ Cutek® pre-oiling available [clear penetrating external oil]

□ Custom orders available – contact Cedar Sales rep



Fire protection



Acoustic properties



Unrivalled sustainability



Thermal protection



Structure & performance

Choose Cedar Sales and specify with confidence

Cedar Sales is committed to quality and performance you can count on. Our genuine architectural timber innovations are proven to perform where it matters most. As part of our commitment to provide market-leading quality and integrity, Cedar Sales welcomes third-party testing and certification across fire, acoustics, structural performance and sustainability.



HEAD OFFICE

Manufacturing Plant | National Distribution Warehouse

150 Toongarra Road
Wulkuraka QLD 4305
PO Box 5043, Brassall QLD 4305

P 1800 156 455
F +61 (07) 3281 4322
E info@cedarsales.com.au

MELBOURNE OFFICE

Showroom | Warehouse

82 Wedgewood Road
Hallam VIC 3803
P +61 (03) 9708 6572

cedarsales.com.au

Sustainable Style

COMMERCIAL | RESIDENTIAL | CUSTOM

Photographs, images and drawings used herein are for illustration purposes only. Colours, grades and finishes on actual products may vary. All timber products will vary from samples. Being a natural product, expect sheen, tonal and colour variation and natural features including knots, grains and grain impressions. We recommend viewing all products prior to installation. Cedar Sales' is unable to offer any specific performance warranties for its products because of the wide variation in applications possible. These variables include but are not limited to; situation, design and structure, aspect and differing exposure to the weather. For more details, visit cedarsales.com.au/terms-and-condition-of-trade.