

Profile	Boston 705
Material	S/S T316, T304, Galvanised
Finish	Mill, Electro Polished, Powder Coat
Max. Width	2400 mm
Max Length	30m
Open Area	72%
Weight	6.2 kg/m ² (S/S)
Stock Status	Custom Made
Type	Rigid
Wire Dia	3.15mm
Aperture	17.3mm
Form	Sheet



* Typical Architectural Installation

Applications:


Security, Balustrades, Cladding

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap, Flat Bar or Tensioned. See website for more details.

Extra Notes:

Dimensions are nominal



Profile	Boston 311
Material	S/S T316, T304, Galvanised
Finish	Mill, Electro Polish, Powder Coat
Max. Width	2400mm
Max Length	30m
Open Area	63%
Weight	8.15 kg/m ² (S/S)
Stock Status	Custom Made
Type	Rigid
Wire Dia	3.15mm
Aperture	9.8 x 25.4mm
Form	Sheet



* Typical Architectural Installation

Applications:

Security, Balustrades, Cladding, Facades

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap or Flat Bar. See website for more details.

Extra Notes:

Dimensions are nominal



Profile	Boston 712A
Material	Aluminium
Finish	Mill, Powdercoated, Anodised
Max. Width	2400mm
Max Length	30m
Open Area	64%
Weight	2.68kg/m ²
Stock Status	Custom Made
Type	Rigid
Wire Dia	3.15mm
Aperture	12.7mm
Form	Sheet/Roll



Hotel Ibis Façade, Sydney

Applications:


Balustrade infill panels, Security Cladding, Privacy Screens, Facades

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap, Flat Bar, or Tensioned. See website for more details.

Extra Notes:

Dimensions are nominal



Profile	Boston 705A
Material	Aluminium
Finish	Mill, Anodised, Powder Coated
Max. Width	2400 mm
Max Length	30m
Open Area	72%
Weight	3.22 kg/m ²
Stock Status	Custom Made
Type	Rigid
Wire Dia	3.15mm
Aperture	17.3mm
Form	Sheet



103 Lonsdale St: SJB

Applications:

Security, Balustrades, Cladding

Attachment Methods:

Locker Group Fixing systems; including Angle, Cap or Flat Bar. See website for more details.

Extra Notes:

Dimensions are nominal

