

# ENGINEERED FALL PROTECTION & ACCESS SYSTEMS

AS A PERSON IN CONTROL  
OF THE WORKPLACE,  
ARE YOU AWARE **YOU COULD BE  
RESPONSIBLE FOR THIS!**




**VERTIC HORIZONTAL  
LIFELINE SYSTEMS**



**EVERYONE WORKING AT HEIGHTS  
SHOULD BE PROPERLY TRAINED  
AND RESTRAINED!**



**THE SAFETY  
ANCHOR SYSTEMS**



**VERTIC MODULAR  
LADDER SYSTEMS**



**VERTIC FRP/  
ALUMINIUM WALKWAY,  
PLATFORMS AND  
ACCESS SYSTEMS**

***Safemaster***  
**HEIGHT SAFETY SOLUTIONS**®

**PHONE: 1300 773 733 • FAX: 1800 24 24 84**

**EMAIL: [sales@safemasterhs.net.au](mailto:sales@safemasterhs.net.au)**

**WEBSITE: [www.safemasterhs.net.au](http://www.safemasterhs.net.au)**

# THE *Safety Anchor*

*Your ultimate source of stability and security*

Safety Anchors are excited to introduce our enhanced range of innovative anchors. "Safety Anchor" will incorporate superior energy absorbing properties aligned with easier modes of installation. This, when coupled with an improved design, incorporates an even better valued product offering.

**UP TO  
88% ENERGY  
REDUCTION**



- 316 stainless steel drop forged eyebolt (no welding).
- 100% Stainless Steel componentry.
- Patented dual bending action, facilitating unparalleled energy absorption.
- Comprehensive testing has proven up to 88% energy absorption capacity during dynamic performance.
- Improved quality control process:
  - Australian manufacturer to produce our new innovative eyebolt.

**NEED TO KEEP YOUR EMPLOYEES SAFE  
WHEN WORKING ON TOP OF  
TRANSPORT/LOGISTICS VEHICLES?**

**DON'T HESITATE!**

**INSTALL AN  
ALTRAC LIFERAIL SYSTEM NOW!**

## THE UNIQUE ALTRAC RAIL SYSTEM

**PROVIDING A COST EFFECTIVE, MODULAR AND LIGHTWEIGHT MONORAIL FOR MATERIALS HANDLING AND PROVIDING A SAFE SOLUTION FOR MAINTENANCE AND SECURING LOADS ON TOP OF VEHICLES**



**OVERHEAD INTERNAL SYSTEM  
FOR MAINTENANCE**



**MATERIALS HANDLING SYSTEMS CAN BE  
DESIGNED FOR LOADS UP TO 1000KG**



**FREE STANDING SYSTEM FOR MAINTENANCE AND  
LOADING/UNLOADING VEHICLES IN YOUR YARD**



**VERTIC HORIZONTAL LIFELINE SYSTEMS  
(STRAIGHT LINE KITS)**



**VERTIC**

**VERTIC LOWLINE SURFACE MOUNT STATICLINE**

- Anchorages shown are sold as complete units and to be used in conjunction with existing Vertic System components.
- Maximum of 4 users.
- Fits most metal roof profiles.



**LOOKING FOR  
PREMIUM PRODUCTS  
AT EXCELLENT PRICES?  
YOU HAVE  
FOUND THE RIGHT PLACE!**

**TECHNICAL FEATURES:**

- Flexibility
- Corrosion resistant Stainless Steel
- It is recommended that installation is carried out enabling two fixings to be connected to the structure.

**Contact us for your  
COMPLETE PACKAGE  
PRICE applicable to  
your project!**

**VERTIC VERTICAL LIFELINE SYSTEMS**

CODE	ITEM	DESCRIPTION
VLL116	VERTIC KIT 5M SYSTEM FOR EXISTING LADDERS	Kit includes: 1 x Top Extension Bracket and Fixing Components 1 x Bottom Extension Bracket and Fixing Components 1 x VLL101 Shock Absorber 1 x 5M VLL103 Stainless Steel Cable 1 x VLL105 Swageless Tensioner 1 x VLL107 Fall Arrester 1 x Chain Set  Rated for single person use.



**ARE YOUR  
LADDERS SAFE?  
DO A RISK  
ASSESSMENT NOW!**



**VERTIC FRP/ALUMINIUM GRATING,  
HANDRAILS AND ACCESS SYSTEMS**

CODE	ITEM	DESCRIPTION
VTW3	WALKWAY	<ul style="list-style-type: none"> <li>• All fittings included to install walkway on metal/deck roof with 0-5° roof pitch</li> <li>• Available in 6m lengths</li> <li>• Please enquire about other pitches</li> </ul>



**IS YOUR ROOF FREE  
OF TRIP HAZARDS  
AND DAMAGE?  
INSTALL A WALKWAY  
SYSTEM NOW!**

VTW5	FRP WALKWAY 15mm	<ul style="list-style-type: none"> <li>• All fittings included to install walkway</li> <li>• Available in 3.6m lengths</li> <li>• Quick and easy - lay up to 200 metres per day!</li> <li>• No corrosion</li> </ul>
------	---------------------	---



## MODULAR LADDER SYSTEMS

### TECHNICAL DATA

#### Material Used:

High grade structural aluminium with options for powder coating.

#### Safe Working Load:


Single person operation only (150 kg)

#### Dimensions:

- Width 600 mm
- Rung Spacings 300 mm
- Step through stile extension:
  - 525 mm width
  - 1000 mm above top rung
- Minimum distance off wall
  - 200 mm (vertical ladder)
- Minimum distance from top rung to wall
  - 50 mm (inclined ladder)
- Distance between landings/rest platforms
  - 6m maximum


#### Maintenance:

12 monthly inspection required by competent person, as specified in AS1891.4.9 for Vertical Static Line only.



- A: 1350mm Ladder - Complete
- B: 2550mm Ladder - Complete
- C1: 3750mm Ladder - Complete
- C2: 3450mm Ladder
  - Complete with Lifeline
- D: 4650mm Ladder
  - Complete with Lifeline
- E: 5850mm Ladder
  - Complete with Lifeline
- F: 5850mm Ladder
  - Complete with Lifeline and Lockable Access Door
- G: 7050mm Ladder
  - Complete with Lifeline, Rest Platform and Lockable Access Door

**CALL US FOR A PRINTED COMPREHENSIVE CATALOGUE!**



**CHECK OUT OUR NEW WEBSITE!**  
[www.safemasterhs.net.au](http://www.safemasterhs.net.au)



CODE


DESCRIPTION

**SPECIAL PRICE  
(EXCL. GST) AUD\$**

SA22

**FULL BODY HARNESS**

**\$81.20**



Two chest attachment belay loops rated for fall arrest and a dorsal attachment D-Ring. Adjustable shoulder and thigh straps. Shoulder and thigh straps differentiated by a dual colour scheme. Ideally positioned sit strap for extended comfort with **Suspension Trauma Relief Straps**.

✓ AS/NZS 1891.1 CERTIFIED PRODUCT

**NEED YOUR EMPLOYEES TO WORK EFFICIENTLY AND REDUCE FATIGUE? DON'T SUPPLY THEM A HEAVY HARNESS – BUY OUR ERGONOMIC LIGHTWEIGHT HARNESSES!**

SA23

**FULL BODY HARNESS**

**\$87.50**



Two chest attachment D-rings for rescue and a dorsal attachment D-Ring. Adjustable shoulder and thigh straps. Shoulder and thigh straps differentiated by a dual colour scheme. Ideally positioned sit strap for extended comfort with **Suspension Trauma Relief Straps**.

✓ AS/NZS 1891.1 CERTIFIED PRODUCT

SA42

**FULL BODY HARNESS**

**\$124.60**



Two chest attachment belay loops rated for fall arrest and a dorsal attachment D-Ring for fall arrest, two lateral D-Rings for work positioning. Adjustable thigh straps, waist belt & shoulder straps. Shoulder and thigh straps differentiated by a dual colour scheme. Tool holder loops and rings at the back. Ideally positioned sit strap for extended comfort with **Suspension Trauma Relief Straps**.

✓ AS/NZS 1891.1 CERTIFIED PRODUCT

CODE

DESCRIPTION

**SPECIAL PRICE  
(EXCL. GST) AUD\$**

SA325

**ENERGY ABSORBING WEBBING LANYARD**

**\$64.00**



2.0m with double action snap hooks at each end. Also available in 1.2m.

✓ AS/NZS 1891.1 CERTIFIED PRODUCT

SA22/326

**\$126.00**



**FULL BODY HARNESS WITH 2m LANYARD**

Full Body Harness with 2m Lanyard attached via a Locktited Karabiner to provide a permanent connection. DESIGNED FOR THE HIRE INDUSTRY

✓ AS/NZS 1891.1 CERTIFIED PRODUCT

SA309

**\$68.60**



**ENERGY ABSORBING ROPE LANYARD**

2.0m with double action snap hook at one end and scaffold hook at the other.

✓ AS/NZS 1891.1 CERTIFIED PRODUCT

SA24220S

**\$145.60**



**ROPE SAFETY LINE**

Rope safety line, 20 metres x 14mm polyester fitted with locking snap hook one end, c/w manual rope adjuster.

SA200320S

**AVAILABLE IN BRAIDED ROPE**

**\$165.60**



CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$	CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
SUPEKIT	<b>SUPERIOR ROOFERS KIT</b> SA22 Multipurpose harness with front fall arrest loops (lightweight). 30m rope safety line with snap hook and adjuster. Karabiner (22kN) x 3. SA321 Shock absorber with karabiners at each end. Anchor sling x 3. TA305 Portable roof anchor x 3. Carry bags.	<b>\$658.00</b>	SA2002	<b>RETRACTING LANYARD</b> Retracting lanyard 2.5m with shock absorber and double action hook. Nylon webbing 48mm.	<b>\$105.00</b>
				✓ <b>CERTIFIED PRODUCT</b>	
BASIKIT	<b>BASIC ROOFERS KIT</b> SA22 Harness. 20m rope safety line with snap hook and adjuster. Karabiner (22kN). Shock absorber with karabiners at each end. Anchor sling. Carry bag.	<b>\$280.00</b>	EAGLE	<b>RETRACTABLE FALL ARRESTOR</b> 6m polyester webbing 25mm. Certified to EN360.	<b>\$511.00</b>
				✓ <b>CERTIFIED PRODUCT</b>	
BASIKITB	As above with Braided Rope <b>Suspension Trauma Relief Straps.</b>	<b>\$308.00</b>	SAGS10	<b>RETRACTABLE FALL ARRESTOR 10m</b> 10m retractable cable fall arrestor. Galvanised cable. 4mm diameter. Synthetic housing. Other sizes available: 4m, 5m, 6m & 7.5m	<b>\$499.00</b>
				<b>NEW</b>	
MULTKIT	<b>MULTIPURPOSE KIT</b> Multipurpose harness with front restraint loops (lightweight). 20m rope safety line with snap hook and adjuster. Karabiner (22kN) x 3. Anchor slings x 3. Multipurpose lanyard with scaffold hook and snap hook. Carry bag.	<b>\$373.80</b>	SAGS15	<b>RETRACTABLE FALL ARRESTOR 15m</b> As above with 15m retractable cable	<b>\$620.00</b>
				✓ <b>CERTIFIED PRODUCT</b>	
MULTKITB	As above with Braided Rope <b>Suspension Trauma Relief Straps.</b>	<b>\$401.80</b>	NCS15	<b>RETRACTABLE FALL ARRESTOR 15m</b> 15m retractable cable fall arrestor. Galvanised cable. 5mm diameter. Synthetic housing. Horizontally Tested.	<b>\$820.40</b>
				✓ <b>CERTIFIED PRODUCT</b>	
RIGKIT	<b>RIGGERS KIT</b> Harness with rear D (lightweight). Anchor sling. 2.5m retracting lanyard. Carry bag.	<b>\$278.00</b>	NCS20	<b>RETRACTABLE FALL ARRESTOR 20m</b> 20m retractable cable fall arrestor Galvanised cable 5mm diameter Synthetic housing Horizontally Tested	<b>\$1055.60</b>
				✓ <b>CERTIFIED PRODUCT</b>	

CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
TEMPKIT	<b>TEMPORARY STATIC LINE KIT</b> Karabiner (22kN) x 5. Anchor sling x 3. 18m Horizontal safety line. Carry bag. (TWO MAN SYSTEM)	<b>\$252.00</b>



✓ **CERTIFIED PRODUCT**

**FREE**  
QUALITY 5M TAPE  
MEASURE WITH  
EVERY KIT



CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
SAAG10K HUBA	<b>DESCENT DEVICE</b> 100m Rope Device class: A Permitted descent height: max. 200m Permitted descent height for 2 persons: max. 125m Max. descent load: 150kg Max. descent load for 2 persons: 225kg Descent speed: 0.7m/s	<b>\$2039.80</b>



✓ **CERTIFIED PRODUCT**

**WORKING AT HEIGHTS?**  
Be prepared, you may need to  
rescue a person.  
Get the right equipment now  
and get correctly trained!

CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
SACFSK	<b>CONFINED SPACE KIT</b> SAPN800 Tripod SAPN801 Winch SAPN904 Bag SA330 Spreader Bar SA23 Harness	<b>\$1811.50</b>



✓ **CERTIFIED PRODUCTS**

**FREE**  
QUALITY 5M TAPE  
MEASURE WITH  
EVERY KIT



CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
TA305	<b>PORTABLE ROOF ANCHOR</b> Portable Roof Anchor is suitable for metal profile roofs. Rated at 15kN.	<b>\$98.00</b>



✓ **CERTIFIED PRODUCTS**

CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
PN800	<b>TRIPOD</b> For access in to confined spaces. Weight: 13kg. comes with bracket for winch and carry bag.	<b>\$780.00</b>



✓ **CERTIFIED PRODUCT**

CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
PN801	<b>RESCUE WINCH</b> To be used for raising or lowering of personnel or material in to confined spaces. Lifting capacity: 125kg. Length: 20m.	<b>\$802.00</b>



✓ **CERTIFIED PRODUCT**

CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
TA303	<b>TEMPORARY ANCHOR</b> Temporary Anchor is a temporary anchor for use on metal profile roofs. Affords multidirectional fall arrest protection for workers. Tested to AS/NZ1891.4	<b>\$210.00</b>



✓ **CERTIFIED PRODUCT**

CODE	DESCRIPTION	SPECIAL PRICE (EXCL. GST) AUD\$
SM300L	<b>NEW LOWLINE SURFACE MOUNT ANCHOR</b> Surface Anchor is a surface mounted anchor, fitted directly to steel roof profile, where access to timber structure is difficult. Tested to fall arrest capabilities and AS/NZ1891.4. 316 Marine Grade Stainless Steel. Rated at 22kN. Includes rivets.	<b>\$95.00</b>



✓ **CERTIFIED PRODUCT**

**NATIONAL DISTRIBUTION  
AND INSTALLATION**



***Safe*master**  
**HEIGHT SAFETY SOLUTIONS**

**PHONE: 1300 773 733 • FAX: 1800 24 24 84**

**EMAIL: [sales@safemasterhs.net.au](mailto:sales@safemasterhs.net.au)**

**WEBSITE: [www.safemasterhs.net.au](http://www.safemasterhs.net.au)**