


# BAMBOO













## **WELCOME**

- 06 Introduction to Quick-Step® ARC
- 08 Why choose Quick-Step® Bamboo?

## **GET INSPIRED**

10 Your guide

We help you make a perfect choice; which range and design fits your home best?

## **CHOOSE YOUR FLOOR**

18 Our range


Choose from 9 colour options available.

## **INSTALL & FINISH**

20 The perfect finish

Discover colour coordinated accessories for a perfectly finished floor.

If you love timber flooring, you'll fall head over heels for Quick-Step ARC Bamboo... not just for its good looks, with its long and wide boards, but also for its strength and durability. And perhaps the most impressive feature of all is that it is sourced from dedicated plantations which are regrown in 5 to 6 year cycles... awarding ARC Bamboo its independent environmental certification from both GECA (Green Environmental Choice Australia) and FSC (Forest Stewardship Council).



Quick-Step ARC Bamboo's 14mm solid boards are a generous 1850mm long and 137mm wide. With its solid construction, ARC Bamboo is stable, incredibly indentation resistant, almost completely insect resistant, easy to clean and maintain and can be sanded and re-finished in years to come... just like a timber floor.

#### 1. FINISHING

S.R.T. (Scratch Resistant Technology): a market leading lacquer is applied to every board to ensure maximum protection against wear, scratches and stains.

Manufactured to the highest standards in Europe, laboratory tests reveal that S.R.T. coating shows a 30 fold improvement in the prevention of fine scratching over standard coatings. This ensures that Quick-Step ARC Bamboo is simple and cost-efficient to maintain.

#### 2. SOLID BOARD

Quick-Step ARC Bamboo is a solid product, often referred to as Strand-Woven Bamboo. Under extreme high pressure, strands of bamboo are combined into one solid product.

Careful observation of moisture levels during the production process results in a durable and stable floor. ARC Bamboo is a highly dense product, making it perfectly suitable to withstand daily stress and strain

### 3. UNICLIC JOINING SYSTEM

Having the world's best joining system ensures a quick, easy and versatile installation of your floor. The strong joining system also results in a more stable floor and avoids moist, dust or dirt accumulating between the planks.



### 4. SUSTAINABLE BY DESIGN

Bamboo is one of nature's most rapidly renewable resources. Bamboo grows into a mature tree ready to harvest approximately every 6 years. All ARC products are fully FSC and GECA certified, meaning Quick-Step only uses well-managed forests for its resources.

QUICK STEP\* WELCOME

# WHY CHOOSE QUICK STEP BAMBOO?



## Top quality

At Quick-Step, we combine our expertise in flooring to create perfect quality bamboo floors that give you a lifetime of pleasure. Unlike any other brand, Quick-Step has control over the production process. A Quick-Step Quality-Control Unit in the factory ensures that the highest standards are met when manufacturing your ARC Bamboo floor.

When monitoring the production process, Quick-Step keeps an eye on the tolerances in each production step. The partnership also ensures the usage of the best quality raw materials and finishing lacquer in the marketplace.

The result is a product that is backed by a 25 year Wear Warranty\* and a comprehensive Lifetime Structural Warranty.

\*conditions apply

## **Leading lacquer**

The boards are finished with 11 coats of hi-tech European SRT (Scratch Resistant Technology) coating, ensuring it is as resistant as possible to the rough and tumble of everyday life. Quick-Step ARC Bamboo offers a better resistance to scratches than any other bamboo floor!

## **COLD PRESSED AND PROUD**

### Why our commitment to cold press manufacturing?

The term cold press refers to the Bamboo material being pressed into shape at room temperature. This "cold press" material is then baked for up to 20 hours at up to 130 degrees Celsius!

This compares to the "hot press" production which has a baking time of around 45 minutes. Our long baking time is slow and costly, but chosen to achieve greater uniformity in density, colour and moisture content, as well as a more appealing appearance.



# Widest boards

Quick-Step ARC Bamboo's 14mm solid boards are a generous 1850mm long and 137mm wide. The extra wide boards allow for a modern look & feel, as the natural patterns are shown off to best advantage.

Just have a look at our Australiana
Bamboo: thanks to the wide planks, the
natural variation almost resembles the real
look of the popular timber species
Spotted Gum.

# Ease of installation

In 1997, Quick-Step launched the first integrated no-glue click system: Uniclic®. Uniclic is renowned across the world as the best click system and is the choice of professional installers. With this system profiled on every edge of Quick-Step ARC Bamboo, your floor can be installed quickly, easily and without messy adhesive. You can install your floor yourself or have it done for you by professionals... it's your choice.

# A heart for nature

An impressive feature of Quick-Step ARC
Bamboo flooring is that it is sourced from
dedicated plantations which are regrown
in 5 to 6 year cycles... awarding it its
independent environmental certification
from both GECA (Green Environmental
Choice Australia) and FSC (Forest
Stewardship Council). Moreover, ARC
Bamboo is rated E0 for super low emissions
so you can breathe easy.

## **Real warranties**

Anybody can promise a lifelong warranty, but more often than not, the delivery fails.


Quick-Step doesn't just talk about giving you a Lifetime Structural Warranty, we are there when you need us. With qualified representatives all over Australia, Quick-Step offers full ground support no matter where you live.

You can enjoy your ARC Bamboo floor with absolute peace of mind.

ARC Bamboo carries a comprehensive Lifetime Structural Warranty and a 25 Year Residential Wear Warranty\*.

RESIDENTIAL
WEAR WARRANTY
SRT'SUPERIOR
COATING
DOMESTIC USE
CONDITIONS APPLY





ARC BAMBOO AUSTRALIANA | ABWAUS

Sleek and formidable, each bamboo plank oozes style and splendour - making this dining space pop with class and exhilarating harmony.

ARC BAMBOO AUSTRALIANA | ABWAUS

Rich in colour and striking in appearance, the lavish boards are an impressive addition to any space. Their diverse and exotic hues captivate the eye and embrace you with warmth and exoticness.

**GET INSPIRED** 






ARC BAMBOO COFFEE | ABWCOF

Warm and inviting, the coffee tones add that depth to the floor which is incomparable. Nature springs out from the floor and draws you even closer to the detail. Simply nature at its best!

ARC BAMBOO CHAMPAGNE | ABWCHAM

Adding an element of colour to this luxurious floor creates an awe-inspiring space that radiates modern edge with an eclectic twist. Unique in its texture and look, the refined floor adds another dimension to space and light.



ARC BAMBOO BRUSHED ANTIQUE | ABWBA

Bold and brass, this eye-popping floor leaves a lasting impression, thanks to its long and wide boards, expanding the sense of space right before your eyes. This opulent floor becomes the refined canvas for any style and look.

ARC BAMBOO BRUSHED ANTIQUE | ABWBA

ARC BAMBOO BRUSHED ANTIQUE | ABWBA

Suiting both modern and traditional soft furnishing tastes, this luscious and timeless floor exudes a beauty only found in bamboo.

**GET INSPIRED** 





ARC BAMBOO AUTUMN | ABWAUT

ARC BAMBOO BRUSHED LIMED WHITE | ABWBLW

Arc Brushed Limed White is purity at its finest. It presents a room with a clean palette. The creamy hue in the lighter shade will simply add glamour to any space.

ARC BAMBOO AUTUMN | ABWAUT

The deep tones in this rustic hue set the scene with a sense of peace, harmony and tranquillity. Like a pair of warm slippers, this floor invites winter into any home.

# **ARC BAMBOO**











BRUSHED LIMED WHI



NATURAL ARC ABWNAT



CHAMPAGNE ARC ABWCHAM



COFFEE ARC ABWCOF



AUSTRALIANA ARC ABWAUS



FRENCH BLEED ARC ABWFB



BRUSHED ANTIQ ARC ABWBA



AUTUMN ARC ABWAUT




JAVA ARC ABWJAV

## The illustrated patterns and colours are only an image and not a full overview of all the different nuances within the natural unique design of a bamboo floor. For a representative view of the surface structure and variation of a plank, take a look at the big samples on display and ask your dealer for more advice.

# TRY OUR FLOOR ADVISOR

Design your interior by selecting the layout of your room, and choosing the colour scheme for both your furniture and walls.

Chop and change the floor designs until you find what suits you best.



VISIT

WWW.QUICK-STEP.COM.AU

FOR MORE INFORMATION

UNICLIC C



## AN UNDERLAY IS NOT AN IDLE LUXURY



## WHY GO FOR A QUICK-STEP® **UNDERLAY?**

### **PERMANENTLY SOUND-ABSORBING**

Quick • Step® underlays are top quality and maintain their initial thickness over the years. Which means they will continue to dampen sounds such as the tapping of high heels.

#### **IDEAL FOR UNICLIC®**

The smooth surface of our underlays prevent parts of the underlay from getting stuck in between the Uniclic® tongue and groove during installation.

Moreover all Quick • Step® underlays offer a stable base protecting the Uniclic® click system.

#### **2 IN 1: PROTECTS AGAINST DAMP TOO**

A Quick • Step® 2-in-1 underlay will reduce preparation time for the installation of your floor by half. The damp-proof and moisture-resistant membrane (DPM) with an adhesive strip has already been integrated into the levelling underlay. This will save you a lot of time and effort.



### QUIET • STEP® COMBI-LAY

QUIET • STEP® is the underlay by which all other underlays are measured when looking to reduce walk sound and minimize multi-storey noise.

QUIET • STEP® is the recommended underlay for ARC Bamboo: due to its high density, QUIET • STEP® is able to retain its characteristics and fulfil its purpose without compromise.

1 roll: 20 m<sup>2</sup> or 50 m<sup>2</sup> Thickness: 2 mm

## **www** www.guick-step.com.au



## LAYING YOUR FLOOR WITHOUT HASSLE

Laying a Quick • Step® Bamboo floor is easy thanks to the patented and worldfamous Uniclic® system.

This system is very user-friendly, a lot faster and a lot more solid than other systems. It makes laying easier, even in the smallest corners of the room.

## **HOW DOES IT** WORK?

You will find yourself fitting your floor in a 'click': fast, clean and with the greatest ease.






#### **METHOD 1: ROTATE AND CLICK**



Click the panels into each other along the long side and the short side.

#### **METHOD 2: HORIZONTAL INSERTION**





Ideal for awkward corners. Unlike most other systems, Uniclic® panels can also be joined together horizontally. This is essential when you install the last row of panels or in places where it is difficult or even impossible to rotate the panels (underneath door frames or heating units, for example).

Using the Uniclic® tapping block, available as part of our cost-effective Uniclic® Installation Kit, boards can be tapped together safely and without compromising the world famous strength of the Uniclic® join.



## PRESTIGE PROFILE RANGE















Transition to floor coverings or vertical surfaces (pre-fit). Uses:

Builders adhesive combined with nail or screw.

**Top cover:** 18 mm Length: 3.4 m

Fixing:






## Did you know?

Quick-Step ARC Bamboo has its own range of stair noses with a Uniclic profile on one edge. Stairs look great and become so much easier to install.

Quick-Step ARC Bamboo Stair noses are 1850 mm long and have a stunning bullnosed edge.



Stair nose for 8 or 14mm flooring. Uses:

Builders adhesive combined with nail or screw. Fixing:

**Top cover:** 21 mm Length: 3.4 m

## Your QUICK • STEP® floor deserves a perfect FINISH!







Uses: Connector for surfaces of equal height or small ramp Uses:

for surfaces of uneven height.

Fixing: Builders adhesive combined with nail or screw.

Floor plug also available.

**Top cover:** 45 mm Length: 3.4 m



Large ramp for bigger variance in floor levels. Builders adhesive combined with nail or screw. Fixing:

Floor plug also available.

**Top cover:** 47 mm 3.4 m Length:










Transition to floor coverings or vertical surfaces (post-fit). Uses: Uses: Builders adhesive combined with nail or screw. Fixing:

**Top cover:** 27 mm Length: 3.4 m



A low profile control joint for doorways etc. Builders adhesive combined with nail or screw. Fixing:

**Top cover:** 27 mm Length: 3.4 m



 Sydney
 Tel.: (02) 9982 3777

 Melbourne
 Tel.: (03) 9798 0808

 Brisbane
 Tel.: (07) 3273 3111

 Adelaide
 Tel.: (08) 8345 0455


 Tasmania
 Tel.: (03) 9798 0808

 Northern Terr.
 Tel.: (08) 8345 0455

 Perth
 Tel.: (08) 9240 1966

Commercial Division Tel.: (03) 9798 0808

### ▶ QUICK • STEP® FLOOR ADVISOR



Want to see this floor in your interior?
Visit www.quick-step.com.au and try out out online floor advisor! Upload your interior, select your favorite floor and determine which floor fits best inside.



www.facebook.com/QuickStepFloors



@QuickStepFloor

your Quick•Step® POINT OF SALE





