



ULLTRACLAD[®]

Wintec Aluminium

Building Products Beyond the Standards

Wintec Aluminium offers a range of building products beyond the standards. Be it weather or energy efficient door & windows with larger uninterrupted views, or low maintenance exterior cladding - *Wintec has the product.*

The latest addition to the Wintec building products range is the recently acquired Ultraclad cladding system.

Ultraclad is a powder coated Aluminium interlocking exterior cladding system. It is suited to both residential & commercial building applications and is available in a wide range of colours in modern or classic designs.

Ultraclad can be installed in both vertical and horizontal applications. Durability and performance in Australia's harsh climate is backed by extensive testing to cyclonic conditions under a BRANZ appraisal.



“Consider Ultraclad for Versatility & Creative Design options on your next project.”



ULTRACLAD

UA4917



UA5059



UA4705



**143mm Tee
Weatherboard**

**150mm Traditional
Weatherboard**


**174mm Vertical
Weatherboard**

Premium Grade Aluminium Easy to Install Branz Certified

CLADDING



UA4528




184mm Standard Weatherboard

UA5104



190mm Full Corrugated Weatherboard

UA5764



200mm Shadoline Weatherboard

Large Powder Coat Range Low Maintenance Cyclonic Tested

Technical Information



Components

Ulltraclad is supplied as a complete system which consists of weatherboards (Aluminium cladding), locators for concealed fixing, internal / external corner moulds, starter strips, board jointer, window flashing and accessories. The cladding is applied to the external framing with a locator, then screw fixed over absorbent wrap.

Material

Ulltraclad is extruded from 6060 T5 premium grade aluminium. The cladding is effectively 15mm thick, and ranges in size from 140mm - 205mm in width available in 5 and 6 metre lengths.

Compliance

Ulltraclad carries a Branz appraisal certificate no.454 (2005) and is tested to cyclonic conditions. Ulltraclad is fire rated to 60 minutes and backed by an extensive warranty.

Applications

Ulltraclad caters for many design options from feature walls, gable ends to fully clad buildings. The ease and speed with which Ulltraclad is installed and the fact that it is pre finished, makes for faster construction time and reduced cost in scaffolding and painting.

Ulltraclad has been designed to perform year after year, in Australia's harsh climate. Supplied throughout Australia, Wintec Aluminium has the sales and technical support to meet your cladding requirements.

184mm
Standard
Weatherboard



Internal / External Corner



Wood Grain Gable

Ultraclad Gallery

