



BLOCKOUT INDUSTRIES PTY LTD  
194 NEWTON ROAD WETHERILL PARK NSW 2164  
**P** 02 9725 3477 **F** 02 9725 2292

**E** [enquiry@blockoutshutters.com.au](mailto:enquiry@blockoutshutters.com.au) **W** [www.blockoutshutters.com.au](http://www.blockoutshutters.com.au)



**BLOCKOUT**



**MAXIVIEW<sup>®</sup> SHUTTERS**



**BLOCKOUT**

# MAXIVIEW® SHUTTERS

## SECURITY with a View

### FEATURES

While glass areas allow more natural light to enter buildings and provide views, they also add to internal environmental problems such as excessive heat gain during summer and heat loss during winter. Blockout Maxiview® Roller Shutters solve these expensive environmental problems by reducing glare and heat gain by 90% in summer and insulating your property during winter.

Maxiview® Shutters will maintain your views while preventing your furnishings from fading, increase your privacy and allow natural light and air to pass through the shutter perforations.

In addition, Maxiview® Shutters protect glass from damaging storms with strong winds and flying debris.

### FITTING

Maxiview® Shutters are manufactured with standard components or optional fittings such as Blockout's registered design Maxiblock® security system making the shutter 3 times stronger. This includes a heavy-duty track, locked in profile and secure bottom bar. These components will deliver a higher level of security and extreme storm protection.

Maxiview® shutter profiles roll tighter than conventional shutters, retracting into a smaller pelmet or head box.

In new buildings Maxiview® shutters can be designed to retract inside the wall cavities eliminating the visibility of the exterior pelmet or headbox.

### CONTROL

Maxiview® Shutters are simple to operate with either an internal manual control or by electrically operated motors. The electric motors are discreetly fitted inside the shutter's pelmet and can be operated by a variety of options including designer switches, remote controls, timers and weather sensors.

### FINISH

The Maxiview® Shutters are available with a smooth aluminium finish in 6 standard colours from white to brown. Other custom powder coated colours are available to match or complement your building's interior or exterior finish.







## TECHNICAL ASPECTS

Manufactured from a 45mm single wall extruded aluminium interlocking profile, Blockout Maxiview® Shutters incorporate a series of perforations in the shutter profile (over 54,000 perforations per square metre). This perforated area is only 19% of the overall shutter profile.

Shutters can be designed and manufactured to fit a range of window shapes and sizes including conservatories and roofs. For a complete block out option, Blockout Maxiview® Roller Shutters can be supplied non-perforated.

