


P 60 WMP & PE 60 WMP



P 60
4 burner



PE 60
Ceramic


- 9 multifunction cooking modes
- 70 litre oven capacity
- Catalytic self cleaning system
- Storage and warming compartment
- Quickstart fast preheat time 0°C - 175°C in 6 minutes
- Also available in gas oven P 60 WVG
- Colour: Stainless Steel

Gas Cooktop

- Quad ring super wok burner
- Cast iron heavy duty trivets and burners
- All gas burners fitted with flame failure safety devices

Electric Cooktop

- 4 quick start electric elements
- Marker heat zone
- 2 dual zone heat elements



P 70 WMP & PD 70 WMP



P 70
PD 70
4 burner



- 70 litre oven capacity
- 9 multifunction cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Quickstart fast preheat time 0°C - 175°C in 6 minutes
- Triple door glazing
- Colour: Stainless Steel

Separate Grill (PD 70 WMP only)


- 43 Litre capacity
- 2400 watt grilling element
- 12 stage heat variation grill system
- Telescopic glide out oven racks
- Triple glazed glass door

Gas Cooktop

- Quad ring all purpose super wok burner
- Cast iron heavy duty trivets and burner caps
- All gas burners fitted with flame failure safety devices



P 80 WMP




P 80
Fish
burner

- Giant 110 Litre oven capacity
- 18/10 stainless steel and commercial style control panel and knobs
- Select 10 multifunction electric oven
- Rotisserie
- Removable oven door and inner door glass
- European A class energy rating
- Easy clean non staining black vitreous enamel oven interior
- Catalytic cook and clean interior including roof (electric oven)
- Triple door glazing for safer, cooler door temperatures
- Catalytic cook and clean interior including roof
- Large baking tray
- Also available in a Gas Oven (P80WVG)

Gas Cooktop 80cm

- Quad ring all purpose super wok burner
- Precision burner controls each with position accurate thermostatic control
- All gas burners fitted with flame failure safety devices



Model P 80 WMP

P 90 WMP



- Giant 110 litre oven capacity
- Quickstart preheating 0°C - 175°C in 8 minutes
- 10 multifunction electric oven cooking modes
- Catalytic cook and clean interior including roof
- Storage and warming compartment
- Triple door glazing for safer, cooler door temperatures
- Also available in gas oven P 90 WVG

Gas Cooktop


- Quad ring super wok burner
- Brass burners
- All gas burners fitted with flame failure safety devices

Electric Cooktop


- 5 quick start electric ceramic elements
- Marker heat zone
- Exclusive double heat zone extra power to accommodate wok or large pans




P 906
6 burner



P 90
Fish burner




P 90 F
Tepanyaki
Hot Plate



P 90 B
Barbecue



PE 90
Ceramic



P 90 R
Deep fryer



P 90 V
Ceramic 1 zone



PD 90 SERIES



- Oven 1 - 70 litres
- Oven 2 - 43 litres
- 9+5 multifunction cooking modes
- Catalytic self cleaning system including roof
- Available with solid stainless steel Tepanyaki plate
- Quickstart fast preheat time 0°C - 175°C in 6 minutes
- Triple door glazing
- Rotisserie in 30cm oven

Cooktop


- Quad ring super wok burner
- Brass burners
- All gas burners fitted with flame failure safety

Electric Cooktop


- 5 quick start electric
- Marker heat zone
- Exclusive double heat zone extra power to accommodate wok or large pans



PD 906
6 burner



PD 90
Fish burner



PD 90 F
Tepanyaki
Hot Plate



PD 90 B
Barbecue



PDE 90
Ceramic



PD 90 R
Deep fryer



PD 90 V
Ceramic 1 zone





PD 100 SERIES


- Oven 1 - 70 litres
- Oven 2 - 50 litres
- 9+5 multifunction cooking modes
- Catalytic self cleaning system
- Removable oven door and inner door glass
- Storage and warming compartment
- Turbowave quickstart fast preheat time 0°C - 175°C in 6 minutes
- Triple door glazing
- Rotisserie in 40cm oven

Cooktop


- Quad ring super wok burner
- Cast iron heavy duty trivets and burner caps
- All gas burners fitted with flame failure safety
- Available with an electric cooktop (See above for details)




PD 1006
6 burner



PD 100 F
Tepanyaki hot plate




PD 100 S
Simmer plate



PD 100 B
Barbecue



PDE 100
Ceramic




PD 100 R
Deep fryer




PD 100 V
Ceramic 1 zone




PTW 100 SERIES



PTW 1006
6 Burners



PTW 100F
Tepanyaki Hot Plate



PTW 100B
Barbecue



PTWE 100
Ceramic

Separate Grill


- 43 Litre capacity
- 2400 watt grilling element
- 12 stage heat variation grill system

Separate 60cm Multi-function Oven and 40cm Convectional Oven


- Select from 9 cooking modes or 5 cooking modes
- Both ovens have their own full width recessed grill
- New turbo-wave Quickstart preheating function
0-180°C in 6 minutes
- Rotisserie mode in 40cm oven
- Separate pull out storage compartment
- Precision thermostat control
0-250°C
- Extra deep large baking tray
- Telescopic glide out oven racks

Gas cooktop 100cm


- For cooktop features please refer to PD 100 Series on page 3




P 120 SERIES




P 1207
7 burner




P 120 F
Tepanyaki hot plate




P 120 S5
Simmer plate



P 120 B6
Barbecue



P 120 FR
Tepanyaki + Deep fryer




P 120 V
Ceramic 1 zone


- Double electric multifunction ovens
- Oven 1 - 90 cm 110 litres
- Oven 2 - 30 cm 43 litres
- Full catalytic self cleaning system including roof
- Storage and warming compartment
- Quickstart fast preheat time 0°C - 175°C in 8 minutes
- Triple door glazing
- New A Class energy rating
- Also available with two 60cm ovens (PD 120 Series)

Gas Cooktop

- Quad ring super wok burner
- Cast iron heavy duty trivets
- All gas burners fitted with flame failure safety devices
- Choose from 6 cooktop combinations




P 150 SERIES




P 150 F
Tepanyaki hot plate




P 150 S
Simmer plate



P 150 FS
Tepanyaki + Simmer plate



P 150 B
Barbecue



P 150 FR
Tepanyaki + Deep fryer




P 150 V
Ceramic 1 zone

- Double electric multifunction ovens
- Oven 1 - 90 cm 110 litres
- Oven 2 - 60 cm 70 litres
- Full catalytic self cleaning system including roof
- Removable oven door and inner door glass
- Turbowave quickstart fast preheat time 0°C - 175°C in 6 minutes (60 cm) 8 minutes (90 cm)
- Triple door glazing
- Rotisserie

Gas Cooktop

- Two quad ring super wok burners
- Brass burners
- All gas burners fitted with flame failure safety



T 60 WMP

- 70 litre oven cooking capacity
- 9 multifunction electric oven cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Precision thermostatic 0°C - 275°C
- Triple door glazing
- Colour: Stainless Steel




T 60
4 burner



Gas Cooktop

- Quad ring all purpose super wok burner
- Cast iron matt finished trivets
- All gas burners fitted with flame failure safety devices
- One piece easy clean stainless steel hob top with spacious burner placement




T 90 SERIES

- Giant 110 litre oven cooking capacity
- 10 multifunction electric oven cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Precision thermostatic 0°C - 275°C
- Triple door glazing
- Rotisserie



T 906
6 burner




T 90
Fish burner



Gas Cooktop

- Quad ring super wok burner
- Cast iron heavy duty trivets
- All gas burners fitted with flame failure safety devices
- One piece easy clean stainless steel hob top with spacious burner placement
- Available with 6 burners




TD 90 SERIES

60cm Multi-function Oven

- 70 litre oven cooking capacity
- 9 multifunction electric oven cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Precision thermostatic 0°C - 275°C
- Triple door glazing



TD 906
6 burner




TD 90
Fish burner

30cm Oven

- Select 5 multifunction cooking modes
- Rotisserie mode
- 43 litre oven capacity

Gas cooktop

- For cooktop features refer to T 90 WMP and T 906 WMP
- Also available with 5 burners (TD 90 WMP)



P 906 NMP (Antique white)



PD 90 NMP (Blue)



PD 120 BNMP (Matt Black)



PDE 90 NMP (Emerald Green)



For product specifications please refer to pages 1 to 5

Most ILVE models are available in Nostalgie style. Refer to full catalogue for further details.

Colour Palette:

- Antique White
- Burgundy
- Matt Black
- Blue
- Emerald Green
- Stainless Steel

600 LM

- Select 9 multifunctional cooking modes
- 70 litre oven capacity
- Turbowave cooking
- Easy dismantling of oven interior
- Double spill trays on floor of oven
- Easy clean vitreous enamel interior, smooth black non staining appearance
- Digital electronic clock
- Triple door glazing for safer, cooler door temperatures
- European A Class energy rating
- Removable oven door and inner door glass
- Twin fan cavity integrated cooling system
- Pizza and bread mode
- Concealed grill element
- Precision thermostatic 0°C through to 275°C
- Fast preheat time 0°C-175°C in 6 minutes
- Two Year Warranty
- Colour: Stainless Steel



600 WMP

- Select 9 multifunction cooking modes
- 70 litre oven capacity
- Easy dismantling of oven interior
- Easy clean vitreous enamel interior smooth black non staining appearance
- Recessed full width grill element with removable self cleaning roof
- Electronic programmable timer
- Cool touch athermic door handle
- Control panel and door cooling fan
- Triple door glazing for safer, cooler door temperatures
- Catalytic self cleaning system
- Removable oven door and inner door glass
- Exclusive removable oven floor ensures easy cleaning of interior can be made in the sink or dishwasher
- Quickstart fast preheat time 0°C – 175°C in 6 minutes
- European A Class energy rating

For specifications please refer to the full catalogue or visit our website on www.ilve.com.au



600 SSXMP

- 70 litre oven capacity
- 9 cooking modes
- Concealed push button control panel
- Meat/roast probe (digital food monitor)
- Triple glazed glass door
- Easy clean vitreous enamel interior
- Easy dismantling of oven interior
- Cool touch athermic door handle
- Catalytic self cleaning system covering 95% of internal oven cavity
- Turbo-wave quick-start pre heat mode, 0-175°C in 6 minutes
- European A Class energy rating

For specifications please refer to the full catalogue or visit our website on www.ilve.com.au



D 600 WMP

Separate Grill

- 43 Litre capacity
- 2400 watt grilling element
- 12 stage heat variation grill system
- Recessed full width grill element
- Removable oven floor and door
- Triple glazed glass door
- Easy dismantling of oven interior
- Accurate variation temperature control

For specifications please refer to the full catalogue or visit our website on www.ilve.com.au

Separate Multi-function Oven

- Select from 9 cooking modes
- 70 Litre oven capacity
- New turbo-wave Quickstart preheating function 0-180 °C in 6 minutes
- Easy dismantling of oven interior
- Easy clean vitreous enamel interior smooth black non staining appearance
- Removable oven door and inner glass
- Triple glazed glass door



800 WMP



- Giant 110 Litre oven capacity
 - New Turbowave Quickstart preheating function 0°C–175°C in 8 minutes
 - Pizza, Bread and Pastry cooking function
 - 18/10 stainless steel and commercial style control panel and knobs
 - Recessed grill element
 - Select 10 multifunction electric oven
 - Inner door and control panel cooling fan
 - Rotisserie
 - Removable oven door and inner door glass
 - Easy clean non staining black vitreous enamel oven interior
 - Catalytic cook and clean interior including roof
 - Turbowave cooking, lower temperatures, less food spatter, moister fresher tasting roasts
 - Triple door glazing for safer, cooler door temperatures
 - Positive stop roll-out internal trays
 - Colours: Stainless Steel
- For specifications please refer to the full catalogue or visit our website on www.ilve.com.au

800 LM



- Giant 110 Litre oven capacity
 - Ten electric cooking functions
 - Rotisserie
 - Easy clean Anti-Acid enamel interior, smooth black non-staining appearance
 - Safety notched oven trays with side wall enamel scratch protectors
 - Control panel and door cooling fan
 - Concealed electric grill element, increase oven space by 20%
 - Easy dismantling of oven interior
 - Electronic timer clock, 100 minute count down timer
 - Pizza and bread mode – Exclusive to ILVE
 - Triple door glazing for safer, cooler door temperatures
 - Colours: Stainless Steel
- For specifications please refer to the full catalogue or visit our website on www.ilve.com.au

200 LM & 200 WMP



Upper Oven

- Select 4 multifunction cooking
- 43 litre oven capacity
- Easy dismantling of oven interior in both ovens
- Triple door glazing for safer, cooler door temperatures in both ovens
- Cool touch athermic door handle in both ovens
- Control panel and door cooling fan in both ovens
- Removable oven door and inner door glass in both ovens

Lower Oven

- Select 9 multifunction cooking modes
- 70 litre oven capacity
- Catalytic self cleaning system (WMP only)
- Removable oven floor ensures easy cleaning of interior can be made in the sink or dishwasher
- Turbowave cooking
- Precision thermostatic control 0°C through to 275°C
- Quickstart fast preheat time 0°C – 175°C in 6 minutes

D 900 WMP



60cm Oven


- Select 9 multifunction cooking modes
- 70 litre oven capacity
- Recessed full width grill element
- Electronic programmable timer
- Cool touch athermic door handle
- Control panel and door cooling fan
- Catalytic self cleaning system
- Removable oven door and inner door glass
- Precision thermostatic control 0°C through to 275°C
- Quickstart fast preheat time 0°C – 175°C in 6 minutes

30cm Oven

- Select 5 multifunction cooking modes
- Conventional heated oven
- 43 litre oven capacity
- Electric Rotisserie
- Easy dismantling of oven interior
- Recessed full width grill element
- Cool touch athermic door handle
- Triple door glazing for safer, cooler door temperatures
- Catalytic self cleaning system
- Removable oven door and inner door glass

948 SXMP

- Completely re-engineered oven interior for ease of cleaning
- Giant 110 Litre oven capacity
- New Turbowave Quickstart preheating function 0°-175°C in 8 minutes
- Pizza, Bread and Pastry cooking function
- Electronic meat roasting probe
- 18/10 stainless steel and commercial style control panel and knobs
- Select 11 multifunction electric oven
- Inner door and control panel cooling fan
- Stainless steel fan fat filter
- Rotisserie
- Removable oven door and inner door glass
- Easy dismantling of oven interior
- Easy clean non staining black vitreous enamel oven interior
- Catalytic cook and clean interior including roof
- Turbowave cooking, lower temperatures, less food spatter, moister fresher tasting roasts
- Positive stop commercial roll-out internal trays optional
- Large baking tray
- Triple door glazing for safer, cooler door temperatures



Antique White




Matt Black



Colour Palette:


- Antique White
- Matt Black
- Stainless Steel

H 360 C




- Quad ring wok super burner
- 2 simmer and 1 high speed burner
- Precision burner controls
- Single handed electronic ignition
- Easy clean removable knobs
- Cast iron trivets and burner caps
- Single piece sealed hob for easy cleaning
- Deep cooktop pressing designed to retain spillages
- Standard 10 AMP plug in power supply
- Colours: Stainless Steel or Nostalgie colours Antique White or Matt Black

H 70 CV





- Quad all purpose super wok burner
- 3 burners each with different heat outputs
- One touch auto ignition with flame failure
- Infinite turn down control with low simmer on each burner
- New front mounted control for easy functional use
- Cast iron matt black trivets
- Compact design with maximum cooking space between burners (same cut-out dimensions as a 60cm cooktop)
- Colours: Stainless Steel
- Also available with left side wok burner (Model H 70 DX)

H 381 C



- Electric low simmer hot plate
- Quad ring wok super burner
- 1 high speed gas burner, 2 simmer burner
- Fluted pot stand
- Precision burner controls
- Easy clean removable burners and support
- Single handed electronic ignition
- Now with cast iron matt black trivets
- Colours: Stainless Steel or Nostalgie colour Matt Black


H 39 PC



- Rectangular fish burner
- Quad ring wok super burner
- 2 simmer, 1 high speed gas burner and 1 fish/griddle burner
- Precision burner controls
- Single handed electronic ignition
- Easy clean removable burners and supports
- Standard 10 AMP plug in power supply
- Available in smooth vitreous enamel or exclusive treated hardened Stainless Steel
- Now with cast iron matt black trivets
- Colours: Antique White, Stainless Steel or Matt Black


H 90 CCV

- Dual quad all purpose super wok burner
- 3 burners each with different heat outputs
- One touch auto ignition
- Infinite turn down control with low simmer on each burner
- New front mounted control for easy functional use
- Cast iron matt black trivets
- Compact design with maximum cooking space between burners
- Flame failure device on all five gas burners
- Cast iron trivets and burner caps
- Single piece sealed hob for easy cleaning
- Colours: Stainless Steel



H 90 FCV


- Quad all purpose super wok burner
- Removable Tepanyaki stainless steel hot plate
- 4 burners each with different heat outputs
- One touch auto ignition
- Infinite turn down control with low simmer on each burner
- New front mounted control for easy functional use
- Cast iron matt black trivets
- Flame failure device on all five gas burners
- Cast iron trivets and burner caps
- Single piece sealed hob for easy cleaning
- Colours: Stainless Steel



HP 95 FC

Flushline Cooktop


- Large cooking surface with spacious burner layout
- Quad ring all purpose super wok burner
- Precision burner controls
- 18/10 stainless steel construction
- Tepanyaki Hot plate (1.8cm thick plate of stainless steel)
- One touch automatic electronic ignition
- Front centred control panel
- Cast iron heavy duty trivets and burner caps finished in matt black
- All burners fitted with flame failure cut out safety devices
- Deep recessed spill tray
- Easy clean single piece sealed hob



V 364 & V 395

V 364


- Four highlight instant heat electric elements
- 4 Marker heat zone cooking
- Precision thermostat control
- Regional heat warning light
- Full sealed hob to bench protective perimeter frame
- 1 dual heat zone





V 395

- Highlight instant heat electric elements
- 5 Marker heat zone cooking
- Exclusive double heat zone extra power to accommodate wok or large pans

- Regional heat warning lights
- Low profile 50mm deep
- Contoured Stainless Steel control knobs
- Fully sealed hob to bench with protective perimeter frame



IVX 39




- Designed and purpose built for ILVE appliances
- Construction 2 piece 18/8 stainless steel
- High air extraction with double centrifugal fans for quiet and efficient operation (760m³/h)
- Three speed push button situated on the front facia
- Easy installation kit supplied
- Twin halogen lighting
- Adjustable flue pipe to fit standard ceiling
- Ducted or recirculating available
- Size: 60cm, 70cm, 80cm, 90cm wide
- Ducting size: 125mm
- Optional recirculating kit available

SBL 60cm – 80cm – 90cm Splashback to suit



- Flush line Stainless Steel Splashback panel with or without ladle bracket 600mm, 800mm and 900mm wide

X 200



- Designed and purpose built for ILVE appliances. Recommended for Barbecue and Tepanyaki models or wherever very high air extraction is required
- Twin high velocity, double turbine fan, low decibel rating, 1200m³/h net air throughput, option in-line motor increases air throughput to 1800m³/h NET
- Electronic touch control variable speed with auto fire shut-down sensors
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Halogen lighting
- Filter cleaning reminder light
- 18/10 stainless steel construction
- Sizes: 80cm, 90cm, 100cm, 120cm, 150cm
- Colour: Stainless Steel
- Ducting size: 150mm
- Can be set up for ducting or recirculating
- Optional extended flue pipe available
- Optional recirculating kit available


B2 CRYSTAL & B1



- Designed and purpose built for ILVE appliances. Recommended for Barbecue and Tepanyaki models or when very high air extraction is required
- Built to exacting professional cooker hood standards
- Suitable for all ILVE cooktops 80cm and 120cm
- Twin high velocity, double turbine fan, low decibel rating, 1200m³/h net air throughput, option in-line motor increases air throughput to 1800m³/h NET
- Electric touch control variable speed with auto fire shutdown sensors
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Halogen lighting
- Filter cleaning reminder light
- Ducting size: 150mm
- 18/10 stainless steel construction
- Size: B1 90cm
B2 90 or 120cm - frosted glass
- Optional recirculating kit available


T 29 Concealed Hood

- Designed and purpose built for ILVE appliances
- Twin high velocity, double turbine fan, low decibel rating, 1200m³/h net air throughput, option in-line motor increases air throughput to 1800m³/h NET
- One piece stainless steel underside
- Exclusive glide out fume deflector increase filtration area by 20%
- 4 speed twin velocity fan metal motor
- Halogen lighting
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Stainless steel mesh filters, dishwasher safe
- Available: 80cm, 100cm
- Optional recirculating kit available
- Ducting size: 150mm



Hydra Island Hood

- Designed and purpose built for ILVE appliances
- 90cm Island rangehood
- AS 304 stainless steel construction
- Single stainless steel filter
- Styled frosted glass surrounding
- Twin velocity, double turbine, 1200M³/h cast iron motor
- Designed and purpose built for ILVE cooking appliances, recommended for BBQ and Tepanyaki models where very high extraction is required
- Electronic touch control, variable speed increments
- Auto fire safety shutdown
- Programmable 5, 10, 15, 20 minute auto fan shutdown
- Halogen lighting
- Filter 'clean me' reminder light
- Colour: stainless steel
- Ducting size: 150mm



E 71 & E 75

- Full air extraction at front of hood
- Choice of ducted or recirculated
- Size: 60cm or 90cm wide

E71 Fine Line Slide-out

- 3 speed twin centrifugal fan motor 620m³/h net air extraction
- 2 aluminium and stainless steel mesh filters, dishwasher size
- Takes up to half the cupboard space of similar slide-out cooker hoods


E75 Turbo Twin Motor Deluxe

- Electronically controlled twin motor and fan smooth running and quiet operation
- Designed for the most intense domestic cooking
- 3 speed 850m³/h net air throughput
- Slide out filtration with stainless steel facia. May also be colour coordinated with kitchen décor
- Available in Stainless Steel



For specifications please refer to our website

REFRIGERATOR



- 546 Litre capacity gross
- Fridge on right 346 litre, Freezer on left 186 litre capacity net
- 'A' class energy rating
- Twin cooling system controlling the fridge and freezer independently using separate evaporators
- Frost free cooling system – reducing excess moisture, resulting in fresher/longer lasting food
- Inline filtration system
- Multi-flow air system, ensuring an even and consistent flow of cool air through each shelf level of the fridge and freezer
- POWER COOL AND POWER FREEZE function enabling you to speed up the cooling process
- Water and ice dispenser
- Matching kick panel
- Colours: stainless steel, matt black, antique white, emerald green, burgundy or blue


Model: RT 90 SBS (Stainless Steel)
RN 90 SBS (Nostalgie)

BUILT-IN DISHWASHERS



- 12 IEC place setting
- 7 Washing programs
- 20 minutes short wash program
- Direct injection wash system
- Two washing temperatures 65° – 55°C
- Stainless steel interior
- Turbo drying system
- Quietness; wash absorption built-in dampers
- Facility for long stem glasses
- Double anti-overflow device
- Self cleaning stainless steel microfilter
- Rinse aid indicator (internal)
- Blue led display

Model: WQP 12-9346A



Specifications for models:
WQP 12-9346A
WQP 12-B9251DM
WQP 12-9338

- 12 IEC place setting
- 7 Washing programs
- 20 minutes short wash program
- Direct injection wash system
- Two washing temperatures 65° – 55°C
- Concealed control panel
- Turbo drying system
- Quietness; wash absorption built-in dampers
- Facility for long stem glasses
- Double anti-overflow device
- Self cleaning stainless steel microfilter
- Rinse aid indicator (internal)
- Fully integrated

Model: WQP 12-B9251DM




Other available model: WQP 12-9338 fully integrated dishwasher with stainless steel door sold separately (DWP1)

MICROWAVE OVEN



- Made and purpose built to match all ILVE ovens
- 9 Electronic programmable auto cook presets
- 1400 watt microwave
- Output/input 900 watt
- 28 litre capacity
- Separate 1000 watt grill and browning
- 8 power levels
- Matching trim-kit also available

Model: WD 900 ESL 28 - 5S



SINKS



model: OL-309

- 18/10 Stainless Steel AS 304
- Polished to a satin finish
- Laser cut flush fit sealing
- Profile matches gas/electric hobs
- Deep drawn bowls
- Positive drainer prevent water pooling
- Insulated bowls
- Designer waste






model: OL-FL101 • Size: 800 x 490mm

- 18/10 Stainless Steel AS 304
- Polished to a satin finish
- Laser cut flush fit sealing
- Sink can be under or top mounted
- Deep drawn bowl
- Positive drainer prevent water pooling
- 20mm deep drainer
- Designer waste



model: OL-U323 Round • Size: 860 x 440mm

- 18/10 Stainless Steel AS 304
- Polished to a satin finish
- Laser cut flush fit sealing
- Profile matches gas/electric hobs
- Deep drawn bowl
- Available with square or round edging
- Wide range of accessories including cutting board, colander etc
- Insulated bowls
- Designer waste



DISCLAIMER

Euroinox PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does

it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.

ILVE COLLEZIONE

Catalogue 2007



For the entire ILVE range, ask for our latest catalogue



EUROLINX PTY LTD
HEAD OFFICE

48 Moore Street
Leichhardt NSW 2040

PH: (02) 8569 4600
FX: (02) 8569 4699



EUROLINX VIC

1211 Toorak Road
Camberwell VIC 3124

PH: (03) 9809 2122
FX: (03) 9809 2155



EUROLINX QLD

1/42 Cavendish Road
Corparoo QLD 4151

PH: (07) 3397 0900
FX: (07) 3397 0850



EUROLINX W.A.

Unit 10/55 Howe Street
Osborne Park WA 6017

PH: (08) 9201 9299
FX: (08) 9201 9188



EUROLINX S.A.

73 Welland Ave
Welland S.A 5007

PH: (08) 8340 5200
FX: (08) 8340 8933



EUROLINX N.Z.

P.O.Box 11.160
Sockburn, Christchurch

PH: 0508 458 369
FX: (03) 344 5906

QUEENSLAND COUNTRY

PH: (07) 5477 5844
FX: (07) 5477 5866

TASMANIA

PH: (03) 9809 2122
FX: (03) 9809 2155

ilve@eurolinx.com.au / www.ilve.com.au

