



ULLTRACLAD

Wintec Aluminium

Building Products Beyond the Standards

Wintec Aluminium offers a range of building products beyond the standards. Be it weather or energy efficient door & windows with larger uninterrupted views, or low maintenance exterior cladding - *Wintec has the product.*

The latest addition to the Wintec building products range is the recently acquired Ulltraclad cladding system.

This durable and pre-finished cladding system sets itself ahead of the field. With cost effective and simplified installation and is also backed by creditable test results from BRANZ.



Ulltraclad Aluminium cladding is an interlocking powder-coated cladding system, which is designed to be used as a complete external wall cladding system for residential and commercial type buildings where domestic building techniques are used.



Ulltraclad is produced in an extensive modern & classic range of designs, which can be used in horizontal or vertical applications. This system is extruded from premium grade aluminium & powder-coated to your colour of choice. Ulltraclad allows many different design options and styles while eliminating painting & constant maintenance.



Ulltraclad has been extensively tested up to & including cyclonic requirements & carries a Branz Appraisal Certificate & extensive warranty.



Ultraclad Gallery





ULLTRACLAD

A DIVISION OF WINTEC ALUMINIUM PTY LTD

Ultracalad is an interlocking, durable aluminium cladding system complete with ashings, xings and is powder coated or anodised in a large range of colours with an extended warranty. As part of Ultracalad's continuance improvements, market trends and increased demands on a larger range. Ullrich Aluminium's design team have developed a new domestic / commercial type board to add to the current modern and classic range of weatherboard pro les.

The boards are extruded from premium grade aluminium as a weatherboard pro le with either a smooth (Traditional, Standard and now Shadoline), corrugated (Full Corrugate and Baby Corrugate) or grooved (Tee Board and vertical). When installed Ultracalad is effectively 15mm thick and ranges from 140mm – 205mm. It is available in 5 and 6 metre lengths.

Ultracalad has been extensively tested up to and including cyclonic conditions and carries a Branz appraisal certi cate (No. 454 2005), is re rated to 60 minutes and additionally is lightweight easy to install and can be used in horizontal or vertical applications. The Ultracalad system consists of weatherboards, locators for hidden fixing, internal / external corner moulds, starter strips, board jointer soft t mould joinery ashings and accessories. The system is applied direct to the external wall framing with a locator over absorbent wrap. Supported strongly by Ullrich Aluminium branches throughout Australia, Ultracalad has the technical and sales support to meet your cladding requirements.



Australia's weather conditions demand a cladding that performs year after year.

Extensively tested up to & including cyclonic conditions.

Excellence in Performance & Design



Ultracalad the Permanent Cladding Solution

For more information contact Cladding Manager Wayne Saunders



ULLTRACLAD

A DIVISION OF WINTEC ALUMINIUM PTY LTD

CLADDING PROFILES

**140mm
Tee Board**



**150mm
Traditional
Weatherboard**



**174mm
Vertical
Weatherboard**



**185mm
Full Corogated
Weatherboard**



**190mm
Standard
Weatherboard**



**205mm
Shadoline
Weatherboard**




ULLRICH

Wintec Aluminium Stock



*Wintec Aluminium sections are stocked
throughout Ullrich Aluminium branches
Australia wide*



*Looking for more information about
Wintec Aluminium? Visit us on the web at
www.wintecaluminium.com.au*