


PREMIUM QUALITY
Strand Woven Bamboo Flooring


Style





Style Bamboo Flooring Fact:
Naturally self-generating,
bamboo grows to maturity
within five years compared
with commercially grown
hardwood which can take
70+ years.

Approved by designer, builder and your hippy brother-in-law.

Environmentally friendly Style® flooring is made from rapidly renewable bamboo. Naturally self-generating, bamboo grows to maturity within five years and is regarded as the strongest wood plant on earth. Style Bamboo Floors are incredibly durable and even stronger than most hardwoods. Made using patented strand woven bamboo, Style Bamboo Flooring is harder than most popular timber flooring including spotted gum, brush box and jarrah. The result is an environmentally friendly product that has the look and feel of traditional timber flooring, but with unrivalled performance and at a competitive price. Style Bamboo Flooring is a natural selection for your next building project.



Good Environmental Choice Australia
GECA Certified contributing to Green Star rating

Lic: STY-2007
Furniture and Fittings




Style Bamboo Flooring Colour Range

Style Bamboo Flooring is pre-finished with six UV coatings, requires no further sanding or finishing and comes in a range of contemporary colours to match any interior. The six UV topcoats are scratch resistant and help block harmful rays from the sun to protect the bamboo floor from fading over time.

Tough and durable

Strand Woven Bamboo has a Janka hardness rating of 14.8kN for Natural and 15.3kN for Coffee and Suede - almost twice the average hardwood.



Installation

Style Bamboo Flooring comes in traditional tongue & groove or floating floor options and is quick and easy to install. Style Tongue & Groove: Glue down is recommended with Sika T55 adhesive with an appropriate moisture barrier applied first. Style Solid Lock: Float with an approved underlay which has a moisture barrier. Installation instructions are available on request.

Natural

Hardness: 14.8kN
Description:
Straw to honey blonde, similar to Blackbutt or Ponderosa Pine.

Gunstock

Hardness: 15.3kN
Description:
Versatile golden brown colour similar to Brown Oak, Ipe or Sapele.

Saddle

Hardness: 15.3kN
Description:
Rich chocolate similar to Dark Walnut or Merbau.

Autumn

Hardness: 15.3kN
Description:
Warm natural orange earthy tones similar to Western Red Cedar, Kempas or Sapele.

Flint

Hardness: 15.3kN
Description:
Dark liquorice similar to Ebony or Wenge.

Coffee

Hardness: 15.3kN
Description:
Consistent mid brown similar to Tallowood or Teak.

Suede

Hardness: 15.3kN
Description:
Mid brown base with a blend of darker colour similar to Blackbean or Blackwood.

Sienna

Hardness: 15.3kN
Description:
Rich dark red tones similar to Jarrah, Red Mahogany or Padauk.

Tongue & Groove



Cover Width
96 mm or 142 mm*

Floating Floor



Cover Width
90 mm or 130 mm

Trim accessories also available for
both T&G and Floating Floor options

Technical Specifications

Colours

Natural Series: (Matte) Natural, Coffee and Suede

Coloured Series: (Semi-gloss) Autumn, Gunstock, Sienna, Saddle and Flint

Sizes

Solid Tongue & Groove:

Direct stick with Sika T55 adhesive

12 mm x 96 mm x 1830 mm

12 mm x 142 mm x 1830 mm*

Solid Lock Floating Floor:

Patented Uniclic locking system

12 mm x 130 mm x 1830 mm

10.5 mm x 90 mm x MPL 1220 / 600 mm†



Finish

Style Bamboo Flooring is pre-finished with six UV coatings by Klumpp - a world leader in coating technology. All coatings are water-based, solvent free and meet US/European (E1) standards for offgassing. Natural Series comes in a matte finish (max. 25-30% gloss level). Coloured Series has a slight transparency with a semi-gloss finish (max. 45% gloss level).

Moisture

< 10%

Abrasion Resistance

ASTD D 4060 Final wear - through cycle, 16000⁵

Slip Resistance

In accordance with AS/NZS 4586, R9

Flammability (ISO 9239.1-2003)

ASTM E 638 Critical Radiant Flux

Mean distance of flame travel/Average critical radiant flux/Average smoke obscuration, 300 mm/7.1 kW/m²/31% min

VOC Emissions

< E1, 0.0155 ppm (Below recommended World Health Organisation Levels)

Warranty

For peace of mind Style Bamboo Floors come with a 20 year structural warranty and 10 year coating warranty for residential applications. And a 10 year structural warranty and 5 year coating warranty for commercial applications.

Other Strand Woven Bamboo Products

To enhance design options, a range of solid strand woven bamboo panels are available to order. Please check for further details.

Available from



For customer service, architectural, technical or retail support contact
Style Australasia Telephone +61 (0) 3 9528 2065 E-mail info@styleaustralasia.com
or visit www.stylebambooflooring.com/specify

