


**STYLISH  
ERGONOMIC  
DESIGNED  
LEVA  
TAPWARE  
IMPROVES  
HYGIENE  
WITH  
SUPERIOR  
STRENGTH**



Lever Action Tapware

# LEVA HELPS REDUCE THE RISK OF CROSS CONTAMINATION

In hospitals, medical and food applications cross infection control is critical. The stylish Leva150 reduces the risk of cross contamination when hand washing, through easy elbow operation. These critical applications also require tapware that is durable and reliable. The Leva range incorporates a unique handle fixing to provide superior strength and longevity in these critical health environments.

- Constructed from heavy duty dezincification resistant DR brass and WaterMark licensed to AS/NZS3718
- Anti-rotating SBA to minimise handle rotation
- Anti-rocking bushes and lock nut for greater handle stability

## Stylish new lever style is available in two lever lengths

- LEVA150 - 150mm, particularly for wash areas where hygiene is important, delivering hands free elbow operation reducing the risk of cross contamination.
- LEVA80 - 80mm, ideal for ensuites and general fittings where a smaller lever assists with tap use. Being able to use palm or wrist for activation makes using the tap easier, particularly for arthritis sufferers.
- The LEVA range also provides easier reach, operation and control for accessible applications.

The modern ergonomic design is easy to clean and features identification rings on the handle for either; cold - *Blue*, warm - *Yellow* or hot - *Red* water control.



BENCH MOUNTED 150mm LEVA



WALL MOUNTED 80mm LEVA

## WATER EFFICIENCY

Enware Australia has used the performance criteria of

- AS/NZS6400 - Water Efficient Products - Rating and Labelling
- AS/NZS3718 - Tapware
- AS/NZS3662 - Showers

as the benchmark for our water efficient product performance.

The pressure compensating flow control technology included in Enware's product, ensures consistent flow rate delivery across the pressure band from 150 kpa - 500 kpa with minimal deviation.

### Tapware



WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard. Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings

### Showers



WELS 3 Star (7.6 lpm) water efficiency rating supplied as standard.



## TECHNICAL INFORMATION

**Finishes:** Bright Chrome is standard. Optional Satin Chrome and Epoxy Powder Coating.

**Indicators:** Sets supplied with ●Blue, ●Yellow & ●Red Indicator Rings.

**Flanges:** Standard flange supplied allows for up to 15mm adjustment. Extended spindles 20, 25, 30 & 40mm can be ordered to allow for deeper recesses.

**Spout Options:** Custom sizing is available refer to page 7.

**Outlet Options:** Aeration is supplied standard on wall and hob mounted spouts. Laminar flow option available in 6 or 8 lpm - specify when ordering.

Valving Options	1/4 Turn Ceramic Disc	1/4 Turn Rising Jumper Valve
Recommended Max. Working Pressure (AS/NZS 3500)	500 kPa	500 kPa
Operating Working Pressure	50-800 kPa	30-1200 kPa
Maximum working temperature*	85°C	95°C


Enware products are to be installed in accordance with AS/NZS3500.

\* Heated Water Supply AS/NZS 3500.4: For all sanitary fixtures used primarily for personal hygiene purposes are to deliver heated water not exceeding:  
a) 45°C for early childhood centres, primary and secondary schools and nursing homes or similar facilities for young, aged, care, sick or people with disabilities (43.5°C - NSW Code of Plumbing Practice)  
b) 50°C in all other building


NOTE: Enware Australia advises -

1. Due to ongoing Research and Development, specifications may change without notice.
2. Component specifications may change on some export models.

### 1/4 Turn Contra-Rotating Handles




# LEVA 150 SERIES



## LEVA 150MM BIB COCK - FEMALE 15MM

- LEV150301F** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV150301F** Jumper Valve *Specify Cold, Warm or Hot when ordering*


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 150MM PILLAR COCK 15MM

- LEV150302** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV150302** Jumper Valve *Specify Cold, Warm or Hot when ordering*



*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 150MM BASIN SET WITH SPC001 FIXED AERATED SPOUT

- LEV150306** Ceramic Disc
- LJV150306** Jumper Valve
- Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 150MM SINK SET WITH SPC010 SWIVEL AERATED SPOUT


- LEV150307** Ceramic Disc
- LJV150307** Jumper Valve
- Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*




## LEVA 150MM RECESS ADAPTOR

- LEV150308** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV150308** Jumper Valve *Specify Cold, Warm or Hot when ordering*



## LEVA 150MM WASHING MACHINE TAP


- LEV150313** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV150313** Jumper Valve *Specify Cold, Warm or Hot when ordering*



## LEVA 150MM RECESS WALL SET WITH SPC201 DELUXE FIXED AERATED BATH SPOUT

- LEV150314** Ceramic Disc
- LJV150314** Jumper Valve
- Contra-rotating levers


# LEVA 150 SERIES



## LEVA 150MM RECESS WALL SET WITH SPC110 SWIVEL AERATED SPOUT

**LEV150315** Ceramic Disc  
**LJV150315** Jumper Valve  
Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 150MM RECESSED WALL SET WITH SP262 DELUXE SHOWER ROSE

**LEV150316** Ceramic Disc  
**LJV150316** Jumper Valve  
Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.*



## LEVA 150MM RECESS WALL SET WITH SP251 EXTENDABLE LAUNDRY ARM

**LEV150347** Ceramic Disc  
**LJV150347** Jumper Valve  
Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 150MM RECESS WALL SET HAND HELD SHOWER AND 1.5M HOSE WITH 900MM STAINLESS STEEL GRAB RAIL AND ADJUSTABLE HEIGHT SHOWER HEAD HOLDER

**LEV150364** Ceramic Disc  
**LJV150364** Jumper Valve  
Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.*



## LEVA 150MM TYPE 50 HOB MOUNTED MIXING SET WITH SPC020 SWIVEL AERATED SPOUT

**LEV150401** Ceramic Disc  
**LJV150401** Jumper Valve  
Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 150MM TYPE 51 WALL MOUNTED MIXING SET WITH SPC020 SWIVEL AERATED SPOUT

**LEV150402** Ceramic Disc  
**LJV150402** Jumper Valve  
Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*




## LEVA 150MM TYPE 56 WALL MOUNTED MIXING SET

**LEV150420** Ceramic Disc  
**LJV150420** Jumper Valve  
Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*


# LEVA 80 SERIES



## LEVA 80MM BIB COCK - FEMALE 15MM

- LEV80301F** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV80301F** Jumper Valve *Specify Cold, Warm or Hot when ordering*



*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 80MM PILLAR COCK 15MM

- LEV80302** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV80302** Jumper Valve *Specify Cold, Warm or Hot when ordering*



*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 80MM BASIN SET WITH SPC001 FIXED AERATED SPOUT

- LEV80306** Ceramic Disc
- LJV80306** Jumper Valve
- Contra-rotating levers


*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 80MM SINK SET WITH SPC010 SWIVEL AERATED SPOUT


- LEV80307** Ceramic Disc
- LJV80307** Jumper Valve
- Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*




## LEVA 80MM RECESS ADAPTOR

- LEV80308** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV80308** Jumper Valve *Specify Cold, Warm or Hot when ordering*



## LEVA 80MM WASHING MACHINE TAP


- LEV80313** Ceramic Disc *Specify Cold, Warm or Hot when ordering*
- LJV80313** Jumper Valve *Specify Cold, Warm or Hot when ordering*



## LEVA 80MM RECESS WALL SET WITH SPC201 DELUXE FIXED AERATED BATH SPOUT

- LEV80314** Ceramic Disc
- LJV80314** Jumper Valve
- Contra-rotating levers

# LEVA 80 SERIES




## LEVA 80MM RECESS WALL SET WITH SPC110 SWIVEL AERATED SPOUT

**LEV80315** Ceramic Disc

**LJV80315** Jumper Valve

Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*




## LEVA 80MM RECESS WALL SET WITH SP262 DELUXE SHOWER ROSE

**LEV80316** Ceramic Disc

**LJV80316** Jumper Valve

Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*




## LEVA 80MM RECESS WALL SET WITH SP251 EXTENDABLE LAUNDRY ARM

**LEV80347** Ceramic Disc

**LJV80347** Jumper Valve

Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*




## LEVA 80MM RECESS WALL SET HAND HELD SHOWER AND 1.5M HOSE WITH 900MM STAINLESS STEEL GRAB RAIL AND ADJUSTABLE HEIGHT SHOWER HEAD HOLDER

**LEV80364** Ceramic Disc

**LJV80364** Jumper Valve

Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.*




## LEVA 80MM TYPE 50 HOB MOUNTED MIXING SET WITH SPC020 SWIVEL AERATED SPOUT

**LEV80401** Ceramic Disc

**LJV80401** Jumper Valve

Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*



## LEVA 80MM TYPE 51 WALL MOUNTED MIXING SET WITH SPC020 SWIVEL AERATED SPOUT

**LEV80402** Ceramic Disc

**LJV80402** Jumper Valve

Contra-rotating levers

*WELS 3 Star (7.7 lpm) water efficiency rating supplied as standard.  
Also available in 2 (9.1 lpm) 5 (5.6 lpm) Star ratings*


# SPECIFY AN OUTLET SIZE AND SHAPE TO SUIT YOUR APPLICATION

Enware has a wide range of spout options available and because we manufacture here in Australia we can also customise sizes and shapes for you. Below are a selection of the most common shapes and sizes available.

When ordering your LEVA tapware set please specify your preferred spout code and description.


For more spout and outlet options please refer to Enware's Outlets brochure or contact your Enware representative.

## BENCH MOUNTED OPTIONS




Cache Curved Basin Spout

	A	B	C
SPC001 Fixed Outlet	115	100	175
SPC002 Swivel Outlet	115	120	195




Cache Hob Standard Swivel Spout

	A	B	C
SPC010	180	100	185
SPC011	230	145	225
SPC012	300	165	245
SPC015 *	*	*	*



Cache Hob Curved Swivel Spout


	A	B	C
SPC020	150	150	265
SPC021	150	235	350
SPC025 *	150	*	*
SPC026	200	125	265
SPC027 *	200	*	*



Cache Hob Square Swivel Spout


	A	B	C
SPC040	150	145	260
SPC045 *	*	*	*

## WALL MOUNTED OPTIONS




Cache Wall Fixed Bath Spout

	A		
SPC201	155		
SPC202	180		
SPC203	205		
SPC205 *	*		




Cache Wall Standard Swivel Spout

	A	B	C
SPC110	220	95	175
SPC111	270	135	215
SPC112	340	160	235
SPC115 *	*	*	*



Cache Wall Curved Swivel Spout

	A	B	C
SPC120	190	145	225
SPC121	190	225	340
SPC125 *	190	*	*
SPC126	240	115	260
SPC127 *	250	*	*




Cache Wall Square Swivel Spout

	A	B	C
SPC140	190	135	250
SPC145 *	*	*	*

\* Indicates custom size products. There are limitations and additional costs, please check with your Enware representative.


## TWO OF ENWARE'S BROAD RANGE OF INNOVATIVE SPECIALIST PRODUCTS



### AQUABLEND. THE SAFEST WAY TO MIX WATER TO A PRE-SET TEMPERATURE.

Aquablend high-performance Thermostatic Mixing Valves are the only TMVs designed and manufactured in Australia and are supported by more than seven decades of Enware's experience and expertise.

Aquablend is the proven solution for showers, baths, and basins – especially where there are young children, elderly or disabled people.



### THE ENMATIC SERIES OF SENSOR ACTIVATED TAPWARE HELPS MINIMISE CROSS CONTAMINATION

- Hygienic, no-touch activation
- Water efficient - WELS registered
- Wave on - wave off provides hands-free user control
- Various spout options available
- On-demand, sensor activated options available for both wall or basin fixings

For more information and product brochures call 1300 369 273 (1300 ENWARE) or visit [www.enware.com.au](http://www.enware.com.au) • email: [info@enware.com.au](mailto:info@enware.com.au)

# LEADING ORGANISATIONS CHOOSE ENWARE

Enware's award winning tapware and safety systems are appreciated for its style, function, uncompromised quality and value. That's why it's chosen by these leading Australian and international companies:

## FOOD SERVICE

McDonald's Restaurants  
Coles Supermarkets  
QANTAS Catering  
Woolworths Australia  
Hungry Jacks Restaurants  
Wildfire Restaurants  
Star Bucks

## INDUSTRY

WMC Olympic Dam Expansion, SA  
Hewlett Packard, Penang  
ORICA, Chlor-Alkali Plants NSW/VIC  
Pasminco Century Zinc Mine, QLD  
Unilever, Indonesia  
Caltex, Malaysia  
Rayong Refinery - Thailand  
Goro Nickel  
BASF, Philippines  
Chartered Semi Conductor, Singapore  
QANTAS, Sydney International Airport  
Shell Refinery, New Guinea

## AGED CARE, SELF CARE AND RETIREMENT VILLAGES

Frank Whidden Homes - Taylor House, NSW  
Balcatta Nursing Home, WA  
Berala Nursing Home, NSW  
Mekong Senior Citizens Hostel Nursing Home, VIC  
Lady of Grace Nursing Home NSW  
Cedars Nursing Home, NSW  
Goodwin Village Ainslie, ACT  
Casey Aged Care Facility, Doveton, VIC  
Knox Rehab and Aged Care Facility, VIC  
Greenmount Nursing Home, WA  
Belbired Lodge, Oakleigh, VIC  
Mercy Aged Care, East Melbourne, VIC  
Masonic Nursing Home, Tiwi, NT  
Villa Terenzio Nursing Home, WA  
Lourdes Retirement Village, NSW  
Rocky Point Retirement Village, WA  
Thomas Holt Retirement Village, NSW  
The Gap Retirement Village, QLD  
Blue Haven Retirement Village, NSW

## HOSPITALS

St Vincents Hospital, Sydney  
Royal Brisbane Hospital  
Royal Adelaide Hospital  
St Andrews, Brisbane  
King Hamad Hospital, Bahrain  
Royal Prince Alfred Hospital  
Royal Dental Hospital, VIC  
Royal North Shore Hospital, NSW  
John Hunter Hospital  
Auckland Hospital, NZ

## UNIVERSITIES

Melbourne University, Chemistry & Biology Buildings  
Sydney University  
University of NSW - G11 Building  
Curtin University - WA  
Curtin University - ACT  
Australian National University, ACT  
Edith Cowan University, WA  
University of South Pacific, W. Samoa

**SPECIALIST TAPWARE** Commercial, Industrial, Hospitals, Schools, Laboratories, Anti-vandal, Food service  
**SAFETY SYSTEMS** Deluge showers, Emergency eyewashes, Decontamination equipment, Spill containment products  
**SPECIALIST WATER SYSTEMS** Thermostatic mixing valves, Electronic tapware, Flush valves, Flow regulation  
**APPLIANCES** Water chillers, Boiling water units, Hand hygiene systems  
**BATHROOM CARE** Specialised adjustable Shower chairs, Support arms, Toilet seats, Basin supports, Grab rails

**DISTRIBUTED BY:**



A.C.N. 003 988 314

9-11 Endeavour Road, Caringbah, NSW 2229 Australia P.O. Box 2545 Taren Point NSW 2229

Ph: 61-2- 9525 9511 • Fax: 61-2- 9525 9536

Phone: 1300 369 273 (1300 ENWARE) • Fax: 1800 633 673

[www.enware.com.au](http://www.enware.com.au) • email: [info@enware.com.au](mailto:info@enware.com.au)