


## P 60 WMP & PE 60 WMP



**P 60**  
4 burner



**PE 60**  
Ceramic

- 9 multifunction cooking modes
- 70 litre oven capacity
- Catalytic self cleaning system
- Storage and warming compartment
- Quickstart fast preheat time 0°C - 175°C in 6 minutes
- Also available in gas oven P 60 WVG
- Colour: Stainless Steel

### Gas Cooktop


- Quad ring super wok burner
- Cast iron heavy duty trivets and burners
- All gas burners fitted with flame failure safety devices

### Electric Cooktop

- 4 quick start electric elements
- Marker heat zone
- 2 dual zone heat elements



## P 70 WMP & PD 70 WMP



**P 70**  
**PD 70**  
4 burner



- 70 litre oven capacity
- 9 multifunction cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Quickstart fast preheat time 0°C - 175°C in 6 minutes
- Triple door glazing
- Colour: Stainless Steel

### Separate Grill (PD 70 WMP only)


- 43 Litre capacity
- 2400 watt grilling element
- 12 stage heat variation grill system
- Telescopic glide out oven racks
- Triple glazed glass door

### Gas Cooktop

- Quad ring all purpose super wok burner
- Cast iron heavy duty trivets and burner caps
- All gas burners fitted with flame failure safety devices



## P 80 WMP




**P 80**  
Fish  
burner

- Giant 110 Litre oven capacity
- 18/10 stainless steel and commercial style control panel and knobs
- Select 10 multifunction electric oven
- Rotisserie
- Removable oven door and inner door glass
- European A class energy rating
- Easy clean non staining black vitreous enamel oven interior
- Catalytic cook and clean interior including roof (electric oven)
- Triple door glazing for safer, cooler door temperatures
- Catalytic cook and clean interior including roof
- Large baking tray
- Also available in a Gas Oven (P80WVG)

### Gas Cooktop 80cm

- Quad ring all purpose super wok burner
- Precision burner controls each with position accurate thermostatic control
- All gas burners fitted with flame failure safety devices



Model P 80 WMP

## P 90 WMP Series



- Giant 110 litre oven capacity
- Quickstart preheating 0°C - 175°C in 8 minutes
- 10 multifunction electric oven cooking modes
- Catalytic cook and clean interior including roof
- Storage and warming compartment
- Triple door glazing for safer, cooler door temperatures
- Also available in gas oven P 90 WVG

### Gas Cooktop

- Quad ring super wok burner
- Brass burners
- All gas burners fitted with flame failure safety devices

### Electric Cooktop

- 5 quick start electric ceramic elements
- Marker heat zone
- Exclusive double heat zone extra power to accommodate wok or large pans



## PD 90 Series



- Oven 1 - 70 litres
- Oven 2 - 43 litres
- 9+5 multifunction cooking modes
- Catalytic self cleaning system including roof
- Available with solid stainless steel Tepanyaki plate
- Quickstart fast preheat time 0°C - 175°C in 6 minutes
- Triple door glazing
- Rotisserie in 30cm oven

### Cooktop

- Quad ring super wok burner
- Brass burners
- All gas burners fitted with flame failure safety

### Electric Cooktop

- 5 quick start electric
- Marker heat zone
- Exclusive double heat zone extra power to accommodate wok or large pans




## PD 100 Series

- Oven 1 - 70 litres
- Oven 2 - 50 litres
- 9+5 multifunction cooking modes
- Catalytic self cleaning system
- Removable oven door and inner door glass
- Storage and warming compartment
- Turbowave quickstart fast preheat time 0°C - 175°C in 6 minutes
- Triple door glazing
- Rotisserie in 40cm oven

### Cooktop

- Quad ring super wok burner
- Cast iron heavy duty trivets and burner caps
- All gas burners fitted with flame failure safety
- Available with an electric cooktop (See above for details)





## PTW 100 Series



**PTW 1006**  
6 Burners



**PTW 100F**  
Tepanyaki Hot Plate



**PTW 100B**  
Barbecue



**PTWE 100**  
Ceramic

### Separate Grill


- 43 Litre capacity
- 2400 watt grilling element
- 12 stage heat variation grill system

### Separate 60cm Multi-function Oven and 40cm Convectional Oven


- Select from 9 cooking modes or 5 cooking modes
- Both ovens have their own full width recessed grill
- New turbo-wave Quickstart preheating function 0-180°C in 6 minutes
- Rotisserie mode in 40cm oven
- Separate pull out storage compartment
- Precision thermostat control 0-250°C
- Extra deep large baking tray
- Telescopic glide out oven racks

### Gas cooktop 100cm


- For cooktop features please refer to PD 100 Series on page 3




## P 120 Series




**P 1207**  
7 burner




**P 120 F**  
Tepanyaki hot plate



**P 120 S5**  
Simmer plate



**P 120 B6**  
Barbecue



**P 120 FR**  
Tepanyaki + Deep fryer




**P 120 V**  
Ceramic 1 zone

- Double electric multifunction ovens
- Oven 1 - 90 cm 110 litres
- Oven 2 - 30 cm 43 litres
- Full catalytic self cleaning system including roof
- Storage and warming compartment
- Quickstart fast preheat time 0°C - 175°C in 8 minutes
- Triple door glazing
- New A Class energy rating


### Gas Cooktop

- Quad ring super wok burner
- Cast iron heavy duty trivets
- All gas burners fitted with flame failure safety devices
- Choose from 6 cooktop combinations


- Also available with two 60cm ovens (PD 120 Series)




## P 150 Series




**P 150 F**  
Tepanyaki hot plate




**P 150 S**  
Simmer plate



**P 150 FS**  
Tepanyaki + Simmer plate



**P 150 B**  
Barbecue



**P 150 FR**  
Tepanyaki + Deep fryer




**P 150 V**  
Ceramic 1 zone

- Double electric multifunction ovens
- Oven 1 - 90 cm 110 litres
- Oven 2 - 60 cm 70 litres
- Full catalytic self cleaning system including roof
- Removable oven door and inner door glass
- Turbowave quickstart fast preheat time 0°C - 175°C in 6 minutes (60 cm) 8 minutes (90 cm)
- Triple door glazing
- Rotisserie

### Gas Cooktop

- Two quad ring super wok burners
- Brass burners
- All gas burners fitted with flame failure safety




## T 60 WMP

- 70 litre oven cooking capacity
- 9 multifunction electric oven cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Precision thermostatic 0°C - 275°C
- Triple door glazing
- Colour: Stainless Steel



### Gas Cooktop

- Quad ring all purpose super wok burner
- Cast iron matt finished trivets
- All gas burners fitted with flame failure safety devices
- One piece easy clean stainless steel hob top with spacious burner placement




## T 90 Series

- Giant 110 litre oven cooking capacity
- 10 multifunction electric oven cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Precision thermostatic 0°C - 275°C
- Triple door glazing
- Rotisserie



### Gas Cooktop

- Quad ring super wok burner
- Cast iron heavy duty trivets
- All gas burners fitted with flame failure safety devices
- One piece easy clean stainless steel hob top with spacious burner placement
- Available with 6 burners



## TD 90 Series

### 60cm Multi-function Oven

- 70 litre oven cooking capacity
- 9 multifunction electric oven cooking modes
- Catalytic self cleaning system
- Storage and warming compartment
- Precision thermostatic 0°C - 275°C
- Triple door glazing




### 30cm Oven

- Select 5 multifunction cooking modes
- Rotisserie mode
- 43 litre oven capacity

### Gas cooktop

- For cooktop features refer to T 90 WMP and T 906 WMP
- Also available with 5 burners (TD 90 WMP)





P 906 NMP (Antique white)



PD 90 FNMP (Blue)



PD 1006 NMP (Matt Black)



PDN 120 S5MP (Burgundy)



For product specifications please refer to pages 1 to 5

Most ILVE models are available in Nostalgie style. Refer to full catalogue for further details.

**Colour Palette:**

- Antique White
- Burgundy
- Matt Black
- Blue
- Emerald Green
- Stainless Steel

## 600 LM

- Select 9 multifunctional cooking modes
- 70 litre oven capacity
- Turbowave cooking
- Easy dismantling of oven interior
- Double spill trays on floor of oven
- Easy clean vitreous enamel interior, smooth black non staining appearance
- Digital electronic clock
- Triple door glazing for safer, cooler door temperatures
- European A Class energy rating
- Removable oven door and inner door glass
- Twin fan cavity integrated cooling system
- Pizza and bread mode
- Concealed grill element
- Precision thermostatic 0°C through to 275°C
- Fast preheat time 0°C-175°C in 6 minutes
- Two Year Warranty
- Colour: Stainless Steel



## 600 WMP

- Select 9 multifunction cooking modes
- 70 litre oven capacity
- Easy dismantling of oven interior
- Easy clean vitreous enamel interior smooth black non staining appearance
- Recessed full width grill element with removable self cleaning roof
- Electronic programmable timer
- Cool touch athermic door handle
- Control panel and door cooling fan
- Triple door glazing for safer, cooler door temperatures
- Catalytic self cleaning system
- Removable oven door and inner door glass
- Exclusive removable oven floor ensures easy cleaning of interior can be made in the sink or dishwasher
- Quickstart fast preheat time 0°C – 175°C in 6 minutes
- European A Class energy rating

For specifications please refer to the full catalogue or visit our website on [www.ilve.com.au](http://www.ilve.com.au)



## 600 SSXMP

- 70 litre oven capacity
- 9 cooking modes
- Concealed push button control panel
- Meat/roast probe (digital food monitor)
- Triple glazed glass door
- Easy clean vitreous enamel interior
- Easy dismantling of oven interior
- Cool touch athermic door handle
- Catalytic self cleaning system covering 95% of internal oven cavity
- Turbo-wave quick-start pre heat mode, 0-175°C in 6 minutes
- European A Class energy rating

For specifications please refer to the full catalogue or visit our website on [www.ilve.com.au](http://www.ilve.com.au)



## D 600 WMP

### Separate Grill

- 25 Litre capacity
- 2400 watt grilling element
- 12 stage heat variation grill system
- Recessed full width grill element
- Removable oven floor and door
- Triple glazed glass door
- Easy dismantling of oven interior
- Accurate variation temperature control

For specifications please refer to the full catalogue or visit our website on [www.ilve.com.au](http://www.ilve.com.au)

### Separate Multi-function Oven

- Select from 9 cooking modes
- 70 Litre oven capacity
- New turbo-wave Quickstart preheating function 0-180 °C in 6 minutes
- Easy dismantling of oven interior
- Easy clean vitreous enamel interior smooth black non staining appearance
- Removable oven door and inner glass
- Triple glazed glass door





## 700 WMP



- Giant 90 Litre oven capacity
- New Turbowave Quickstart preheating function 0°C–180°C in 8 minutes
- Pizza, Bread and Pastry cooking function
- AS304 stainless steel and commercial style control panel and knobs
- Recessed grill element
- Select 10 multifunction electric oven
- Inner door and control panel cooling fan
- Stainless steel fan fat filter
- Rotisserie
- Removable oven door and inner door glass
- Easy dismantling of oven interior

- Easy clean non staining black vitreous enamel oven interior
- Self-cleaning catalytic liners
- Turbowave cooking, lower temperatures, less food spatter, moister fresher tasting roasts
- Triple door glazing for safer, cooler door temperatures
- Double spill trays on floor of oven
- Colours: Stainless Steel

For specifications please refer to the full catalogue or visit our website on [www.ilve.com.au](http://www.ilve.com.au)

## 800 WMP



- Giant 110 Litre oven capacity
- New Turbowave Quickstart preheating function 0°C–175°C in 8 minutes
- Pizza, Bread and Pastry cooking function
- 18/10 stainless steel and commercial style control panel and knobs
- Recessed grill element
- Select 10 multifunction electric oven
- Inner door and control panel cooling fan
- Rotisserie
- Removable oven door and inner door glass
- Easy clean non staining black vitreous enamel oven interior

- Catalytic cook and clean interior including roof
- Turbowave cooking, lower temperatures, less food spatter, moister fresher tasting roasts
- Triple door glazing for safer, cooler door temperatures
- Positive stop roll-out internal trays
- Colours: Stainless Steel

For specifications please refer to the full catalogue or visit our website on [www.ilve.com.au](http://www.ilve.com.au)

## 201 LM & 201 WMP



### Upper Oven

- Select 9 multifunction cooking
- 43 litre oven capacity
- Easy dismantling of oven interior in both ovens
- Triple door glazing for safer, cooler door temperatures in both ovens
- Cool touch athermic door handle in both ovens
- Control panel and door cooling fan in both ovens
- Removable oven door and inner door glass in both ovens

### Lower Oven

- Select 9 multifunction cooking modes
- 70 litre oven capacity
- Catalytic self cleaning system (WMP only)
- Removable oven floor ensures easy cleaning of interior can be made in the sink or dishwasher
- Turbowave cooking
- Precision thermostatic control 0°C through to 275°C
- Quickstart fast preheat time 0°C – 175°C in 6 minutes

## 900 WMP




- Giant 110 Litre oven capacity
- New Turbowave Quickstart preheating function 0°C–175°C in 8 minutes
- Pizza, Bread and Pastry cooking function
- 18/10 stainless steel and commercial style control panel and knobs
- Recessed grill element
- Select 10 multifunction electric oven
- Inner door and control panel cooling fan
- Rotisserie
- Removable oven door and inner door glass
- Easy clean non staining black vitreous enamel oven interior

- Catalytic cook and clean interior including roof
- Turbowave cooking, lower temperatures, less food spatter, moister fresher tasting roasts
- Triple door glazing for safer, cooler door temperatures
- Positive stop roll-out internal trays
- Colours: Stainless Steel

For specifications please refer to the full catalogue or visit our website on [www.ilve.com.au](http://www.ilve.com.au)

# 948 SXMP

- Completely re-engineered oven interior for ease of cleaning
- Giant 110 Litre oven capacity
- New Turbowave Quickstart preheating function 0°-175°C in 8 minutes
- Pizza, Bread and Pastry cooking function
- Electronic meat roasting probe
- 18/10 stainless steel and commercial style control panel and knobs
- Select 11 multifunction electric oven
- Inner door and control panel cooling fan
- Stainless steel fan fat filter
- Rotisserie
- Removable oven door and inner door glass
- Easy dismantling of oven interior
- Easy clean non staining black vitreous enamel oven interior
- Catalytic cook and clean interior including roof
- Turbowave cooking, lower temperatures, less food spatter, moister fresher tasting roasts
- Positive stop commercial roll-out internal trays optional
- Large baking tray
- Triple door glazing for safer, cooler door temperatures



Antique White



Matt Black



### Colour Palette:

- Antique White
- Matt Black
- Stainless Steel



## H 360 C



- Quad ring wok super burner
- 2 simmer and 1 high speed burner
- Precision burner controls
- Single handed electronic ignition
- Easy clean removable knobs
- Cast iron trivets and burner caps
- Single piece sealed hob for easy cleaning
- Deep cooktop pressing designed to retain spillages
- Standard 10 AMP plug in power supply
- Colours: Stainless Steel or Nostalgie colours Antique White or Matt Black


## H 70 SDVX & H 70 CVX



Pictured: H 70 SDVX




Pictured: H 70 CVX





- Quad all purpose super wok burner
- 3 burners each with different heat outputs
- One touch auto ignition with flame failure
- Infinite turn down control with low simmer on each burner
- Dual control wok burner (Model H 70 SDVX only)
- New front mounted control for easy functional use
- Cast iron matt black trivets
- Compact design with maximum cooking space between burners
- Colours: Stainless Steel

## H 38 PCX



- Rectangular fish burner
- Quad ring wok super burner
- 2 simmer and 1 medium burner
- Precision burner controls
- Single handed electronic ignition
- Easy clean removable brass burners
- Standard 10 AMP plug in power supply
- 75% Hand Built
- Colours: Stainless Steel
- Now with cast iron matt black trivets and burner caps
- Also available with safety flame failure


## H 39 CX



- Quad ring super wok burner centred for maximum working space
- 2 simmer and 2 medium burners
- Precision burner controls
- Single handed electronic ignition
- Easy clean removable burners and supports
- Standard 10 AMP plug in power supply
- Now with cast iron matt black trivets
- Colours: Stainless Steel
- Also available in 90cm with a fish burner (Model H 39 PCX)

## H 90 CCV & H 90 FCV

- Dual quad ring super wok burners and 3 burners each with different heat outputs (H 90 CCV only)
- Quad ring super wok burner and 4 burners each with different heat outputs including ILVE's removable Tepanyaki stainless steel hot plate (H 90 FCV only)
- Infinite burner control with low simmer
- New front mounted control for easy functional use
- Cast iron matt black trivets
- Compact design with maximum cooking space
- Flame failure device on all five gas burners
- Cast iron trivets and burner caps
- Single piece sealed hob for easy cleaning
- Colours: Stainless Steel




Pictured: H 90 FCV




Pictured: H 90 CCV

## HP 95 PC & HP 95 C Flushline Cooktops

- Quad ring all purpose super wok burner
- Elongated fish griddle burner – HP 95
- Centred wok burner – HP 95 C
- Precision burner controls each with position accurate thermostat control
- 75% hand built AS304 stainless steel construction
- One touch automatic electronic ignition
- Front centred control panel
- Cast iron heavy duty trivets and burner caps
- Flame failure cut out
- Deep recessed spill trays
- Easy clean removable trivets and burners
- Easy clean single piece sealed hob
- Available in stainless steel only




Pictured: HP 95 C



Pictured: HP 95 PC

## XLP 90 F Flushline Cooktop

- Quad ring all purpose super wok burner
- Precision burner controls each with position accurate thermostat control
- 75% hand built AS304 stainless steel construction
- Larger Tepanyaki Hot plate (1.8cm thick plate of stainless steel)
- One touch automatic electronic ignition
- Front right side control panel
- Cast iron heavy duty trivets and burner caps
- Flame failure cut out
- Deep recessed spill trays
- Easy clean removable trivets and burners
- Easy clean single piece sealed hob
- Available in stainless steel only



## HVI 60 TC & HVI 90 TC Induction Cooktops



- Designed for simple operation
- Touch control operation
- All zones with booster
- Simmer mode
- 9 cooking temperature variations
- Easy to clean ceran surface
- Each zone fitted with an independent shut-down timer
- Residual heat indicator
- Fast heat-up time
- Auto heat reduction
- 1 small cooking zone – 1400 W - 1800 W
- 2 medium cooking zones – 1850 W - 2500 W
- 1 large zone – 2300 W - 3300 W
- 1 extra large zone – 2400 W - 3400 W (90cm only)





Pictured: HVI 60 TC



Pictured: HVI 90 TC



## IVX 39





- Designed and purpose built for ILVE appliances
- Construction 2 piece 18/8 stainless steel
- High air extraction with double centrifugal fans for quiet and efficient operation (760m<sup>3</sup>/h)
- Three speed push button situated on the front fascia
- Easy installation kit supplied
- Twin halogen lighting
- Adjustable flue pipe to fit standard ceiling
- Ducted or recirculating available
- Size: 60cm, 70cm, 80cm, 90cm wide
- Ducting size: 125mm
- Optional recirculating kit available

### SBL 60cm – 80cm – 90cm Splashback to suit




- Flush line Stainless Steel Splashback panel with or without ladle bracket 600mm, 800mm and 900mm wide

## X 200



- Designed and purpose built for ILVE appliances. Recommended for Barbecue and Tepanyaki models or wherever very high air extraction is required
- Twin high velocity, double turbine fan, low decibel rating, 1200m<sup>3</sup>/h net air throughput, option in-line motor increases air throughput to 1800m<sup>3</sup>/h NET
- Electronic touch control variable speed with auto fire shut-down sensors
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Halogen lighting
- Filter cleaning reminder light
- 18/10 stainless steel construction
- Sizes: 80cm, 90cm, 100cm, 120cm, 150cm
- Colour: Stainless Steel
- Ducting size: 150mm
- Can be set up for ducting or recirculating
- Optional extended flue pipe available
- Optional recirculating kit available

## B2 CRYSTAL & B1




- Designed and purpose built for ILVE appliances. Recommended for Barbecue and Tepanyaki models or when very high air extraction is required
- Built to exacting professional cooker hood standards
- Suitable for all ILVE cooktops 80cm and 120cm
- Twin high velocity, double turbine fan, low decibel rating, 1200m<sup>3</sup>/h net air throughput, option in-line motor increases air throughput to 1800m<sup>3</sup>/h NET
- Electric touch control variable speed with auto fire shutdown sensors
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Halogen lighting
- Filter cleaning reminder light
- Ducting size: 150mm
- 18/10 stainless steel construction
- Size: B1 90cm  
B2 90 or 120cm - frosted glass
- Optional recirculating kit available




## VELA LCD

- AS 304 Stainless Steel
- Hardened glass with black serigraph
- Washable anti-grease filter
- Easy cleaning system
- Available in exhaust or filter version
- Touch screen commands
- 4 speed
- Adjustable and delayed self-switching off (from 5 to 20 minutes)
- Light indicator for filter maintenance
- 1 centrifugal fan motor
- Upper or back 150 mm. outlet
- 10inch flat LCD monitor with remote control
- RCA cable outlet and DVD input



## X 90

- Designed and purpose built for ILVE appliances. Recommended for Barbecue and Tepanyaki models or when very high air extraction is required
- Built to exacting professional cooker hood standards
- Suitable for all ILVE cooktops 80cm and 90cm
- Twin high velocity, double turbine fan, low decibel rating, 1200m<sup>3</sup>/h net air throughput, option in-line motor increases air throughput to 1800m<sup>3</sup>/h NET
- Electric touch control variable speed with auto fire shutdown sensors
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Halogen lighting
- Filter cleaning reminder light
- AS304 Stainless Steel construction
- Size: 90cm
- Ducting size 150mm
- Optional recirculating kit available
- Stainless Steel dishwasher safe filters



## E 71 & E 75

- Full air extraction at front of hood
- Choice of ducted or recirculated
- Size: 60cm or 90cm wide

### E71 Fine Line Slide-out

- 3 speed twin centrifugal fan motor 620m<sup>3</sup>/h net air extraction
- 2 aluminium mesh filters
- Takes up to half the cupboard space of similar slide-out cooker hoods


### E75 Turbo Twin Motor Deluxe

- Electronically controlled twin motor and fan for smooth running and quiet operation
- Designed for the most intense domestic cooking
- 3 speed 850m<sup>3</sup>/h net air throughput
- Slide out filtration with stainless steel facia
- Available in Stainless Steel




For specifications please refer to our website

## T 29 Concealed Hood




- Designed and purpose built for ILVE appliances
- Twin high velocity, double turbine fan, low decibel rating, 1200m<sup>3</sup>/h net air throughput, option in-line motor increases air throughput to 1800m<sup>3</sup>/h NET
- One piece stainless steel underside
- Exclusive glide out fume deflector increase filtration area by 20%
- 4 speed twin velocity fan metal motor
- Halogen lighting
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Stainless steel mesh filters, dishwasher safe
- Available: 80cm, 100cm
- Optional recirculating kit available
- Ducting size: 150mm

## Hydra Island Hood




- Designed and purpose built for ILVE appliances
- 90cm Island rangehood
- AS 304 stainless steel construction
- Single stainless steel filter
- Styled frosted glass surrounding
- Twin velocity, double turbine, 1200M<sup>3</sup>/h cast iron motor
- Designed and purpose built for ILVE cooking appliances, recommended for BBQ and Tepanyaki models where very high extraction is required
- Electronic touch control, variable speed increments
- Auto fire safety shutdown
- Programmable 5, 10, 15, 20 minute auto fan shutdown
- Halogen lighting
- Filter 'clean me' reminder light
- Colour: stainless steel
- Ducting size: 150mm


## X 300 ISL



- Designed and purpose built for ILVE appliances. Recommended for Barbecue and Tepanyaki models or wherever very high air extraction is required
- Twin high velocity, double turbine fan, low decibel rating, 1200m<sup>3</sup>/h NET air throughput, option in-line motor increases air throughput to 1800m<sup>3</sup>/h NET
- Electronic touch control variable speed with auto fire shut-down sensors
- Programmable 5, 10, 15, 20 minute auto fan shut-down
- Halogen lighting
- Filter cleaning reminder light
- AS304 Stainless Steel construction
- Size: 100cm
- Colour: Stainless Steel
- Ducting size 150mm
- Optional recirculating kit available
- Stainless Steel dishwasher safe filters



## S-CM5 COFFEE MACHINE






- 60cm built in coffee machine
- Completely automatic push button machine
- Hot water tea and cappuccino steam option
- Personalised coffee presets
- Blue LED display
- Removable drip tray
- Automatic clean program after 100 coffees'
- Water Refill reminder
- De-caffeinated coffee function
- 3 Litre water tank
- Coffee grind per serving can be customised

## MICROWAVE OVEN




Pictured: WD 900 ESL 28 - 5S



- Made and purpose built to match all ILVE ovens
- 9 Electronic programmable auto cook presets
- 1400 watt microwave
- Output/input 900 watt
- 28 litre capacity
- Separate 1000 watt grill and browning
- 8 power levels
- Matching trim-kits also available (Model IMM 7 TK & IMM S8 TK square line trim kit)

## BUILT-IN DISHWASHER



Specifications for models:

- WQP 12-9346A
- WQP 12-B9251DM
- WQP 12-9338

- 12 IEC place setting
- 7 Washing programs
- 20 minutes short wash program
- Direct injection wash system
- Two washing temperatures 65° – 55°C
- Concealed control panel
- Turbo drying system
- Quietness; wash absorption built-in dampers
- Facility for long stem glasses
- Double anti-overflow device
- Self cleaning stainless steel microfilter
- Rinse aid indicator (internal)

Other models available: WQP 12-9346A  
WQP 12-9338 fully integrated dishwashers with stainless steel door sold separately (DWP1)

### DISCLAIMER

Eurolinx PTY LTD, trading as ILVE Appliances, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does

it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of ILVE Appliances and are not authorized to bind ILVE Appliances by any express or implied undertaking or representation.



# ILVE COLLEZIONE

## Catalogue 2009



For the entire ILVE range, ask for our latest catalogue



### EUROLINX HEAD OFFICE N.S.W AND A.C.T

48 Moore Street  
Leichhardt NSW 2040  
PH: (02) 8569 4600  
FX: (02) 8569 4699



### EUROLINX VIC AND TASMANIA

1211 Toorak Road  
Camberwell VIC 3124  
PH: (03) 9809 2122  
FX: (03) 9809 2155



### EUROLINX QLD

1/42 Cavendish Road  
Corparoo QLD 4151  
PH: (07) 3397 0900  
FX: (07) 3397 0850



### EUROLINX W.A.

Unit 10/55 Howe Street  
Osborne Park WA 6017  
PH: (08) 9201 9299  
FX: (08) 9201 9188



### EUROLINX S.A.

839-841 Main North Road  
Pooraka S.A 5095  
PH: 0423 227 755



### EUROLINX N.Z.

P.O.Box 11.160  
Sockburn, Christchurch  
PH: 0508 458 369  
FX: (03) 344 5906

[ilve@eurolinx.com.au](mailto:ilve@eurolinx.com.au) / [www.ilve.com.au](http://www.ilve.com.au)



PREVIEW 2009

LIVE WITH  
**i ILVE**